

Eswatini Energy Regulatory Authority



TENDER NOTICE: INTENTION TO AWARD A CONTRACT

DATE OF FIRST PUBLICATION	20 February 2023
TENDER NUMBER	ESERA/RFQ/02/2022-2023
NAME OF TENDER	Supply and Delivery of Laboratory Instruments
LOT NUMBER	LOT 3 – COULOMETER WATER CONTENT ANALYZER
APPROVAL AUTHORITY	ESERA Board
PROCURING ENTITY	Eswatini Energy Regulatory Authority (ESERA)
REQUESTING ENTITY	ESERA Executive Management

In terms of section 45 of the Public Procurement Act No. 7 of 2011 (the Act), following a competitive bidding process, notice is hereby given that a contract award decision for the above cited tender has been reached by the approvals authority as follows:

DETAILS OF BEST EVALUATED RESPONSIVE TENDERER	
NAME	Greytown SWZ PTY LTD
NATIONALITY	Swazi
PROPOSED CONTRACT PRICE	E479,756.12
FINAL EVALUATION SCORE	87%

It must be noted that, in terms of 45 (2) of the Act, the above contract award decision does not constitute a contract. Further, in terms of section 45 (4), 46 and 47 of the Act, all tenderers who submitted bids are hereby notified that a period of ten (10) working days is hereby allowed for submission of any application for review from the above stated date of first publication of this notice.

DETAILS OF ALL EVALUATED RESPONSIVE TENDERERS					
NAME	NATIONALITY	EVALUATED PRICE	TECHNICAL SCORE	FINANCIAL SCORE (70)	FINAL WEIGHTED SCORE
V&H Surgical And Patient Care Supplies	Swazi	E444,218.60	80	98	83.62
Greytown SWZ PTY LTD	Swazi	E435,810.21	83.75	100	87.00
CYB/SAB Investments	Swazi	Failed to meet minimum technical score	66.25	N/A	Failed to meet minimum technical score
Masi Investments	Swazi	Failed to meet minimum technical score	48.75	N/A	Failed to meet minimum technical score
Ndou Investments	Swazi	Failed to meet minimum technical score	48.75	N/A	Failed to meet minimum technical score
Cerium Scientific	Swazi	Failed to meet minimum technical score	51.25	N/A	Failed to meet minimum technical score



Eswatini Energy Regulatory Authority

Cerium Scientific	Swazi	Failed to meet minimum technical score	51.25	N/A	Failed to meet minimum technical score
-------------------	-------	--	-------	-----	--

Weighting: Technical Score (80%): Financial Score (20%)


.....
CHIEF EXECUTIVE OFFICER

