

Eswatini Energy Regulatory Authority



TENDER NOTICE: INTENTION TO AWARD A CONTRACT

| | |
|----------------------------------|---|
| DATE OF FIRST PUBLICATION | 20 February 2023 |
| TENDER NUMBER | ESERA/RFQ/02/2022-2023 |
| NAME OF TENDER | Supply and Delivery of Laboratory Instruments |
| LOT NUMBER | LOT 2 – DISTILLATION ANALYZER |
| APPROVAL AUTHORITY | ESERA Board |
| PROCURING ENTITY | Eswatini Energy Regulatory Authority (ESERA) |
| REQUESTING ENTITY | ESERA Executive Management |

In terms of section 45 of the Public Procurement Act No. 7 of 2011 (the Act), following a competitive bidding process, notice is hereby given that a contract award decision for the above cited tender has been reached by the approvals authority as follows:

| DETAILS OF BEST EVALUATED RESPONSIVE TENDERER | |
|--|--|
| NAME | V&H Surgical and Patient Care Supplies |
| NATIONALITY | Swazi |
| PROPOSED CONTRACT PRICE | E754,034.70 |
| FINAL EVALUATION SCORE | 84% |

It must be noted that, in terms of 45 (2) of the Act, the above contract award decision does not constitute a contract. Further, in terms of section 45 (4), 46 and 47 of the Act, all tenderers who submitted bids are hereby notified that a period of ten (10) working days is hereby allowed for submission of any application for review from the above stated date of first publication of this notice.

| DETAILS OF ALL EVALUATED RESPONSIVE TENDERERS | | | | | |
|--|--------------------|--|------------------------|-----------------------------|--|
| NAME | NATIONALITY | EVALUATED PRICE | TECHNICAL SCORE | FINANCIAL SCORE (70) | FINAL WEIGHTED SCORE |
| CYB/SAB Investments PTY LTD | Swazi | E823,279.30 | 80 | 92 | 82.32 |
| V&H Surgical And Patient Care Supplies | Swazi | E754,34.70 | 80 | 100 | 84.00 |
| Greytown SWZ PTY LTD | Swazi | E898,692.34 | 80 | 84 | 80.78 |
| Masi Investments | Swazi | Failed to meet minimum technical score | 50 | N/A | Failed to meet minimum technical score |
| Ndou Investments | Swazi | Failed to meet minimum technical score | 50 | N/A | Failed to meet minimum technical score |



Eswatini Energy Regulatory Authority

| | | | | | |
|---------|--------------|--|----|-----|--|
| Metrohm | South Africa | Failed to meet minimum technical score | 57 | N/A | Failed to meet minimum technical score |
|---------|--------------|--|----|-----|--|

Weighting: Technical Score (80%): Financial Score (20%)

.....
CHIEF EXECUTIVE OFFICER

