



**Eswatini Nazarene Health Institution (ENHI)  
Raleigh Fitkin Memorial (RFM) Hospital  
& the Community Health Clinics**

*Ndlovabangeni, Mshingishingini, Piggs Peak, Bhekankhosi, Ndzangeni, Shewula,  
Malandzela, Sitsatsaweni, Mliba, Bhekinkhosi, Mafutseni, Siteki, New Village,  
Vulamehlo, Manyeveni, Mgazani, Phunga, Sigcaweni, Ngculwini, Bulunga.*



**TENDER NOTICE: INVITATION TO AWARD CONTRACT**

(PUBLISHED IN TERMS OF SECTION 45(3) (b) of the public procurement Act No.7 of 2011, on the public procurement website: [www.esppra.co.sz](http://www.esppra.co.sz))

DATE OF FIRST PUBLICATION OF THIS NOTICE	09 August 2022
TENDER No.	ENHI NO:17 OF 2022/2023
NAME TENDER	PROVISION OF PLUMBING MATERIAL
APPROVAL AUTHORITY	ESWATINI NAZARENE HEALTH INSTITUTION ENTITY TENDER BOARD
PROCURING ENTITY	ESWATINI NAZARENE HEALTH INSTITUTION (ENHI)
REQUESTING ENTITY	ESWATINI NAZARENE HEALTH INSTITUTION (ENHI)

In terms of section 45 of the public procurement act No7 of 2011 (the act), following a competitive bidding process, notice is hereby given that a contract award decision for the above cited tender has been reached by the approvals authority as follows:

**DETAILS OF BEST EVALUATED RESPONSIVE TENDERER**


<b>NAME</b>	KZM Investment
<b>NATIONALITY</b>	Swati
<b>EVALUATED SCORE</b>	93%
<b>NAME</b>	ASD Plumbing
<b>NATIONALITY</b>	Swati
<b>EVALUATED SCORE</b>	92%



<b>NAME</b>	Orrest Contracts
<b>NATIONALITY</b>	South African
<b>EVALUATED SCORE</b>	82%

It must be noted that in terms of section 45 (2) of the Act above contract decision award does not constitute a contract. Furthermore, in terms of section 45(4), 46 and 47 of the Act, all tenderers who submitted bids are hereby notified that a period of ten (10) working days is hereby allowed for submission of any application for review from the above stated date of first publication of this notice.

<b>DETAILS OF OTHER EVALUATED TENDERERS (UNSUCCESSFUL)</b>			
<b>NAME</b>	<b>NATIONALITY</b>	<b>SCORE</b>	<b>REASON FOR NOT AWARDING</b>
Mdzabuko Distributors	Swati	N/A	Scored below minimum technical score of 60%



**MR. BENJAMIN V. SIMELANE**  
**CHIEF EXECUTIVE OFFICER**

