

INVITATION FOR BIDS FOR THE SUPPLY ANDDELIVERYOFTRUCKSFORVARIOUSCOMPANIESANDCOOPERATIVESINHHOHHO REGION AND SHISELWENI REGION

Lot 1: Supply and Delivery of a 6x4 10m³ tipper truck for Masithandane Multipurpose Cooperative Society Ltd

Lot 2: Supply and Delivery of a 6x4 10m³ tipper truck for Khulani Masini Multipurpose Cooperative Society Ltd

Lot 3: Supply and Delivery of an 8 Tonne Insulated Chiller Truck for Siyalima Ngololweni Farmers Limited

Lot 4: Supply and Delivery of 6x4 10m³ tipper truck for Ingcebo Yetfu Multipurpose Cooperative Society Ltd

BID REFERENCE: RDFHS/TR/05-25/2025-2026/IG BID DOCUMENT

NAME OF BIDDER:

Disclaimer





BID REFERENCE: RDFHS/TR/05-25/2025-2026/IG

30th May 2025

Dear Bidder

RE: INVITATION FOR BIDS FOR THE SUPPLY AND DELIVERY OF TRUCKS FOR VARIOUS COMPANIES AND COOPERATIVES IN THE HHOHHO REGION AND SHISELWENI REGION

Locally registered firms are invited to bid for the Supply and Delivery of a 6x4 10m³ tipper truck for Masithandane Multipurpose Cooperative Society Ltd under Matsanjeni Inkhundla in the Shiselweni Region (Lot 1), the Supply and Delivery of a 6x4 10m³ tipper truck for Khulani Masini Multipurpose Cooperative Society Ltd under Kubuta Inkhundla in the Shiselweni Region (Lot 2), the Supply and Delivery of a 8 tonne Insulated Chiller truck for Siyalima Ngololweni Farmers Limited under Sandleni Inkhundla in the Shiselweni Region (Lot 3), and the Supply and Delivery of a 6x4 10m³ tipper truck for Ingcebo Yetfu Multipurpose Cooperative Society Ltd under Pigg's Peak Inkhundla in the Hhohho Region (Lot 4),

Bonafide bids should comprise the following:

- A completed set of bid Document
- An original valid tax compliance certificate (for Government Tender)
- A Certified Copy of a valid Trading Licence
- A General Receipt as proof of purchase
- A Certified Copy of a valid Labour Compliance certificate (from the ministry of Labour and Social Security)
- E 5,000.00 Tender deposit in a form of a Bank Guaranteed letter (Insurance bonds will not be accepted)
- A manufacturer's warranty and written confirmation that the Trucks and Buses will be serviceable by local dealer.
- Pre-Bid meeting (Declaration) Certificate, issued and signed by the Employer during Pre-Bid meeting
- Submission of a Company current Form J, stamped by the Registrar of Companies
- Submission of a Company current Form C, stamped by the Registrar of Companies
- The shareholders as listed in Form C should provide certified copies of national identity documents.
- A Police Clearance for Company Director(s) as listed in Form C



Bidders shall attend a bid briefing that will be held at Microprojects Programme meeting room in the Dlan'ubeka Building, Sixth floor, Corner of LaLufadlana & Mdada Streets Mbabane on **Friday**, the **06th June 2025 at 1000 hours**.

Bid Documents will be available from 1100 hours on Friday, 03rd June 2025 may be collected from:

Microprojects Programme Regional Development Fund Sixth floor, Dlan'ubeka Building, Corner of LaLufadlana & Mdada Streets, Mbabane

Bidders are advised to pay **E500.00** (Five Hundred Emalangeni only) non-refundable amount, **for each document** at the Government Revenue Office and should use code **231/1201/21132** when making payment. Bidders are advised to consult Microprojects Unit office on the availability of bid documents prior to payment. **The unit will not be liable for the refund in the event one pays for unavailable tender documents.**

Date and place of Bid submission: 30th June 2025 at the Office of the Employer

- Bid submission closing time:
 1000 hours Eswatini (Microprojects) time
 1010 hours Eswatini (Microprojects) time
- ✤ Opening: 1010 hours Eswatini (Microprojects) time

Completed tenders should be delivered in a sealed envelope to the Microprojects Office and the envelope should only show the Project Name, Project Number and addressed to:

The Director Microprojects Programme Regional Development Fund Sixth Floor Dlan'ubeka Building P.O. Box 2122 MBABANE

Enquiries and/or clarification must be in writing and addressed Nkambule Lwazi L at Tell: 2404 8435, Fax: 2404 0516, email: <u>Inkambule@microprojects.org.sz</u> and copy to Busie Mahlalela <u>busie@microprojects.org.sz</u>. The Employer does not bind itself to accept the lowest or any tender. Any action or tendencies that will be interpreted as an attempt to interfere with or influence the tendering process will result in immediate disqualification of the Tenderer.

Yours sincerely,

Sibusiso T. Mbingo Director

The Procurement of a Trucks

Summary

Disclaimer



PART 1 – BIDDING PROCEDURES

Section I. Instructions to Bidders (ITB)

This Section provides information to help Bidders prepare their bids. Information is also provided on the submission, opening, and evaluation of bids and on the award of Contracts. Section I contains provisions that are to be used without modification.

Section II. Bidding Data Sheet (BDS)

This Section includes provisions that are specific to each procurement and that supplement Section I, Instructions to Bidders.

Section III. Evaluation and Qualification Criteria

This Section specifies the criteria to be used to determine the lowest evaluated bid, and the Bidder's qualification requirements to perform the contract.

Section IV. Bidding Forms

This Section includes the forms for the Bid Submission, Price Schedules, Bid Security, and the Manufacturer's Authorization to be submitted with the Bid.

PART 2 – SUPPLY REQUIREMENTS

Section VI. Schedule of Requirements

This Section includes the List of Goods and Related Services, the Delivery and Completion Schedules, the Technical Specifications and the Drawings that describe the Goods and Related Services to be procured.

PART 3 – CONTRACT

Section VII. General Conditions of Contract (GCC)

This Section includes the general clauses to be applied in all contracts. The text of the clauses in this Section shall not be modified.

Section VIII. Special Conditions of Contract (SCC)

This Section includes clauses specific to each contract that modify or supplement Section VII, General Conditions of Contract.

Section IX: Contract Forms

This Section includes the form for the Agreement, which, once completed, incorporates corrections or modifications to the accepted bid that are permitted under the Instructions to Bidders, the General Conditions of Contract, and the Special Conditions of Contract.

Disclaimer This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to corrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whilst using this tender document.



The forms for Performance Security and Advance Payment Security, when required, shall only be completed by the successful Bidder after contract award.

Attachment: Invitation for Bids

An "Invitation for Bids" form is provided at the end of the Bidding Documents for information.

Disclaimer



Acronyms

BDS	Bid Data Sheet
CIF	Cost, Insurance and Freight
CIP	Carriage and Insurance Paid to (place)
СРМ	Critical Path Method
EDI	Electronic Data Interchange
ENAA	Engineering Advancement Association of Japan
EXW	Ex factory, ex works or ex warehouse
FCA	Free Carrier
FOB	Free on Board
GCC	General Conditions of Contract
ICC	International Chamber of Commerce
IFB	Invitation for Bids
ITB	Instructions to Bidders
SBD	Standard Bidding Document
SCC	Special Conditions of Contract
TS	Technical Specifications and Drawings

UNCITRAL United Nations Commission on International Trade Law



Table of Contents

PART 1 – Bidding Procedures	1
Section I. Instructions to Bidders	3
Section II. Bidding Data Sheet (BDS)	25
Section III. Evaluation and Qualification Criteria	31
Section IV. Bidding Forms	45
PART 2 – Supply Requirements	
Section VI. Schedule of Requirements	75
PART 3 - Contract	
Section VII. General Conditions of Contract	95
Section VIII. Special Conditions of Contract	115
Section IX. Contract Forms	118

Disclaimer





PART 1 – Bidding Procedures

Disclaimer





Section I. Instructions to Bidders

Table of Clauses

A.	General	. 5
1.	Scope of Bid	. 5
2.	Source of Funds	
3.	Fraud and Corruption	. 5
4.	Eligible Bidders	. 7
5.	Eligible Goods and Related Services	7
B.	Contents of Bidding Documents	. 8
6.	Sections of Bidding Documents	8
7.	Clarification of Bidding Documents	9
8.	Amendment of Bidding Documents	9
C.	Preparation of Bids	. 9
9.	Cost of Bidding	. 9
10.	Language of Bid	9
11.	Documents Comprising the Bid	
12.	Bid Submission Form and Price Schedules	10
13.	Alternative Bids	10
14.	Bid Prices and Discounts	10
15.	Currencies of Bid	12
16.	Documents Establishing the Eligibility of the Bidder	12
17.	Documents Establishing the Eligibility of the Goods and Related Services	
18.	Documents Establishing the Conformity of the Goods and Related Services	
19.	Documents Establishing the Qualifications of the Bidder	
20.	Period of Validity of Bids	
21.	Bid Security and Bid-Securing Declaration	
22.	Format and Signing of Bid	15
D.	Submission and Opening of Bids	15
23.	Submission, Sealing and Marking of Bids	15
24.	Deadline for Submission of Bids	16
25.	Late Bids	16
26.	Withdrawal, Substitution, and Modification of Bids	16
27.	Bid Opening	16
E.	Evaluation and Comparison of Bids	17
28.	Confidentiality	17
29.	Clarification of Bids	18

Disclaimer



30.	Responsiveness of Bids	18
31.	Non-conformities, Errors, and Omissions	19
32.	Preliminary Examination of Bids	19
33.	Examination of Terms and Conditions; Technical Evaluation	20
34.	Conversion to Single Currency	20
35.	Domestic Preference	
36.	Evaluation of Bids	20
37.	Comparison of Bids	21
38.	Postqualification of the Bidder	21
39.	Purchaser's Right to Accept Any Bid, and to Reject Any or All Bids	22
F. A	ward of Contract	
40.	Award Criteria	22
41.	Purchaser's Right to Vary Quantities at Time of Award	
42.	Notification of Award	
43.	Signing of Contract	23
44.	Performance Security	



Section I. Instructions to Bidders

General

Scope of Bid	1.1	The Purchaser indicated in the Bidding Data Sheet (BDS), issues these Bidding Documents for the supply of Goods and Related Services incidental thereto as specified in Section VI, Schedule of Requirements. The name and identification number of this Competitive Bidding procurement are specified in the BDS. The name, identification, and number of lots of are provided in the BDS.
	1.2	Throughout these Bidding Documents:
		(a) the term "in writing" means communicated in written form (e.g. by mail, e-mail, fax, telex) with proof of receipt;
		(b) if the context so requires, "singular" means "plural" and vice versa; and
		(c) "day" means calendar day.
		(d) "Purchaser" is identified as the Procuring Entity in the Procurement Act, 2011.
Source of Funds	2.1	The source of funds is the Government of Eswatini – Regional Development Fund (RDF) as administered by the Ministry of Economic Planning and Development, Microprojects Programme Coordinating Unit.
Fraud and Corruption	3.1	It is Microprojects policy to require that Bidders as well as suppliers and their agents (whether declared or not), personnel, subcontractors, sub-consultants, service providers and suppliers under RDF-financed contracts, observe the highest standard of ethics during the procurement and execution of such contracts. ¹ In pursuance of this policy, the Microprojects:
		(a) defines, for the purposes of this provision, the terms set forth below as follows:



¹ In this context, any action taken by a bidder, supplier, contractor, or any of its personnel, agents, subcontractors, sub-consultants, service providers, suppliers and/or their employees to influence the procurement process or contract execution for undue advantage is improper.

- (i) "corrupt practice" is the offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party¹;
- (ii) "fraudulent practice" is any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation²;
- (iii) "collusive practice" is an arrangement between two or more parties³ designed to achieve an improper purpose, including to influence improperly the actions of another party;
- (iv) "coercive practice" is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party⁴;
- (v) "obstructive practice" is
 - (aa) deliberately destroying, falsifying, altering or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede an investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or
 - (bb) acts intended to materially impede the exercise of Microproject's inspection and audit rights provided for under sub-clause 3.1 (e) below.
- (b) will reject a proposal for award if it determines that the bidder recommended for award has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive or obstructive practices in competing for the contract in question;



¹ "Another party" refers to a public official acting in relation to the procurement process or contract execution. In this context, "public official" includes World Bank staff and employees of other organizations taking or reviewing procurement decisions.

² "Party" refers to a public official; the terms "benefit" and "obligation" relate to the procurement process or contract execution; and the "act or omission" is intended to influence the procurement process or contract execution.

³ "Parties" refers to participants in the procurement process (including public officials) attempting to establish bid prices at artificial, non- competitive levels.

⁴ "Party" refers to a participant in the procurement process or contract execution.

Disclaimer

3.2 In further pursuance of this policy, Bidders shall permit the Purchaser to inspect any accounts and records and other documents relating to the Bid submission and contract performance, and to have them audited by auditors appointed by the Purchaser.

- 3.3 Furthermore, Bidders shall be aware of the provision stated in Sub-Clause 35.1 (a) (iii) of the General Conditions of Contract.
- **Eligible Bidders** 4.1 A Bidder, and all parties constituting the Bidder, shall have the nationality of The Kingdom of Eswatini. A Bidder shall be deemed to have the nationality of the Kingdom of Eswatini if the Bidder is a citizen, incorporated, or registered and operates in conformity with the provisions of the laws of Eswatini. This criterion shall also apply to the determination of the nationality of proposed subcontractors or suppliers for any part of the Contract including Related Services.
 - 4.2 A Bidder shall not have a conflict of interest. All bidders found to have conflict of interest shall be disqualified. Bidders may be considered to have a conflict of interest with one or more parties in this bidding process, if they:
 - (a) are or have been associated in the past, with a firm or any of its affiliates which have been engaged by the Purchaser to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods to be purchased under these Bidding Documents; or
 - (b) submit more than one bid in this bidding process, except for alternative offers permitted under ITB Clause 13. However, this does not limit the participation of subcontractors in more than one bid;
 - 4.3 A firm that has been sanctioned by the Purchaser in accordance with the above ITB Clause 3.1 (b), shall be ineligible to be awarded a RDF-financed contract, or benefit from a RDF-financed contract, financially or otherwise, during such period of time as the Purchaser shall determine.
 - 4.4 Bidders shall provide such evidence of their continued eligibility satisfactory to the Purchaser, as the Purchaser shall reasonably request.
- Eligible Goods and5.1All the Goods and Related Services to be supplied under the
Contract may have their origin from any country.
 - 5.2 For purposes of this Clause, the term "goods" includes commodities, raw material, machinery, equipment, and industrial

This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to corrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whils tender document.



plants; and "related services" includes services such as insurance, installation, training, and initial maintenance.

5.3 The term "origin" means the country where the goods have been mined, grown, cultivated, produced, manufactured or processed; or, through manufacture, processing, or assembly, another commercially recognized article results that differs substantially in its basic characteristics from its components.

Contents of Bidding Documents

Sections of Bidding6.1The Bidding Documents consist of Parts 1, 2, and 3, which include
all the Sections indicated below, and should be read in conjunction
with any Addendum issued in accordance with ITB Clause 8.

PART 1 Bidding Procedures

- Section I. Instructions to Bidders (ITB)
- Section II. Bidding Data Sheet (BDS)
- Section III. Evaluation and Qualification Criteria
- Section IV. Bidding Forms

PART 2 Supply Requirements

• Section VI. Schedule of Requirements

PART 3 Contract

- Section VII. General Conditions of Contract (GCC)
- Section VIII. Special Conditions of Contract (SCC)
- Section IX. Contract Forms
- 6.2 The Invitation for Bids issued by the Purchaser is not part of the Bidding Documents.
- 6.3 The Purchaser is not responsible for the completeness of the Bidding Documents and their addendum, if they were not obtained directly from the Purchaser.
- 6.4 The Bidder is expected to examine all instructions, forms, terms, and specifications in the Bidding Documents. Failure to furnish all information or documentation required by the Bidding Documents may result in the rejection of the bid.

This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whils using this tender document.



9

Clarification of Bidding Documents	7.1	A prospective Bidder requiring any clarification of the Bidding Documents shall contact the Purchaser in writing at the Purchaser's address specified in the BDS. The Purchaser will respond in writing to any request for clarification, provided that such request is received no later than seven (7) days prior to the deadline for submission of bids. The Purchaser shall forward copies of its response to all those who have acquired the Bidding Documents directly from it, including a description of the inquiry but without identifying its source. Should the Purchaser deem it necessary to amend the Bidding Documents as a result of a clarification, it shall do so following the procedure under ITB Clause 8 and ITB Sub-Clause 24.2.
Amendment of Bidding Documents	8.1	At any time prior to the deadline for submission of bids, the Purchaser may amend the Bidding Documents by issuing addendum.
	8.2	Any addendum issued shall be part of the Bidding Documents and shall be communicated in writing to all who have obtained the Bidding Documents directly from the Purchaser.
	8.3	To give prospective Bidders reasonable time in which to take an addendum into account in preparing their bids, the Purchaser may, at its discretion, extend the deadline for the submission of bids, pursuant to ITB Sub-Clause 24.2
		Preparation of Bids
Cost of Bidding	9.1	The Bidder shall bear all costs associated with the preparation and submission of its bid, and the Purchaser shall not be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.
Language of Bid	10.1	The Bid, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Purchaser, shall be written in the language specified in the BDS .
Documents	11.1	The Bid shall comprise the following:
Comprising the Bid		(a) Bid Submission Form and the applicable Price Schedules, in accordance with ITB Clauses 12, 14, and 15;
		(b) Bid Security, in accordance with ITB Clause 21,
		(c) written confirmation authorizing the signatory of the Bid to commit the Bidder, in accordance with ITB Clause 22;
		(d) documentary avidence in accordance with ITP Clause 16

(d) documentary evidence in accordance with ITB Clause 16 establishing the Bidder's eligibility to bid;



documentary evidence in accordance with ITB Clauses 18 (e) and 30, that the Goods and Related Services conform to the **Bidding Documents;** (f) documentary evidence in accordance with ITB Clause 19 establishing the Bidder's qualifications to perform the contract if its bid is accepted; and any other document required in the BDS. (g) 12.1 The Bidder shall submit the Bid Submission Form using the form **Bid Submission** Form and Price furnished in Section IV, Bidding Forms. This form must be completed without any alterations to its format, and no substitutes Schedules shall be accepted. All blank spaces shall be filled in with the information requested. 12.2 The Bidder shall submit the Price Schedules for Goods and Related Services, according to their origin as appropriate, using the forms furnished in Section IV, Bidding Forms **Alternative Bids** 13.1 Unless otherwise specified in the BDS, alternative bids shall not be considered. **Bid Prices and** 14.1 The prices and discounts quoted by the Bidder in the Bid Submission Form and in the Price Schedules shall conform to the Discounts requirements specified below. 14.2 All lots and items must be listed and priced separately in the Price Schedules. 14.3 The price to be quoted in the Bid Submission Form shall be the total price of the bid, excluding any discounts offered. 14.4 The Bidder shall quote any unconditional discounts and indicate the method for their application in the Bid Submission Form. 14.5 The terms EXW, CIP, and other similar terms shall be governed by the rules prescribed in the current edition of Incoterms, published by The International Chamber of Commerce, as specified in the **BDS**. 14.6 Prices shall be quoted as specified in each Price Schedule included in Section IV, Bidding Forms. The dis-aggregation of price components is required solely for the purpose of facilitating the comparison of bids by the Purchaser. This shall not in any way limit the Purchaser's right to contract on any of the terms offered. In quoting prices, the Bidder shall use transportation through carriers registered in Eswatini. Similarly, the Bidder may obtain

This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to corrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whilst using this tender document.



insurance services from Eswatini. Prices shall be entered in the following manner:

- (a) For Goods Manufactured in Eswatini, to be imported and/or already imported:
 - (i) the price of the Goods, quoted CIP named place of destination, in the Purchaser's Country, or CIF named port of destination, as specified in the **BDS**;
 - (ii) the price of the Goods, including the original import value of the Goods; plus, any mark-up (or rebate); plus, any other related local cost, and custom duties and other import taxes already paid or to be paid on the Goods.
 - (iii) any Purchaser's Country sales and other taxes which will be payable on the Goods if the contract is awarded to the Bidder; and
 - (iv) the price for transportation, insurance, and other services required to convey the Goods from the Manufacturer to their final destination (Project Site) specified in the **BDS**.
- 14.6.1 For Related Services, other than inland transportation and other services required to convey the Goods to their final destination, whenever such Related Services are specified in the Schedule of Requirements:
 - (i) the price of each item comprising the Related Services (inclusive of any applicable taxes).
- 14.7 Prices quoted by the Bidder shall be fixed during the Bidder's performance of the Contract and not subject to variation on any account, unless otherwise specified in the **BDS.** A Bid submitted with an adjustable price quotation shall be treated as non-responsive and shall be rejected, pursuant to ITB Clause 30.
- 14.8 If so indicated in ITB Sub-Clause 1.1, bids are being invited for individual contracts (lots) or for any combination of contracts (packages). Unless otherwise indicated in the **BDS**, prices quoted shall correspond to 100 % of the items specified for each lot and to 100% of the quantities specified for each item of a lot. Bidders wishing to offer any price reduction (discount) for the award of more than one Contract shall specify the applicable price

This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to corrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whilst using this tender document.



reduction in accordance with ITB Sub-Clause 14.4 provided the bids for all lots are submitted and opened at the same time.

- **Currencies of Bid** 15.1 The Bidder shall express the bid price in the currency of the Kingdom of Eswatini (*Eswatini Lilangeni*). And the payment of the Contract Price shall be in the currency of *Eswatini Lilangeni*.
 - 16.1 To establish their eligibility in accordance with ITB Clause 4, Bidders shall complete the Bid Submission Form, included in Section IV, Bidding Forms.
 - 17.1 To establish the origin of the Goods and Related Services in accordance with ITB Clause 5, Bidders shall complete the country of origin declarations in the Price Schedule Forms, included in Section IV, Bidding Forms.
 - 18.1 To establish the conformity of the Goods and Related Services to the Bidding Documents, the Bidder shall furnish as part of its Bid the documentary evidence that the Goods conform to the technical specifications and standards specified in Section VI, Schedule of Requirements.
 - 18.2 The documentary evidence shall be in the form of literature, drawings or data, and shall consist of a detailed item by item description of the essential technical and performance characteristics of the Goods and Related Services, demonstrating substantial responsiveness of the Goods and Related Services to the technical specification, and if applicable, a statement of deviations and exceptions to the provisions of the Schedule of Requirements.
 - 18.3 The literature shall be in the form of Manufacture's Brochure (not a black and white copy) where a Bidder does not manufacture or produce the Goods it offers to supply.
 - 18.4 Standards for workmanship, process, material, and equipment, as well as references to brand names or catalogue numbers specified by the Purchaser in the Schedule of Requirements, are intended to be descriptive only and not restrictive. The Bidder may offer other standards of quality, brand names, and/or catalogue numbers, provided that it demonstrates, to the Purchaser's satisfaction, that the substitutions ensure substantial equivalence or are superior to those specified in the Schedule of Requirements.

This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to corrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whilst using this tender document.



Documents Establishing the Eligibility of the Bidder

Documents Establishing the Eligibility of the Goods and Related Services

Documents Establishing the Conformity of the Goods and Related Services

19.1 The documentary evidence of the Bidder's qualifications to **Documents** Establishing the perform the contract if its bid is accepted shall establish to the **Oualifications of** Purchaser's satisfaction: the Bidder that, if required in the BDS, a Bidder that does not (a) manufacture or produce the Goods it offers to supply shall submit the Manufacturer's Authorization using the form included in Section IV, Bidding Forms to demonstrate that it has been duly authorized by the manufacturer or producer of the Goods to supply and service these Goods in the Purchaser's Country; that, if required in the BDS, the Bidder is or will be (if (a) awarded the contract) able to carry out the Supplier's maintenance, repair and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications; and that the Bidder meets each of the qualification criterion (b) specified in Section III, Evaluation and Qualification Criteria. **Period of Validity** 20.1 Bids shall remain valid for the period specified in the BDS after the bid submission deadline date prescribed by the Purchaser. A of Bids bid valid for a shorter period shall be rejected by the Purchaser as non-responsive. 20.2 In exceptional circumstances, prior to the expiration of the bid validity period, the Purchaser may request bidders to extend the period of validity of their bids. The request and the responses shall be made in writing. If a Bid Security is requested in accordance with ITB Clause 21, it shall also be extended for a corresponding period. A Bidder may refuse the request without forfeiting its Bid Security. A Bidder granting the request shall not be required or permitted to modify its bid, except as provided in ITB Sub-Clause 20.3. 20.3 In the case of fixed price contracts, if the award is delayed by a period exceeding fifty-six (56) days beyond the expiry of the initial bid validity, the Contract price shall be adjusted as specified in the request for extension. Bid evaluation shall be based on the Bid Price without taking into consideration the above correction. **Bid Security** 21.1 The Bidder shall furnish as part of its bid, a Bid Security or a Bid-Securing Declaration, if required, as specified in the BDS.

This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to corrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whilst using this tender document.



- 21.2 The Bid Security shall be in the amount specified in the BDS and denominated in the currency of the Purchaser's Country, and shall:
 - (a) at the bidder's option, be in the form of either a letter of credit, or a bank guarantee from a banking institution (Insurance bonds will not be accepted);
 - (b) be issued by a reputable institution selected by the bidder and located in Eswatini. If the institution issuing the bond is located outside Eswatini, it shall have a correspondent financial institution located in the Purchaser's Country to make it enforceable.
 - (c) be substantially in accordance with one of the forms of Bid Security included in Section IV, Bidding Forms, or other form approved by the Purchaser prior to bid submission;
 - (d) be payable promptly upon written demand by the Purchaser in case the conditions listed in ITB Clause 21.5 are invoked;
 - (e) be submitted in its original form; copies will not be accepted;
 - (f) remain valid for a period of 28 days beyond the validity period of the bids, as extended, if applicable, in accordance with ITB Clause 20.2;
- 21.3 If a Bid Security or a Bid- Securing Declaration is required in accordance with ITB Sub-Clause 21.1, any bid not accompanied by a substantially responsive Bid Security or Bid Securing Declaration in accordance with ITB Sub-Clause 21.1, shall be rejected by the Purchaser as non-responsive.
- 21.4 The Bid Security of unsuccessful Bidders shall be returned as promptly as possible upon the successful Bidder's furnishing of the Performance Security pursuant to ITB Clause 44.
- 21.5 The Bid Security may be forfeited or the Bid Securing Declaration executed:
 - (a) if a Bidder withdraws its bid during the period of bid validity specified by the Bidder on the Bid Submission Form, except as provided in ITB Sub-Clause 20.2; or
 - (b) if the successful Bidder fails to:
 - (i) sign the Contract in accordance with ITB Clause 43;

This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to corrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whilst using this tender document.



- (ii) furnish a Performance Security in accordance with ITB Clause 44.
- 21.6 The Bid Security or Bid- Securing Declaration of a JV must be in the name of the JV that submits the bid. If the JV has not been legally constituted at the time of bidding, the Bid Security or Bid-Securing Declaration shall be in the names of all future partners as named in the letter of intent mentioned in Section IV "Bidding Forms," Bidder Information Form Item 7.
- 22.1 The Bidder shall prepare one original of the documents comprising the bid as described in ITB Clause 11 and clearly mark it "ORIGINAL." In addition, the Bidder shall submit copies of the bid, in the number specified in the **BDS** and clearly mark them "COPY." In the event of any discrepancy between the original and the copies, the original shall prevail.
 - 22.2 The original and all copies of the bid shall be typed or written in indelible ink and shall be signed by a person duly authorized to sign on behalf of the Bidder.
 - 22.3 Any interlineation, erasures, or overwriting shall be valid only if they are signed or initialled by the person signing the Bid.

Submission and Opening of Bids

Submission, Sealing and Marking of Bids

Disclaimer

Format and

Signing of Bid

- 23.1 Bidders shall submit their bids by hand.
 - (a) Bidders submitting bids by mail or by hand, shall enclose the original and each copy of the Bid, including alternative bids, if permitted in accordance with ITB Clause 13, in separate sealed envelopes, duly marking the envelopes as "ORIGINAL" and "COPY." These envelopes containing the original and the copies shall then be enclosed in one single envelope. The rest of the procedure shall be in accordance with ITB sub-Clauses 23.2 and 23.3.
- 23.2 The inner and outer envelopes shall:
 - (a) Bear the name and address of the Bidder;
 - (b) be addressed to the Purchaser in accordance with ITB Sub-Clause 24.1;
 - (c) bear the specific identification of this bidding process indicated in ITB 1.1 and any additional identification marks as **specified in the BDS**; and
 - (d) bear a warning not to open before the time and date for bid opening, in accordance with ITB Sub-Clause 27.1.



	23.3	If all envelopes are not sealed and marked as required, the Purchaser will assume no responsibility for the misplacement or premature opening of the bid.
Deadline for Submission of Bids	24.1	Bids must be received by the Purchaser at the address and no later than the date and time specified in the BDS .
	24.2	The Purchaser may, at its discretion, extend the deadline for the submission of bids by amending the Bidding Documents in accordance with ITB Clause 8, in which case all rights and obligations of the Purchaser and Bidders previously subject to the deadline shall thereafter be subject to the deadline as extended.
Late Bids	25.1	The Purchaser shall not consider any bid that arrives after the deadline for submission of bids, in accordance with ITB Clause 24. Any bid received by the Purchaser after the deadline for submission of bids shall be declared late, rejected, and returned unopened to the Bidder.
Withdrawal, Substitution, and Modification of Bids	26.1	A Bidder may withdraw, substitute, or modify its Bid after it has been submitted by sending a written notice in accordance with ITB Clause 23, duly signed by an authorized representative, and shall include a copy of the authorization (the power of attorney) in accordance with ITB Sub-Clause 22.2, (except that no copies of the withdrawal notice are required). The corresponding substitution or modification of the bid must accompany the respective written notice. All notices must be:
		(a) submitted in accordance with ITB Clauses 22 and 23 (except that withdrawal notices do not require copies), and in addition, the respective envelopes shall be clearly marked "WITHDRAWAL," "SUBSTITUTION," or "MODIFICATION;" and
		(b) received by the Purchaser prior to the deadline prescribed for submission of bids, in accordance with ITB Clause 24.
	26.2	Bids requested to be withdrawn in accordance with ITB Sub- Clause 26.1 shall be returned unopened to the Bidders.
	26.3	No bid may be withdrawn, substituted, or modified in the interval between the deadline for submission of bids and the expiration of the period of bid validity specified by the Bidder on the Bid Submission Form or any extension thereof.
Bid Opening	27.1	The Purchaser shall conduct the bid opening in public at the address, date and time specified in the BDS. Any specific electronic bid opening procedures required if electronic bidding is

Disclaimer This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, tile, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to corrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whilst using this tender document.



permitted in accordance with ITB Sub-Clause 23.1, shall be as **specified in the BDS.**

- 27.2 First, envelopes marked "WITHDRAWAL" shall be opened and read out and the envelope with the corresponding bid shall not be opened, but returned to the Bidder. If the withdrawal envelope does not contain a copy of the "power of attorney" confirming the signature as a person duly authorized to sign on behalf of the Bidder, the corresponding bid will be opened. No bid withdrawal shall be permitted unless the corresponding withdrawal notice contains a valid authorization to request the withdrawal and is read out at bid opening. Next, envelopes marked "SUBSTITUTION" shall be opened and read out and exchanged with the corresponding Bid being substituted, and the substituted Bid shall not be opened, but returned to the Bidder. No Bid substitution shall be permitted unless the corresponding substitution notice contains a valid authorization to request the substitution and is read out at bid opening. Envelopes marked "MODIFICATION" shall be opened and read out with the corresponding Bid. No Bid modification shall be permitted unless the corresponding modification notice contains a valid authorization to request the modification and is read out at Bid opening. Only envelopes that are opened and read out at Bid opening shall be considered further.
- 27.3 All other envelopes shall be opened one at a time, reading out: the name of the Bidder and whether there is a modification; the Bid Prices, including any discounts and alternative offers; the presence of a Bid Security or Bid-Securing Declaration, if required; and any other details as the Purchaser may consider appropriate. Only discounts and alternative offers read out at Bid opening shall be considered for evaluation. No Bid shall be rejected at Bid opening except for late bids, in accordance with ITB Sub-Clause 25.1.
- 27.4 The Purchaser shall prepare a record of the Bid opening that shall include, as a minimum: the name of the Bidder and whether there is a withdrawal, substitution, or modification; the Bid Price, per lot if applicable, including any discounts, and alternative offers if they were permitted; and the presence or absence of a Bid Security or Bid-Securing Declaration, if one was required. The Bidders' representatives who are present shall be requested to sign the attendance sheet. A copy of the record shall be distributed to all Bidders who submitted bids in time.

Evaluation and Comparison of Bids

Confidentiality

Disclaimer

28.1 Information relating to the examination, evaluation, comparison, and post-qualification of bids, and recommendation of contract award, shall not be disclosed to bidders or any other persons not



officially concerned with such process until publication of the Contract Award.

- 28.2 Any effort by a Bidder to influence the Purchaser in the examination, evaluation, comparison, and post-qualification of the bids or contract award decisions may result in the rejection of its Bid.
- 28.3 Notwithstanding ITB Sub-Clause 28.2, from the time of bid opening to the time of Contract Award, if any Bidder wishes to contact the Purchaser on any matter related to the bidding process, it should do so in writing.
- Clarification of 29.1 To assist in the examination, evaluation, comparison and postgualification of the bids, the Purchaser may, at its discretion, ask any Bidder for a clarification of its Bid. Any clarification submitted by a Bidder in respect to its Bid and that is not in response to a request by the Purchaser shall not be considered. The Purchaser's request for clarification and the response shall be in writing. No change in the prices or substance of the Bid shall be sought, offered, or permitted, except to confirm the correction of arithmetic errors discovered by the Purchaser in the Evaluation of the bids, in accordance with ITB Clause 31.
- **Responsiveness of**30.1The Purchaser's determination of a bid's responsiveness is to be
based on the contents of the bid itself.
 - 30.2 A substantially responsive Bid is one that conforms to all the terms, conditions, and specifications of the Bidding Documents without material deviation, reservation, or omission. A material deviation, reservation, or omission is one that:
 - (a) affects in any substantial way the scope, quality, or performance of the Goods and Related Services specified in the Contract; or
 - (b) limits in any substantial way, inconsistent with the Bidding Documents, the Purchaser's rights or the Bidder's obligations under the Contract; or
 - (c) if rectified would unfairly affect the competitive position of other bidders presenting substantially responsive bids.
 - 30.3 If a bid is not substantially responsive to the Bidding Documents, it may be rejected by the Purchaser and may not subsequently be made responsive by the Bidder by correction of the material deviation, reservation, or omission.
- This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to corrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whilst using this tender document.



Nonconformities, Errors, and Omissions	31.1	Provided that a Bid is substantially responsive, the Purchaser may waive any non-conformities or omissions in the Bid that do not constitute a material deviation.
	31.2	Provided that a bid is substantially responsive, the Purchaser may request that the Bidder submit the necessary information or documentation, within a reasonable period of time, to rectify nonmaterial nonconformities or omissions in the bid related to documentation requirements. Such omission shall not be related to any aspect of the price of the Bid. Failure of the Bidder to comply with the request may result in the rejection of its Bid.
	31.3	Provided that the Bid is substantially responsive, the Purchaser shall correct arithmetical errors on the following basis:
		(a) if there is a discrepancy between the unit price and the line item total that is obtained by multiplying the unit price by the quantity, the unit price shall prevail and the line item total shall be corrected, unless in the opinion of the Purchaser there is an obvious misplacement of the decimal point in the unit price, in which case the line item total as quoted shall govern and the unit price shall be corrected;
		(b) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
		(c) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (a) and (b) above.
	31.4	If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be rejected.
Preliminary Examination of Bids	32.1	The Purchaser shall examine the bids to confirm that all documents and technical documentation requested in ITB Clause 11 have been provided, and to determine the completeness of each document submitted.
	32.2	The Purchaser shall confirm that the following documents and information have been provided in the Bid. If any of these documents or information is missing, the offer shall be rejected.
		(a) Bid Submission Form, in accordance with ITB Sub-Clause 12.1;

(b) Price Schedules, in accordance with ITB Sub-Clause 12.2;

This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to carrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whilst using this tender document.



- Documents Establishing the Conformity of the Goods and (c) Related Services, in accordance with Sub-Clause 18.2 and 18.3
 - (d) Bid Security or Bid Securing Declaration, in accordance with ITB Clause 21, if applicable.
 - Manufacturer's Authorization in accordance with Sub-(e) Clause 19.1(a);
 - Availability in the Purchaser's Country of spare parts and (f) after sales services for plant and equipment in accordance with Sub-Clause 19.1(b).
- **Examination of** 33.1 The Purchaser shall examine the Bid to confirm that all terms and conditions specified in the GCC and the SCC have been accepted by the Bidder without any material deviation or reservation.
 - 33.2 The Purchaser shall evaluate the technical aspects of the Bid submitted in accordance with ITB Clause 18, to confirm that all requirements specified in Section VI, Schedule of Requirements of the Bidding Documents have been met without any material deviation or reservation.
 - 33.3 If, after the examination of the terms and conditions and the technical evaluation, the Purchaser determines that the Bid is not substantially responsive in accordance with ITB Clause 30, it shall reject the Bid.
- **Conversion to** 34.1 For evaluation and comparison purposes, the Purchaser shall use the bid price currency as **specified in the BDS.** Single Currency
 - 35.1 Domestic preference shall not be a factor in bid evaluation, unless otherwise specified in the BDS.
- **Evaluation of Bids -**36.1 The Purchaser shall evaluate each bid that has been determined, Financial up to this stage of the evaluation, to be substantially responsive. **Evaluation**
 - 36.2 To evaluate a Bid, the Purchaser shall only use all the factors, methodologies and criteria defined in ITB Clause 36. No other criteria or methodology shall be permitted.
 - 36.3 To evaluate a Bid, the Purchaser shall consider the following:
 - evaluation will be done for Items or Lots, as specified in the (a) **BDS**; and the Bid Price as quoted in accordance with clause 14;

This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to corrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whilst using this tender document.



Terms and

Conditions;

Technical

Domestic

Disclaimer

Preference

Evaluation

Bids

Disclaimer

- price adjustment for correction of arithmetic errors in (b) accordance with ITB Sub-Clause 31.3;
- (c) price adjustment due to discounts offered in accordance with ITB Sub-Clause 14.4:
- adjustments due to the application of the evaluation criteria (d) specified in the BDS from amongst those set out in Section III, Evaluation and Qualification Criteria;
- adjustments due to the application of a margin of preference, (e) in accordance with ITB Clause 35 if applicable.
- The Purchaser's evaluation of a bid may require the consideration 36.4 of other factors, in addition to the Bid Price quoted in accordance These factors may be related to the with ITB Clause 14. characteristics, performance, and terms and conditions of purchase of the Goods and Related Services. The effect of the factors selected, if any, shall be expressed in monetary terms to facilitate comparison of bids, unless otherwise specified in Section III, Evaluation and Qualification Criteria. The factors. methodologies and criteria to be used shall be as specified in ITB 36.3 (d).
- 36.5 If so **specified in the BDS**, these Bidding Documents shall allow Bidders to quote separate prices for one or more lots, and shall allow the Purchaser to award one or multiple lots to more than one Bidder. The methodology of evaluation to determine the lowestevaluated lot combinations, is specified in Section III, Evaluation and Qualification Criteria.
- **Comparison of** The Purchaser shall compare all substantially responsive bids to 37.1 determine the lowest-evaluated bid, in accordance with ITB Clause 36.
- **Post-qualification** 38.1 The Purchaser shall determine to its satisfaction whether the of the Bidder Bidder that is selected as having submitted the lowest evaluated and substantially responsive bid is qualified to perform the Contract satisfactorily.
 - 38.2 The determination shall be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder, pursuant to ITB Clause 19.
 - 38.3 An affirmative determination shall be a prerequisite for award of the Contract to the Bidder. A negative determination shall result in disqualification of the bid, in which event the Purchaser shall proceed to the next lowest evaluated bid to make a similar



determination of that Bidder's capabilities to perform satisfactorily.

Purchaser's Right The Purchaser reserves the right to accept or reject any bid, and to 39.1 annul the bidding process and reject all bids at any time prior to to Accept Any Bid, and to Reject Any contract award, without thereby incurring any liability to Bidders.

Award of Contract

- **Award Criteria** 40.1 The Purchaser shall award the Contract to the Bidder whose offer has been determined to be the lowest evaluated bid and is substantially responsive to the Bidding Documents, provided further that the Bidder is determined to be qualified to perform the Contract satisfactorily.
- 41.1 At the time the Contract is awarded, the Purchaser reserves the **Purchaser's Right** to Vary Ouantities right to increase or decrease the quantity of Goods and Related at Time of Award Services originally specified in Section VI, Schedule of Requirements, provided this does not exceed the percentages specified in the BDS, and without any change in the unit prices or other terms and conditions of the bid and the Bidding Documents.
- Notification of 42.1 Prior to the expiration of the period of bid validity, the Purchaser Award shall take a contract award decision, but the award decision does not constitute a contract.
 - 42.2 Following the contract award decision, the Employer shall prepare a notice indicating the name of the best evaluated tenderer, the value of the proposed contract and any evaluation scores. The notice shall be sent directly to all tenderers who submitted tenders by letter and, where appropriate, by fax or email.
 - The Employer shall allow a period of at least ten (10) days to 42.3 elapse from the date of despatch and publication of the notice in accordance with subsection (42.2) before a contract is awarded.
 - 42.4 Upon the successful Bidder's furnishing of the signed Contract Form and performance security pursuant to ITB Clause 44, the Purchaser will promptly discharge the bid security of each unsuccessful Bidder, pursuant to ITB Clause 21.4.

This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to corrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whilst using this tender document.



Disclaimer

or All Bids

- 43.2 Within twenty-eight (28) days of receipt of the Agreement, the successful Bidder shall sign, date, and return it to the Purchaser.
- 43.3 Notwithstanding ITB 43.2 above, in case signing of the Contract Agreement is prevented by any export restrictions attributable to the Purchaser, to the country of the Purchaser, or to the use of the products/goods, systems or services to be supplied, where such export restrictions arise from trade regulations from a country supplying those products/goods, systems or services, the Bidder shall not be bound by its bid, always provided, however, that the Bidder can demonstrate to the satisfaction of the Purchaser that signing of the Contact Agreement has not been prevented by any lack of diligence on the part of the Bidder in completing any formalities, including applying for permits, authorizations and licenses necessary for the export of the products/goods, systems or services under the terms of the Contract.
- Performance44.1Within fourteen (14) days of the receipt of Letter of AcceptanceSecurityfrom the Purchaser, the successful Bidder, if required, shallfurnish the Performance Security in accordance with the GCC,using for that purpose the Performance Security Form included inSection IX Contract forms, or another Form acceptable to thePurchaser.
 - 44.2 Failure of the successful Bidder to submit the above-mentioned Performance Security or sign the Contract shall constitute sufficient grounds for the annulment of the award and forfeiture of the Bid Security or execution of the Bid-Securing Declaration. In that event the Purchaser may award the Contract to the next lowest evaluated Bidder, whose offer is substantially responsive and is determined by the Purchaser to be qualified to perform the Contract satisfactorily.





Section II. Bidding Data Sheet (BDS)

The following specific data for the goods to be procured shall complement, supplement, or amend the provisions in the Instructions to Bidders (ITB). Whenever there is a conflict, the provisions herein shall prevail over those in ITB.

ITB Clause Reference	A. General
ITB 1.1	The Purchaser is: [Ministry of Economic Planning and Development, Microprojects Programme Coordinating Unit]
ITB 1.1	The name and identification number of the bid are: [THE SUPPLY AND DELIVERY OF TRUCKS FOR VARIOUS COMPANIES AND COOPERATIVES IN THE HHOHHO REGION AND SHISELWENI REGION]
	BID REFERENCE: RDFHS/TR/05-25/2025-2026/IG
	The number, identification and names of the lots comprising this bid are: -
	- Masithandane Multipurpose Cooperative Society Ltd (Lot 1)
	- Khulani Masini Multipurpose Cooperative Society Ltd (Lot 2)
	- Siyalima Ngololweni Farmers Limited (Lot 3)
	- Ingcebo Yetfu Multipurpose Cooperative Society Ltd (Lot 4)
	B. Contents of Bidding Documents
ITB 7.1	For <u>Clarification of bid purposes</u> only, the Purchaser's address is:
	Attention: [The Director, Mr. S. T. Mbingo] Address: [Microprojects Programme, 6 th Floor, Dlan'ubeka Building] City: [Mbabane]
	ZIP Code: [H100]
	Country: [Eswatini]
	Telephone: [(+268) 2404 8435]
	Facsimile number: [(+268) 2404 0907]
	Electronic mail address: [Lwazie L. Nkambule Inkambule@microprojects.org.sz and Busie Mahlalela busie@microprojects.org.sz and copy to khetsiwe Simelane khetsiwe@microprojects.org.sz]
	C. Preparation of Bids

Disclaimer



ITB 10.1	The language of the bid is: [English].
ITB 11.1 (g)	 The Bidder shall submit the following additional documents in its bid: An original valid tax compliance certificate (for Government Tender) A Certified Copy of a valid Trading Licence A Certified Copy of a valid Labour Compliance certificate (from the ministry of Labour and Social Security) A General receipt as proof of payment E 5 000.00 Tender deposit in a form of a Bank Guaranteed Letter (Insurance bonds will not be accepted) A manufacturer's warranty and a written confirmation that the Truck(s) and/or bus(es) will be serviceable by local dealer. Submission of a current Company Form J, stamped by the Registrar of Companies Submission of a current Company Form C, stamped by the Registrar of Companies The shareholders as listed in Form C should provide certified copies of identity documents A police clearance for company Directors listed in form C
ITB 13.1	Alternative Bids [shall not be] considered.
ITB 14.5	The Incoterms edition is: ["Incoterms 2010"].
ITB 14.6 (b) (i) and (c) (iii)	Place of Destination: [Eswatini]
ITB 14.6 (a) (iii);(b)(ii) and (c)(v)	 "Final destination (Project Site)": Masithandane Multipurpose Cooperative office premise under Matsanjeni Inkhundla in the Shiselweni Region (Lot 1), Khulani Masini Multipurpose Cooperative office premises under Kubuta Inkhundla in the Shiselweni Region (Lot 2), Siyalima Ngololweni Farmers Limited office premises under Sandleni Inkhundla in the Shiselweni Region (Lot 3), Ingcebo Yetfu Multipurpose Cooperative office premises under Pigg's Peak Inkhundla in the Hhohho Region (Lot 4),
ITB 14.7	The prices quoted by the Bidder ["shall not"] be adjustable.
ITB 14.8	Prices quoted for each lot shall correspond at least to [100] % of the items specified for each lot. Prices quoted for each item of a lot shall correspond at least to [100] percent of the quantities specified for this item of a lot.



ITB 19.1 (a)	Manufacturer's authorization is: ["required"]
ITB 19.1 (b)	After sales service is: ["required"]
ITB 20.1	The bid validity period shall be [180] days.
ITB 21.1	Bid shall include a Bid Security included in Section IV Bidding Forms
ITB 21.2	The amount of the Bid Security shall be: [5,000.00 – Five Thousand Emalangeni]
ITB 22.1	In addition to the original of the bid, the number of copies is: [One (1)]
	D. Submission and Opening of Bids
ITB 24.1	For bid submission purposes, the Purchaser's address is:
	Attention: [The Director, Mr. S. T. Mbingo]
	Address: [Microprojects Programme - Regional Development Fund, Dlanubeka Building, Corner of LaLufadlana & Mdada Streets]
	Floor-Room number: [6 th Floor, Microprojects Programme - Regional Development Fund Reception]
	City: [Mbabane]
	ZIP Code: [H100]
	Country: [Eswatini]
	The deadline for the submission of bids is:
	Date: [30 th June 2025]
	Time: [1000 hrs]
ITB 27.1	The bid opening shall take place at:
	Street Address: [Microprojects Programme - Regional Development Fund, Dlanubeka Building, Corner of LaLufadlana & Mdada Streets]
	Floor/ Room number: [6 th Floor, Microprojects Programme - Regional Development Fund Conference Room]
	City: [Mbabane]
	Country: [Eswatini]
	Date: [30 th June 2025]
	Time: [1010 hrs]



	E. Evaluation and Comparison of Bids		
ITB 34.1	The name of the currency is Eswatini Lilangeni		
ITB 35.1	Domestic preference [shall not] be a bid evaluation factor.		
ITB 36.3(a)	Bids will be evaluated lot by lot. If a Price Schedule shows items listed but not priced, their prices shall be assumed to be included in the prices of other items. An item not listed in the Price Schedule shall be assumed to be not included in the bid, and provided that the bid is substantially responsive, the average price of the item quoted by substantially responsive bidders will be added to the bid price and the equivalent total cost of the bid so determined will be used for price comparison.		
ITB 36.3(d)	The adjustments shall be determined using the following criteria, from amongst those set out in Section III, Evaluation and Qualification Criteria:		
	(a) Deviation in Delivery schedule: [Yes. Bidder will be disqualified if proposed delivery date is beyond that which is specified in the Bid Document]		
	(b) Deviation in payment schedule: [Yes. Bid price must take into account that payment will be made after 90 days after date of delivery]		
	(c) the availability in the Purchaser's Country of spare parts and after- sales services for the equipment offered in the bid [Yes. Failure to provide proof in this regard will result to disqualification of bid]		
	(d) the performance and productivity of the equipment offered; [Yes. Goods and Related Services to be supplied under this contract must meet the Technical Specifications as provided in Section VI – Schedule of Requirements.		
ITB 36.6	Bidders [shall] be allowed to quote separate prices for one or more lots. This is applicable only when the quoted prices per lot is for different Goods with different performance and productivity but still in conformism with the Technical Specifications as provided in Section VI – Schedule of Requirements.		
	F. Award of Contract		
ITB 41.1	The maximum percentage by which quantities may be increased is: [50 percent]		
	The maximum percentage by which quantities may be decreased is: [50 percent]		







Section III. Evaluation and Qualification Criteria

Contents

1. Evaluation Criteria (ITB 36.3 (d))

Disclaimer



1. Evaluation Criteria

The Purchaser's evaluation of a bid shall take into account the following criteria and methodologies.

1.1 Preliminary Evaluation of bid (ITB 32.1 and 32.2)

1			1
1		REFERENCE	
	Bid submission form	ITB Clause	Bidder shall fill in this Form in accordance with the instructions
		12.1	indicated. No alterations to its
			format shall be permitted and no
			substitutions shall be accepted
2	Bill of Quantities	ITB Clause 14.	Truth or falsehood
3	Bid Security	ITB Clause 21	Truth or falsehood
5	Original valid Tax compliance	ITB 11.1 (g)	Truth or falsehood
-	Certificate	(8)	
6	Certified copy of a valid Trading License	ITB 11.1 (g)	Truth or falsehood
7	Certified copy of a valid Labour Compliance	ITB 11.1 (g)	Truth or falsehood
	Certificate from the Ministry of Labour		
8	Certificate Copy of a current Form J, stamped by	ITB 11.1 (g)	Truth or falsehood
	the registration of Companies	_	
9	Certificate Copy of a current Form C, stamped by	ITB 11.1 (g)	Truth or falsehood
	the registration of Companies		
10	The shareholders as listed in Form C should	ITB 11.1 (g)	Truth or falsehood
	provide certified copies of identity documents.		
	Police clearance certificate for the directors	ITB 11.1 (g)	Truth or falsehood
	Listed in Form C		
13	Agreement of JV (if applicable)	ITB 11.1 (g)	Truth or falsehood
14	Delivery schedule.	Section VI.	
		$C_{1} \rightarrow 1 \rightarrow 1$	The Goods specified in the List of
		Schedule of	Goods are required to be delivered
		Requirements	Goods are required to be derivered
		Requirements	within the acceptable time range
			(after the earliest and before the
			final date, both dates inclusive)
			specified in Section VI, Delivery
			Schedule. No credit will be given
			to deliveries before the earliest
			date, and bids offering delivery
			after the final date shall be treated
			as non-responsive.
15		ITB 19.1	
	Manufacturer's Authorization using the form		Truth or falsehood
	included in Section IV, Bidding Forms to		
	demonstrate that it has been duly authorized by the manufacturer or producer of the Goods to		
	supply and service these Goods in the		
	Purchaser's Country;		
	Availability in the Purchaser's Country of spare		
16	parts and after sales services for plant and equipment	tITB 36.3(d)	Truth or falsehood



1.2 Technical evaluation (ITB 33.2, 33.3, 33.4)

17	Specification Requirement for a 10 m ³ Tipper Truck	Criteria
18	Standard production model with additional features	Truth or falsehood
19	Year of Manufacture- 2024	Truth or falsehood
20	Turbocharged Intercooled	Truth or falsehood
21	10 m ³ Tipper Truck	Truth or falsehood
22	205 kW@ 2200 Minimum Power (ISO)	Truth or falsehood
23	1100 @ 1200 Minimum Torque (meets ISO requirements)	Truth or falsehood
24	Minimum 6-cylinder, diesel with direct injection	Truth or falsehood
25	Minimum 9 forward gears	Truth or falsehood
26	Transmission type-Synchromesh gears	Truth or falsehood
27	Manual Shift	Truth or falsehood
28	Emission norms- Minimum Euro	Truth or falsehood
29	Braking system (meets ISO requirements)	Truth or falsehood
30	Service brakes (ABS)	Truth or falsehood
31	Parking Brake	Truth or falsehood
32	Front brake system	Truth or falsehood
33	Rear brake system	Truth or falsehood
33	Standard Steering Power Assisted (meets ISO requirements)	Truth or falsehood
35	Fuel reservoir minimum 200 litres	Truth or falsehood
		Truth or falsehood
36	Minimum 11 wheels including spare	
37	Spare wheel carrier	Truth or falsehood
38	Minimum ground clearance - 300 mm	Truth or falsehood
39	Air bags (driver and passenger seat)	Truth or falsehood
40	Radio & CD player	Truth or falsehood
41	Clear windows	Truth or falsehood
42	Air-conditioned	Truth or falsehood
43	Driver and Passenger door (meets ISO requirements)	Truth or falsehood
44	Driver and Passenger sun visor	Truth or falsehood
45	Fire extinguisher-minimum 9kgs	Truth or falsehood
46	Tow hook-front	Truth or falsehood
47	Front bumper	Truth or falsehood
48	Number plate holders	Truth or falsehood
	A suitable tool kit-(including but not limited to a complete set of wheel	
	spanner relevant for truck and minimum 5 tonne jack and all necessary	
49	accessories) and owner's manual for the truck shall be provided.	Truth or falsehood
50	Minimum 90 000 km Free service	Truth or falsehood
51	5 years minimum Warranty	Truth or falsehood
52	The truck should be serviceable by the local dealership (attach proof)	Truth or falsehood
	EOG and Operators training	Truth or falsehood (Certificates issued shall
53		include items covered during training)
54	Specification Requirement for a 8 tonne Cattle Bodied Truck	
55	Standard production model with additional features	Truth or falsehood
56	Year of Manufacture- 2024	
57	8 tonne Cattle Bodied Truck	Truth or falsehood
58	Turbocharged Intercooled	Truth or falsehood
59	Payload- minimum 8 tonne	Truth or falsehood
60	170 kW Minimum Power (ISO)	Truth or falsehood
61	700 Nm Minimum Torque (meets ISO requirements)	Truth or falsehood
62	Minimum 6-cylinder, diesel with direct injection	Truth or falsehood
63	Minimum 6 forward gears	Truth or falsehood
	Transmission type-Synchromesh gears	Truth or falsehood

Disclaimer



66	Emission norms- Minimum Euro 3	Truth or falsehood
67	Braking system (meets ISO requirements)	Truth or falsehood
68	Service brakes (ABS)	Truth or falsehood
69	Parking Brake	Truth or falsehood
70	Front brake system	Truth or falsehood
71	Rear brake system	Truth or falsehood
72	Standard Steering Power Assisted (meets ISO requirements)	Truth or falsehood
73	Fuel reservoir minimum 200 litres	Truth or falsehood
74	Minimum 7 wheels including spare	Truth or falsehood
75	Spare wheel carrier	Truth or falsehood
76	Minimum ground clearance - 300 mm	Truth or falsehood
77	Air bags (driver and passenger seat)	Truth or falsehood
78	Radio & CD player	Truth or falsehood
79	Clear windows	Truth or falsehood
80	Air-conditioned	Truth or falsehood
81	Driver and Passenger door (meets ISO requirements)	Truth or falsehood
82	Driver and Passenger sun visor	Truth or falsehood
02	Cattle body-minimum 4.5mm mild steel floor overlaid with rubber,	
83	mild steel cattle grid, rear and side gates	Truth or falsehood
84	Fire extinguisher-minimum 9kgs	Truth or falsehood
85	Tow hook-front	Truth or falsehood
86	Front bumper	Truth or falsehood
87	Number plate holders	Truth or falsehood
0/	A suitable tool kit-(including but not limited to a complete set of wheel	
00	spanner relevant for truck and minimum 5 tonne jack and all necessary	Truth on falschood
88	accessories) and owner's manual for the truck shall be provided.	Truth or falsehood
89	Minimum 90 000 km Free service	Truth or falsehood
90	5 years minimum Warranty	Truth or falsehood
91	The truck should be serviceable by the local dealership (attach proof)	Truth or falsehood
00	EOG and Operators training	Truth or falsehood (Certificates issued shall
92		include items covered during training)
93	Specification Requirement for a Horse Truck 6x4 Truck Tractor	
94	Standard production model with additional features	Truth or falsehood
95	Horse Truck 6x4 Truck Tractor	
		Truth or falsehood
		(Certificates issued shall include items
96	Turbocharged Intercooled	covered during training)
97	330 kW Minimum Power (ISO)	
98	2200Nm Minimum Torque (meets ISO requirements)	Truth or falsehood
99	12.8 Minimum Displacement	Truth or falsehood
100	Minimum 6-cylinder, diesel with direct injection	Truth or falsehood
101	Minimum 12 forward gears, Minimum 2 Reverse	Truth or falsehood
102	Transmission type-Synchromesh gears	Truth or falsehood
103	Auto Shift	Truth or falsehood
104	Emission norms- Minimum Euro III	Truth or falsehood
104 105	Emission norms- Minimum Euro III Front Springs 8.0 t, minimum 3-leaf	Truth or falsehood Truth or falsehood
104	Emission norms- Minimum Euro III	Truth or falsehood Truth or falsehood Truth or falsehood
104 105	Emission norms- Minimum Euro III Front Springs 8.0 t, minimum 3-leaf	Truth or falsehood Truth or falsehood Truth or falsehood Truth or falsehood
104 105 106	Emission norms- Minimum Euro III Front Springs 8.0 t, minimum 3-leaf Rear Springs- leaf suspension on rear axle	Truth or falsehood Truth or falsehood Truth or falsehood Truth or falsehood (Certificates issued shall include items
104 105 106 107	Emission norms- Minimum Euro III Front Springs 8.0 t, minimum 3-leaf Rear Springs- leaf suspension on rear axle Brakes-Drum brakes on front and rear axle (meets ISO requirements)	Truth or falsehood Truth or falsehood Truth or falsehood Truth or falsehood
104 105 106 107 108	Emission norms- Minimum Euro III Front Springs 8.0 t, minimum 3-leaf Rear Springs- leaf suspension on rear axle Brakes-Drum brakes on front and rear axle (meets ISO requirements) Electronic braking system with (ABS) and ASR	Truth or falsehood Truth or falsehood Truth or falsehood Truth or falsehood (Certificates issued shall include items covered during training)
104 105 106 107 107 108 109	Emission norms- Minimum Euro III Front Springs 8.0 t, minimum 3-leaf Rear Springs- leaf suspension on rear axle Brakes-Drum brakes on front and rear axle (meets ISO requirements) Electronic braking system with (ABS) and ASR Engine brake- exhaust brake, standard brake	Truth or falsehood Truth or falsehood Truth or falsehood Truth or falsehood (Certificates issued shall include items covered during training) Truth or falsehood
104 105 106 107 107 108 109 110	Emission norms- Minimum Euro III Front Springs 8.0 t, minimum 3-leaf Rear Springs- leaf suspension on rear axle Brakes-Drum brakes on front and rear axle (meets ISO requirements) Electronic braking system with (ABS) and ASR Engine brake- exhaust brake, standard brake Parking Brake	Truth or falsehood Truth or falsehood Truth or falsehood Truth or falsehood (Certificates issued shall include items covered during training) Truth or falsehood Truth or falsehood
104 105 106 107 107 108 109 110 111	Emission norms- Minimum Euro III Front Springs 8.0 t, minimum 3-leaf Rear Springs- leaf suspension on rear axle Brakes-Drum brakes on front and rear axle (meets ISO requirements) Electronic braking system with (ABS) and ASR Engine brake- exhaust brake, standard brake Parking Brake Front brake system	Truth or falsehood Truth or falsehood Truth or falsehood Truth or falsehood (Certificates issued shall include items covered during training) Truth or falsehood Truth or falsehood Truth or falsehood
104 105 106 107 107 108 109 110	Emission norms- Minimum Euro III Front Springs 8.0 t, minimum 3-leaf Rear Springs- leaf suspension on rear axle Brakes-Drum brakes on front and rear axle (meets ISO requirements) Electronic braking system with (ABS) and ASR Engine brake- exhaust brake, standard brake Parking Brake	Truth or falsehood Truth or falsehood Truth or falsehood Truth or falsehood (Certificates issued shall include items covered during training) Truth or falsehood Truth or falsehood



		Truth or falsehood
116		(Certificates issued shall include items
116	Fuel reservoir minimum 800 litres	covered during training)
117	Minimum 13 wheels including spare	Truth or falsehood
118	Spare wheel carrier	Truth or falsehood
119	Minimum ground clearance (front and rear)- 300 mm	Truth or falsehood
120	Air bags (driver and passenger seat)	Truth or falsehood
121	Armrest (driver and passenger seat)	Truth or falsehood
122	Clear windows	Truth or falsehood
123	Digital instrument Cluster	Truth or falsehood
124	Luxury Bed	Truth or falsehood
125	Air-conditioning system	Truth or falsehood
126	Driver and Passenger door (meets ISO requirements)	Truth or falsehood
127	Driver and Passenger sun visor	Truth or falsehood
128	Fire extinguisher-minimum 9kgs	Truth or falsehood
129	Tow hook-front	Truth or falsehood
130	Front bumper	Truth or falsehood
131	Number plate holders	Truth or falsehood
	A suitable tool kit-(including but not limited to a complete set of wheel	
120	spanner relevant for truck and minimum 5 tonne jack and all necessary	
132	accessories) and owner's manual for the truck shall be provided.	Truth or falsehood
133	Minimum 90 000 km Free service	Truth or falsehood
134	5 years minimum Warranty	Truth or falsehood
135	The truck should be serviceable by the local dealership (attach proof)	Truth or falsehood
126	EOG and Operators training	Truth or falsehood (Certificates issued shall
136 137	Specification Requirement for a Horse Truck 6x4 Truck Tractor	include items covered during training)
137	Standard production model with additional features	Truth or falsehood
	*	
1/20		
139	Horse Truck 6x4 Truck Tractor	Truth or falsahood
140	Turbocharged Intercooled	Truth or falsehood
140 141	Turbocharged Intercooled 330 kW Minimum Power (ISO)	Truth or falsehood
140 141 142	Turbocharged Intercooled330 kW Minimum Power (ISO)2200Nm Minimum Torque (meets ISO requirements)	Truth or falsehood Truth or falsehood
140 141 142 143	Turbocharged Intercooled 330 kW Minimum Power (ISO) 2200Nm Minimum Torque (meets ISO requirements) 12.8 Minimum Displacement	Truth or falsehood Truth or falsehood Truth or falsehood
140 141 142 143 144	Turbocharged Intercooled 330 kW Minimum Power (ISO) 2200Nm Minimum Torque (meets ISO requirements) 12.8 Minimum Displacement Minimum 6-cylinder, diesel with direct injection	Truth or falsehood Truth or falsehood Truth or falsehood Truth or falsehood
140 141 142 143 144 145	Turbocharged Intercooled330 kW Minimum Power (ISO)2200Nm Minimum Torque (meets ISO requirements)12.8 Minimum DisplacementMinimum 6-cylinder, diesel with direct injectionMinimum 12 forward gears, Minimum 2 Reverse	Truth or falsehood Truth or falsehood Truth or falsehood Truth or falsehood Truth or falsehood
140 141 142 143 144 145 146	Turbocharged Intercooled330 kW Minimum Power (ISO)2200Nm Minimum Torque (meets ISO requirements)12.8 Minimum DisplacementMinimum 6-cylinder, diesel with direct injectionMinimum 12 forward gears, Minimum 2 ReverseTransmission type-Synchromesh gears	Truth or falsehoodTruth or falsehoodTruth or falsehoodTruth or falsehoodTruth or falsehoodTruth or falsehoodTruth or falsehood
140 141 142 143 144 145 146 147	Turbocharged Intercooled330 kW Minimum Power (ISO)2200Nm Minimum Torque (meets ISO requirements)12.8 Minimum DisplacementMinimum 6-cylinder, diesel with direct injectionMinimum 12 forward gears, Minimum 2 ReverseTransmission type-Synchromesh gearsAuto Shift	Truth or falsehoodTruth or falsehood
$ \begin{array}{r} 140 \\ 141 \\ 142 \\ 143 \\ 144 \\ 145 \\ 145 \\ 146 \\ 147 \\ 148 \\ \end{array} $	Turbocharged Intercooled330 kW Minimum Power (ISO)2200Nm Minimum Torque (meets ISO requirements)12.8 Minimum DisplacementMinimum 6-cylinder, diesel with direct injectionMinimum 12 forward gears, Minimum 2 ReverseTransmission type-Synchromesh gearsAuto ShiftEmission norms- Minimum Euro III	Truth or falsehoodTruth or falsehood
$ \begin{array}{r} 140\\ 141\\ 142\\ 143\\ 144\\ 145\\ 146\\ 147\\ 148\\ 149\\ \end{array} $	Turbocharged Intercooled330 kW Minimum Power (ISO)2200Nm Minimum Torque (meets ISO requirements)12.8 Minimum DisplacementMinimum 6-cylinder, diesel with direct injectionMinimum 12 forward gears, Minimum 2 ReverseTransmission type-Synchromesh gearsAuto ShiftEmission norms- Minimum Euro IIIFront Springs 8.0 t, minimum 3-leaf	Truth or falsehoodTruth or falsehood
$ \begin{array}{r} 140\\ 141\\ 142\\ 143\\ 144\\ 145\\ 146\\ 147\\ 148\\ 149\\ 150\\ \end{array} $	Turbocharged Intercooled330 kW Minimum Power (ISO)2200Nm Minimum Torque (meets ISO requirements)12.8 Minimum DisplacementMinimum 6-cylinder, diesel with direct injectionMinimum 12 forward gears, Minimum 2 ReverseTransmission type-Synchromesh gearsAuto ShiftEmission norms- Minimum Euro IIIFront Springs 8.0 t, minimum 3-leafAirbag Suspension	Truth or falsehood Truth or falsehood
$ \begin{array}{r} 140\\ 141\\ 142\\ 143\\ 144\\ 145\\ 146\\ 147\\ 148\\ 149\\ 150\\ 151\\ \end{array} $	Turbocharged Intercooled330 kW Minimum Power (ISO)2200Nm Minimum Torque (meets ISO requirements)12.8 Minimum DisplacementMinimum 6-cylinder, diesel with direct injectionMinimum 12 forward gears, Minimum 2 ReverseTransmission type-Synchromesh gearsAuto ShiftEmission norms- Minimum Euro IIIFront Springs 8.0 t, minimum 3-leafAirbag SuspensionBrakes-Drum brakes on front and rear axle (meets ISO requirements)	Truth or falsehood Truth or falsehood
$ \begin{array}{r} 140\\ 141\\ 142\\ 143\\ 144\\ 145\\ 146\\ 147\\ 148\\ 149\\ 150\\ 151\\ 152\\ \end{array} $	Turbocharged Intercooled330 kW Minimum Power (ISO)2200Nm Minimum Torque (meets ISO requirements)12.8 Minimum DisplacementMinimum 6-cylinder, diesel with direct injectionMinimum 12 forward gears, Minimum 2 ReverseTransmission type-Synchromesh gearsAuto ShiftEmission norms- Minimum Euro IIIFront Springs 8.0 t, minimum 3-leafAirbag SuspensionBrakes-Drum brakes on front and rear axle (meets ISO requirements)Electronic braking system with (ABS) and ASR	Truth or falsehoodTruth or falsehood
$ \begin{array}{r} 140 \\ 141 \\ 142 \\ 143 \\ 144 \\ 145 \\ 146 \\ 147 \\ 146 \\ 147 \\ 148 \\ 149 \\ 150 \\ 151 \\ 152 \\ 153 \\ \end{array} $	Turbocharged Intercooled 330 kW Minimum Power (ISO) 2200Nm Minimum Torque (meets ISO requirements) 12.8 Minimum Displacement Minimum 6-cylinder, diesel with direct injection Minimum 12 forward gears, Minimum 2 Reverse Transmission type-Synchromesh gears Auto Shift Emission norms- Minimum Euro III Front Springs 8.0 t, minimum 3-leaf Airbag Suspension Brakes-Drum brakes on front and rear axle (meets ISO requirements) Electronic braking system with (ABS) and ASR Engine brake- exhaust brake, standard brake	Truth or falsehoodTruth or falsehood
$ \begin{array}{r} 140 \\ 141 \\ 142 \\ 143 \\ 144 \\ 145 \\ 146 \\ 147 \\ 146 \\ 147 \\ 148 \\ 149 \\ 150 \\ 151 \\ 152 \\ 153 \\ 154 \\ \end{array} $	Turbocharged Intercooled 330 kW Minimum Power (ISO) 2200Nm Minimum Torque (meets ISO requirements) 12.8 Minimum Displacement Minimum 6-cylinder, diesel with direct injection Minimum 12 forward gears, Minimum 2 Reverse Transmission type-Synchromesh gears Auto Shift Emission norms- Minimum Euro III Front Springs 8.0 t, minimum 3-leaf Airbag Suspension Brakes-Drum brakes on front and rear axle (meets ISO requirements) Electronic braking system with (ABS) and ASR Engine brake- exhaust brake, standard brake Parking Brake	Truth or falsehood Truth or falsehood
$\begin{array}{r} 140\\ 141\\ 142\\ 143\\ 144\\ 145\\ 146\\ 147\\ 148\\ 149\\ 150\\ 151\\ 152\\ 153\\ 154\\ 155\\ \end{array}$	Turbocharged Intercooled330 kW Minimum Power (ISO)2200Nm Minimum Torque (meets ISO requirements)12.8 Minimum DisplacementMinimum 6-cylinder, diesel with direct injectionMinimum 12 forward gears, Minimum 2 ReverseTransmission type-Synchromesh gearsAuto ShiftEmission norms- Minimum Euro IIIFront Springs 8.0 t, minimum 3-leafAirbag SuspensionBrakes-Drum brakes on front and rear axle (meets ISO requirements)Electronic braking system with (ABS) and ASREngine brake- exhaust brake, standard brakeParking BrakeFront brake system	Truth or falsehoodTruth or falsehood
$\begin{array}{r} 140\\ 141\\ 142\\ 143\\ 144\\ 145\\ 146\\ 147\\ 148\\ 149\\ 150\\ 151\\ 152\\ 153\\ 154\\ 155\\ 156\\ \end{array}$	Turbocharged Intercooled330 kW Minimum Power (ISO)2200Nm Minimum Torque (meets ISO requirements)12.8 Minimum DisplacementMinimum 6-cylinder, diesel with direct injectionMinimum 12 forward gears, Minimum 2 ReverseTransmission type-Synchromesh gearsAuto ShiftEmission norms- Minimum Euro IIIFront Springs 8.0 t, minimum 3-leafAirbag SuspensionBrakes-Drum brakes on front and rear axle (meets ISO requirements)Electronic braking system with (ABS) and ASREngine brake- exhaust brake, standard brakeParking BrakeFront brake systemRear brake system	Truth or falsehood Truth or falsehood
$\begin{array}{r} 140\\ 141\\ 142\\ 143\\ 144\\ 145\\ 146\\ 147\\ 148\\ 149\\ 150\\ 151\\ 152\\ 153\\ 154\\ 155\\ 156\\ 157\\ \end{array}$	Turbocharged Intercooled 330 kW Minimum Power (ISO) 2200Nm Minimum Torque (meets ISO requirements) 12.8 Minimum Displacement Minimum 6-cylinder, diesel with direct injection Minimum 12 forward gears, Minimum 2 Reverse Transmission type-Synchromesh gears Auto Shift Emission norms- Minimum Euro III Front Springs 8.0 t, minimum 3-leaf Airbag Suspension Brakes-Drum brakes on front and rear axle (meets ISO requirements) Electronic braking system with (ABS) and ASR Engine brake- exhaust brake, standard brake Parking Brake Front brake system Rear brake system Battery- low maintenance	Truth or falsehood Truth or falsehood
$\begin{array}{r} 140\\ 141\\ 142\\ 143\\ 144\\ 145\\ 146\\ 147\\ 148\\ 149\\ 150\\ 151\\ 152\\ 153\\ 154\\ 155\\ 156\\ 157\\ 158\\ \end{array}$	Turbocharged Intercooled 330 kW Minimum Power (ISO) 2200Nm Minimum Torque (meets ISO requirements) 12.8 Minimum Displacement Minimum 6-cylinder, diesel with direct injection Minimum 12 forward gears, Minimum 2 Reverse Transmission type-Synchromesh gears Auto Shift Emission norms- Minimum Euro III Front Springs 8.0 t, minimum 3-leaf Airbag Suspension Brakes-Drum brakes on front and rear axle (meets ISO requirements) Electronic braking system with (ABS) and ASR Engine brake- exhaust brake, standard brake Parking Brake Front brake system Rear brake system Battery- low maintenance Battery carrier cover lockable	Truth or falsehood Truth or falsehood
$\begin{array}{r} 140\\ 141\\ 142\\ 143\\ 144\\ 145\\ 146\\ 147\\ 148\\ 149\\ 150\\ 151\\ 152\\ 153\\ 154\\ 155\\ 156\\ 157\\ 158\\ 159\\ \end{array}$	Turbocharged Intercooled 330 kW Minimum Power (ISO) 2200Nm Minimum Torque (meets ISO requirements) 12.8 Minimum Displacement Minimum 6-cylinder, diesel with direct injection Minimum 12 forward gears, Minimum 2 Reverse Transmission type-Synchromesh gears Auto Shift Emission norms- Minimum Euro III Front Springs 8.0 t, minimum 3-leaf Airbag Suspension Brakes-Drum brakes on front and rear axle (meets ISO requirements) Electronic braking system with (ABS) and ASR Engine brake- exhaust brake, standard brake Parking Brake Front brake system Rear brake system Battery- low maintenance Battery carrier cover lockable Standard Steering Power Assisted (meets ISO requirements)	Truth or falsehoodTruth or falsehood
$\begin{array}{r} 140\\ 141\\ 142\\ 143\\ 144\\ 145\\ 146\\ 147\\ 148\\ 149\\ 150\\ 151\\ 152\\ 153\\ 154\\ 155\\ 156\\ 157\\ 158\\ 159\\ 160\\ \end{array}$	Turbocharged Intercooled 330 kW Minimum Power (ISO) 2200Nm Minimum Torque (meets ISO requirements) 12.8 Minimum Displacement Minimum 6-cylinder, diesel with direct injection Minimum 12 forward gears, Minimum 2 Reverse Transmission type-Synchromesh gears Auto Shift Emission norms- Minimum Euro III Front Springs 8.0 t, minimum 3-leaf Airbag Suspension Brakes-Drum brakes on front and rear axle (meets ISO requirements) Electronic braking system with (ABS) and ASR Engine brake- exhaust brake, standard brake Parking Brake Front brake system Rear brake system Battery- low maintenance Battery carrier cover lockable Standard Steering Power Assisted (meets ISO requirements) Fuel reservoir minimum 800 litres	Truth or falsehood Truth or falsehood
$\begin{array}{r} 140\\ 141\\ 142\\ 143\\ 144\\ 145\\ 146\\ 147\\ 148\\ 149\\ 150\\ 151\\ 152\\ 153\\ 154\\ 155\\ 156\\ 157\\ 158\\ 159\\ 160\\ 161\\ \end{array}$	Turbocharged Intercooled330 kW Minimum Power (ISO)2200Nm Minimum Torque (meets ISO requirements)12.8 Minimum DisplacementMinimum 6-cylinder, diesel with direct injectionMinimum 12 forward gears, Minimum 2 ReverseTransmission type-Synchromesh gearsAuto ShiftEmission norms- Minimum Euro IIIFront Springs 8.0 t, minimum 3-leafAirbag SuspensionBrakes-Drum brakes on front and rear axle (meets ISO requirements)Electronic braking system with (ABS) and ASREngine brake- exhaust brake, standard brakeParking BrakeFront brake systemRear brake systemBattery- low maintenanceBattery carrier cover lockableStandard Steering Power Assisted (meets ISO requirements)Fuel reservoir minimum 800 litresMinimum 13 wheels including spare	Truth or falsehoodTruth or falsehood
$\begin{array}{r} 140\\ 141\\ 142\\ 143\\ 144\\ 145\\ 144\\ 145\\ 146\\ 147\\ 148\\ 149\\ 150\\ 151\\ 152\\ 153\\ 154\\ 155\\ 156\\ 157\\ 158\\ 159\\ 160\\ 161\\ 162\\ \end{array}$	Turbocharged Intercooled330 kW Minimum Power (ISO)2200Nm Minimum Torque (meets ISO requirements)12.8 Minimum DisplacementMinimum 6-cylinder, diesel with direct injectionMinimum 12 forward gears, Minimum 2 ReverseTransmission type-Synchromesh gearsAuto ShiftEmission norms- Minimum Euro IIIFront Springs 8.0 t, minimum 3-leafAirbag SuspensionBrakes-Drum brakes on front and rear axle (meets ISO requirements)Electronic braking system with (ABS) and ASREngine brake- exhaust brake, standard brakeParking BrakeFront brake systemBattery- low maintenanceBattery carrier cover lockableStandard Steering Power Assisted (meets ISO requirements)Fuel reservoir minimum 800 litresMinimum 13 wheels including spareSpare wheel carrier	Truth or falsehoodTruth or falsehood
$\begin{array}{r} 140\\ 141\\ 142\\ 143\\ 144\\ 145\\ 144\\ 145\\ 146\\ 147\\ 148\\ 149\\ 150\\ 151\\ 152\\ 153\\ 154\\ 155\\ 156\\ 157\\ 158\\ 159\\ 160\\ 161\\ 162\\ 163\\ \end{array}$	Turbocharged Intercooled330 kW Minimum Power (ISO)2200Nm Minimum Torque (meets ISO requirements)12.8 Minimum DisplacementMinimum 6-cylinder, diesel with direct injectionMinimum 12 forward gears, Minimum 2 ReverseTransmission type-Synchromesh gearsAuto ShiftEmission norms- Minimum Euro IIIFront Springs 8.0 t, minimum 3-leafAirbag SuspensionBrakes-Drum brakes on front and rear axle (meets ISO requirements)Electronic braking system with (ABS) and ASREngine brake- exhaust brake, standard brakeParking BrakeFront brake systemBattery- low maintenanceBattery carrier cover lockableStandard Steering Power Assisted (meets ISO requirements)Fuel reservoir minimum 800 litresMinimum 13 wheels including spareSpare wheel carrierMinimum ground clearance (front and rear)- 300 mm	Truth or falsehoodTruth or falsehood
$\begin{array}{r} 140\\ 141\\ 142\\ 143\\ 144\\ 145\\ 144\\ 145\\ 146\\ 147\\ 148\\ 149\\ 150\\ 151\\ 152\\ 150\\ 151\\ 152\\ 155\\ 156\\ 157\\ 158\\ 159\\ 160\\ 161\\ 162\\ 163\\ 164\\ \end{array}$	Turbocharged Intercooled330 kW Minimum Power (ISO)2200Nm Minimum Torque (meets ISO requirements)12.8 Minimum DisplacementMinimum 6-cylinder, diesel with direct injectionMinimum 12 forward gears, Minimum 2 ReverseTransmission type-Synchromesh gearsAuto ShiftEmission norms- Minimum Euro IIIFront Springs 8.0 t, minimum 3-leafAirbag SuspensionBrakes-Drum brakes on front and rear axle (meets ISO requirements)Electronic braking system with (ABS) and ASREngine brake- exhaust brake, standard brakeParking BrakeFront brake systemBattery- low maintenanceBattery- low maintenanceBattery carrier cover lockableStandard Steering Power Assisted (meets ISO requirements)Fuel reservoir minimum 800 litresMinimum 13 wheels including spareSpare wheel carrierMinimum ground clearance (front and rear)- 300 mmAir bags (driver and passenger seat)	Truth or falsehood Truth or falsehood
$\begin{array}{r} 140\\ 141\\ 142\\ 143\\ 144\\ 145\\ 146\\ 147\\ 148\\ 149\\ 150\\ 151\\ 152\\ 153\\ 154\\ 155\\ 156\\ 157\\ 158\\ 159\\ 160\\ 161\\ 162\\ 163\\ \end{array}$	Turbocharged Intercooled330 kW Minimum Power (ISO)2200Nm Minimum Torque (meets ISO requirements)12.8 Minimum DisplacementMinimum 6-cylinder, diesel with direct injectionMinimum 12 forward gears, Minimum 2 ReverseTransmission type-Synchromesh gearsAuto ShiftEmission norms- Minimum Euro IIIFront Springs 8.0 t, minimum 3-leafAirbag SuspensionBrakes-Drum brakes on front and rear axle (meets ISO requirements)Electronic braking system with (ABS) and ASREngine brake- exhaust brake, standard brakeParking BrakeFront brake systemBattery- low maintenanceBattery carrier cover lockableStandard Steering Power Assisted (meets ISO requirements)Fuel reservoir minimum 800 litresMinimum 13 wheels including spareSpare wheel carrierMinimum ground clearance (front and rear)- 300 mm	Truth or falsehoodTruth or falsehood



160	Air conditioning system	Truth or folgehood
169 170	Air-conditioning system Driver and Passenger door (meets ISO requirements)	Truth or falsehood Truth or falsehood
170	Driver and Passenger door (meets iso requirements)	Truth or falsehood
171	Fire extinguisher-minimum 9kgs	Truth or falsehood
172	Tow hook-front	Truth of falsehood
175	Front bumper	Truth or falsehood
174	Number plate holders	Truth of falsehood
175		Truth or falsehood
1/0	Anti-theft system	I ruth of Taisenood
	A suitable tool kit-(including but not limited to a complete set of wheel spanner relevant for truck and minimum 5 tonne jack and all necessary	
177	accessories) and owner's manual for the truck shall be provided.	Truth or falsehood
178	Minimum 90 000 km Free service	Truth or falsehood
178	5 years minimum Warranty	Truth or falsehood
179	The truck should be serviceable by the local dealership (attach proof)	Truth of falsehood
160	EOG and Operators training	Truth of falsehood (Certificates issued shall
181	EOO and Operators training	include items covered during training)
181	Specification Dequinement for a 4 Tenne Truck with dren sides	include items covered during training)
182	Specification Requirement for a 4 Tonne Truck with drop sides Standard production model with additional features	Truth or falsehood
	Year of Manufacture- 2024	Truth or falsehood
184 185		Truth or falsehood
	4 Tonne Truck with drop sides Turbocharged Intercooled	Truth or falsehood
186 187	95 kW Minimum Net Power (ISO)	Truth or falsehood
188	300 Minimum Torque (meets ISO requirements)	Truth or falsehood
189	Minimum 4-cylinder, diesel with direct injection	Truth or falsehood
190	Minimum 6 forward gears	Truth or falsehood
191	Emission norms- Minimum Euro III	Truth or falsehood
192	Synchromesh	Truth or falsehood
193	Manual Gear shift operation	Truth or falsehood
194	Braking system (meets ISO requirements)	Truth or falsehood
195	Service brakes (ABS)	Truth or falsehood
196	Parking Brake	Truth or falsehood
197	Front brake system	Truth or falsehood
198	Rear brake system	Truth or falsehood
199	Standard Steering Power assisted (meets ISO requirements)	Truth or falsehood
200	Fuel reservoir minimum 100 litres with lockable cap	Truth or falsehood
201	Minimum 7 wheels including spare	Truth or falsehood
202	Spare wheel on rear chassis	Truth or falsehood
203	Shock absorbers	Truth or falsehood
204	Minimum ground clearance -190mm	Truth or falsehood
205	Air bags (driver and passenger seat)	Truth or falsehood
206	Radio & CD player	Truth or falsehood
207	Clear windows	Truth or falsehood
208	Air-conditioned	Truth or falsehood
209	Driver and Passenger door (meets ISO requirements)	Truth or falsehood
210	Driver and Passenger sun visor	Truth or falsehood
211	Fire extinguisher-minimum 9kgs	Truth or falsehood
212	Tow hook-front	Truth or falsehood
213	Front bumper	Truth or falsehood
214	Number plate holders	Truth or falsehood
215	Anti-theft system	Truth or falsehood
	A suitable tool kit-(including but not limited to a complete set of wheel	
015	spanner relevant for truck and minimum 5 tonne jack and all necessary	
216	accessories) and owner's manual for the truck shall be provided.	Truth or falsehood
217	Minimum 90 000 km Free service	Truth or falsehood
218	5 years minimum Warranty	Truth or falsehood
219	The truck should be serviceable by the local dealership (attach proof)	Truth or falsehood



221 Specification Requirement for a 16 seater Bus 222 Standard production model with additional features Truth or falsehood 223 Year of Manufacture- 2024 Truth or falsehood 224 16 seater bus Truth or falsehood 225 70 Net Power (EEC/ISO) Truth or falsehood 226 260 Minimum Torque (meets ISO requirements) Truth or falsehood 227 Minimum 4-cylinder, diesel with direct injection Truth or falsehood 228 Emission norms- Minimum Euro 2 Truth or falsehood 230 Gearshift operation (cable and/ or air assist)- meets ISO requirements Truth or falsehood 231 Braking system (meets ISO requirements) Truth or falsehood 2323 Service brakes (ABS) Truth or falsehood 233 Parking Brake (rear of transmission) Truth or falsehood 234 Front brake system (Drum) Truth or falsehood 235 Rear brake system (Drum) Truth or falsehood 236 Dual Circuit Truth or falsehood 237 Standard Steering Power assisted (meets ISO requirements) Truth or falsehood	
223 Year of Manufacture- 2024 Truth or falsehood 224 16 seater bus Truth or falsehood 225 70 Net Power (EEC/ISO) Truth or falsehood 226 260 Minimum Torque (meets ISO requirements) Truth or falsehood 227 Minimum 4-cylinder, diesel with direct injection Truth or falsehood 228 Emission norms- Minimum Euro 2 Truth or falsehood 229 Minimum 5 forward gears Truth or falsehood 230 Gearshift operation (cable and/ or air assist)- meets ISO requirements Truth or falsehood 231 Braking system (meets ISO requirements) Truth or falsehood 233 Parking Brake (rear of transmission) Truth or falsehood 234 Front brake system (Drum) Truth or falsehood 235 Rear brake system (Drum) Truth or falsehood 236 Dual Circuit Truth or falsehood 237 Standard Steering Power assisted (meets ISO requirements) Truth or falsehood 238 Fuel reservoir minimum 70 litres Truth or falsehood 239 Minimum 7 wheels including spare Truth or falsehood 240 Tyres-12 ply Truth or falsehood <	
224 16 seater bus Truth or falsehood 225 70 Net Power (EEC/ISO) Truth or falsehood 226 260 Minimum Torque (meets ISO requirements) Truth or falsehood 227 Minimum 4-cylinder, diseal with direct injection Truth or falsehood 228 Emission norms- Minimum Euro 2 Truth or falsehood 230 Gearshift operation (cable and/ or air assist)- meets ISO requirements Truth or falsehood 231 Braking system (meets ISO requirements) Truth or falsehood 232 Service brakes (ABS) Truth or falsehood 233 Parking System (Drum) Truth or falsehood 234 Front brake system (Drum) Truth or falsehood 235 Rear brake system (Drum) Truth or falsehood 236 Dual Circuit Truth or falsehood 237 Standard Steering Power assisted (meets ISO requirements) Truth or falsehood 238 Fuel reservoir minimum 70 litres Truth or falsehood 239 Minimum 7 heels including spare Truth or falsehood 241 Spare wheel carrier Truth or falsehood 242 Mud flaps-all wheels Truth or falsehood	
225 70 Net Power (EEC/ISO) Truth or falsehood 226 260 Minimum Torque (meets ISO requirements) Truth or falsehood 227 Minimum 4-cylinder, diesel with direct injection Truth or falsehood 228 Emission norms-Minimum Euro 2 Truth or falsehood 229 Minimum 5 forward gears Truth or falsehood 230 Gearshift operation (cable and/ or air assist)- meets ISO requirements Truth or falsehood 231 Braking system (meets ISO requirements) Truth or falsehood 232 Service brakes (ABS) Truth or falsehood 233 Parking Brake (rear of transmission) Truth or falsehood 234 Front brake system (Drum) Truth or falsehood 235 Rear brake system (Drum) Truth or falsehood 236 Dual Circuit Truth or falsehood 237 Standard Steering Power assisted (meets ISO requirements) Truth or falsehood 238 Fuel reservoir minimum 70 litres Truth or falsehood 239 Minimum 7 wheels including spare Truth or falsehood 240 Tyres-12 ply Truth or falsehood 241 Spare wheel carrier Truth or falsehood <	
226 260 Minimum Torque (meets ISO requirements) Truth or falsehood 227 Minimum 4-cylinder, diesel with direct injection Truth or falsehood 228 Emission norms- Minimum Euro 2 Truth or falsehood 229 Minimum 5 forward gears Truth or falsehood 230 Gearshift operation (cable and/ or air assist)- meets ISO requirements Truth or falsehood 231 Braking system (meets ISO requirements) Truth or falsehood 232 Service brakes (ABS) Truth or falsehood 233 Parking Brake (rear of transmission) Truth or falsehood 234 Front brake system (Drum) Truth or falsehood 235 Rear brake system (Drum) Truth or falsehood 236 Dual Circuit Truth or falsehood 237 Standard Steering Power assisted (meets ISO requirements) Truth or falsehood 238 Fuel reservoir minimum 70 litres Truth or falsehood 239 Minimum 7 wheels including spare Truth or falsehood 241 Spare wheel carrier Truth or falsehood 242 Mud flaps-all wheels Truth or falsehood 243 Shock absorbers Truth or falsehood	
227Minimum 4-cylinder, diesel with direct injectionTruth or falsehood228Emission norms- Minimum Euro 2Truth or falsehood230Gearshift operation (cable and/ or air assist)- meets ISO requirementsTruth or falsehood231Braking system (meets ISO requirements)Truth or falsehood232Service brakes (ABS)Truth or falsehood233Parking Brake (rear of transmission)Truth or falsehood234Front brake system (Drum)Truth or falsehood235Rear brake system (Drum)Truth or falsehood236Dual CircuitTruth or falsehood237Standard Steering Power assisted (meets ISO requirements)Truth or falsehood238Fuel reservoir minimum 70 litresTruth or falsehood239Minimum 7 wheels including spareTruth or falsehood240Tyres-12 plyTruth or falsehood241Spare wheel carrierTruth or falsehood243Shock absorbersTruth or falsehood244Minimum ground clearance -180mmTruth or falsehood245Seat beltsTruth or falsehood246Formica and superior safety flooring (meets ISO requirements)Truth or falsehood247Formica Ceiling (meets ISO requirements)Truth or falsehood248Radio & CD PlayerTruth or falsehood244Spare of and superior safety flooring (meets ISO requirements)Truth or falsehood245Seat beltsTruth or falsehood246Formica and superior safety flooring (meets ISO requirements)<	
228Emission norms- Minimum Euro 2Truth or falsehood229Minimum 5 forward gearsTruth or falsehood230Gearshift operation (cable and/ or air assist)- meets ISO requirementsTruth or falsehood231Braking system (meets ISO requirements)Truth or falsehood232Service brakes (ABS)Truth or falsehood233Parking Brake (rear of transmission)Truth or falsehood234Front brake system (Drum)Truth or falsehood235Rear brake system (Drum)Truth or falsehood236Dual CircuitTruth or falsehood237Standard Steering Power assisted (meets ISO requirements)Truth or falsehood238Fuel reservoir minimum 70 litresTruth or falsehood239Minimum 7 wheels including spareTruth or falsehood240Tyres-12 plyTruth or falsehood241Spare wheel carrierTruth or falsehood243Shock absorbersTruth or falsehood244Minimum ground clearance -180mmTruth or falsehood245Seat beltsTruth or falsehood246Formica and superior safety flooring (meets ISO requirements)Truth or falsehood247Formica Ceiling (meets ISO requirements)Truth or falsehood248Radio & CD PlayerTruth or falsehood244Radio & CD PlayerTruth or falsehood255Zas beltsTruth or falsehood251Driver's door (meets ISO requirements)Truth or falsehood252Passenger door (meets ISO requirements	
229Minimum 5 forward gearsTruth or falsehood230Gearshift operation (cable and/ or air assist)- meets ISO requirementsTruth or falsehood231Braking system (meets ISO requirements)Truth or falsehood232Service brakes (ABS)Truth or falsehood233Parking Brake (rear of transmission)Truth or falsehood234Front brake system (Drum)Truth or falsehood235Rear brake system (Drum)Truth or falsehood236Dual CircuitTruth or falsehood237Standard Steering Power assisted (meets ISO requirements)Truth or falsehood238Fuel reservoir minimum 70 litresTruth or falsehood239Minimum 7 wheels including spareTruth or falsehood240Tyres-12 plyTruth or falsehood241Spare wheel carrierTruth or falsehood242Mud flaps-all wheelsTruth or falsehood243Shock absorbersTruth or falsehood244Minimum ground clearance -180mmTruth or falsehood245Seat beltsTruth or falsehood246Formica and superior safety flooring (meets ISO requirements)Truth or falsehood247Formica ceiling (meets ISO requirements)Truth or falsehood248Radio & CD PlayerTruth or falsehood251Driver's sun visorTruth or falsehood252Passenger door (meets ISO requirements)Truth or falsehood254Front address ISO requirements)Truth or falsehood255Driver's sun visor<	
230 Gearshift operation (cable and/ or air assist)- meets ISO requirements Truth or falsehood 231 Braking system (meets ISO requirements) Truth or falsehood 232 Service brakes (ABS) Truth or falsehood 233 Parking Brake (rear of transmission) Truth or falsehood 234 Front brake system (Drum) Truth or falsehood 235 Rear brake system (Drum) Truth or falsehood 236 Dual Circuit Truth or falsehood 237 Standard Steering Power assisted (meets ISO requirements) Truth or falsehood 238 Fuel reservoir minimum 70 litres Truth or falsehood 239 Minimum 7 wheels including spare Truth or falsehood 240 Tyres-12 ply Truth or falsehood 241 Spare wheel carrier Truth or falsehood 242 Mud flaps-all wheels Truth or falsehood 243 Shock absorbers Truth or falsehood 244 Minimum ground clearance -180mm Truth or falsehood 244 Minimum ground clearance -180mm Truth or falsehood 244 Formica and superior safety flooring (meets ISO requirements) Truth or falsehood	
231Braking system (meets ISO requirements)Truth or falsehood232Service brakes (ABS)Truth or falsehood233Parking Brake (rear of transmission)Truth or falsehood234Front brake system (Drum)Truth or falsehood235Rear brake system (Drum)Truth or falsehood236Dual CircuitTruth or falsehood237Standard Steering Power assisted (meets ISO requirements)Truth or falsehood238Fuel reservoir minimum 70 litresTruth or falsehood239Minimum 7 wheels including spareTruth or falsehood240Tyres-12 plyTruth or falsehood241Spare wheel carrierTruth or falsehood242Mud flaps-all wheelsTruth or falsehood243Shock absorbersTruth or falsehood244Minimum ground clearance -180mmTruth or falsehood245Seat beltsTruth or falsehood246Formica and superior safety flooring (meets ISO requirements)Truth or falsehood247Formica Ceiling (meets ISO requirements)Truth or falsehood248Radio & CD PlayerTruth or falsehood249Clear windowsTruth or falsehood250Driver's door (meets ISO requirements)Truth or falsehood251Driver's door (meets ISO requirements)Truth or falsehood252Passenger door (meets ISO requirements)Truth or falsehood251Driver's sun visorTruth or falsehood252Passenger door (meets ISO requirements)Truth or fa	
232Service brakes (ABS)Truth or falsehood233Parking Brake (rear of transmission)Truth or falsehood234Front brake system (Drum)Truth or falsehood235Rear brake system (Drum)Truth or falsehood236Dual CircuitTruth or falsehood237Standard Steering Power assisted (meets ISO requirements)Truth or falsehood238Fuel reservoir minimum 70 litresTruth or falsehood239Minimum 7 wheels including spareTruth or falsehood240Tyres-12 plyTruth or falsehood241Spare wheel carrierTruth or falsehood242Mud flaps-all wheelsTruth or falsehood243Shock absorbersTruth or falsehood244Minimum ground clearance -180mmTruth or falsehood245Seat beltsTruth or falsehood246Formica and superior safety flooring (meets ISO requirements)Truth or falsehood247Formica Ceiling (meets ISO requirements)Truth or falsehood248Radio & CD PlayerTruth or falsehood249Clear windowsTruth or falsehood250Driver's door (meets ISO requirements)Truth or falsehood251Driver's sun visorTruth or falsehood252Passenger door (meets ISO requirements)Truth or falsehood253Emergency Exit (meets ISO requirements)Truth or falsehood254Fire estinguisher-2.SkgsTruth or falsehood255Tow hook-frontTruth or falsehood256Fr	
233Parking Brake (rear of transmission)Truth or falsehood234Front brake system (Drum)Truth or falsehood235Rear brake system (Drum)Truth or falsehood236Dual CircuitTruth or falsehood237Standard Steering Power assisted (meets ISO requirements)Truth or falsehood238Fuel reservoir minimum 70 litresTruth or falsehood239Minimum 7 wheels including spareTruth or falsehood240Tyres-12 plyTruth or falsehood241Spare wheel carrierTruth or falsehood242Mud flaps-all wheelsTruth or falsehood243Shock absorbersTruth or falsehood244Minimum ground clearance -180mmTruth or falsehood245Seat beltsTruth or falsehood246Formica Ceiling (meets ISO requirements)Truth or falsehood247Formica Ceiling (meets ISO requirements)Truth or falsehood248Radio & CD PlayerTruth or falsehood250Driver's door (meets ISO requirements)Truth or falsehood251Driver's sun visorTruth or falsehood252Passenger door (meets ISO requirements)Truth or falsehood253Emergency Exit (meets ISO requirements)Truth or falsehood254Fire estinguisher-2.5kgsTruth or falsehood255Tow hook-frontTruth or falsehood256Front and rear bumbersTruth or falsehood	
234Front brake system (Drum)Truth or falsehood235Rear brake system (Drum)Truth or falsehood236Dual CircuitTruth or falsehood237Standard Steering Power assisted (meets ISO requirements)Truth or falsehood238Fuel reservoir minimum 70 litresTruth or falsehood239Minimum 7 wheels including spareTruth or falsehood241Spare wheel carrierTruth or falsehood242Mud flaps-all wheelsTruth or falsehood243Shock absorbersTruth or falsehood244Minimum ground clearance -180mmTruth or falsehood245Seat beltsTruth or falsehood246Formica and superior safety flooring (meets ISO requirements)Truth or falsehood247Formica Ceiling (meets ISO requirements)Truth or falsehood248Radio & CD PlayerTruth or falsehood249Clear windowsTruth or falsehood250Driver's door (meets ISO requirements)Truth or falsehood251Driver's sun visorTruth or falsehood252Passenger door (meets ISO requirements)Truth or falsehood253Emergency Exit (meets ISO requirements)Truth or falsehood254Fire estinguisher-2.5kgsTruth or falsehood255Tow hook-frontTruth or falsehood256Front and rear bumbersTruth or falsehood	
234Front brake system (Drum)Truth or falsehood235Rear brake system (Drum)Truth or falsehood236Dual CircuitTruth or falsehood237Standard Steering Power assisted (meets ISO requirements)Truth or falsehood238Fuel reservoir minimum 70 litresTruth or falsehood239Minimum 7 wheels including spareTruth or falsehood241Spare wheel carrierTruth or falsehood242Mud flaps-all wheelsTruth or falsehood243Shock absorbersTruth or falsehood244Minimum ground clearance -180mmTruth or falsehood245Seat beltsTruth or falsehood246Formica and superior safety flooring (meets ISO requirements)Truth or falsehood247Formica Ceiling (meets ISO requirements)Truth or falsehood248Radio & CD PlayerTruth or falsehood249Clear windowsTruth or falsehood250Driver's door (meets ISO requirements)Truth or falsehood251Driver's sun visorTruth or falsehood252Passenger door (meets ISO requirements)Truth or falsehood253Emergency Exit (meets ISO requirements)Truth or falsehood254Fire estinguisher-2.5kgsTruth or falsehood255Tow hook-frontTruth or falsehood256Front and rear bumbersTruth or falsehood	
235Rear brake system (Drum)Truth or falsehood236Dual CircuitTruth or falsehood237Standard Steering Power assisted (meets ISO requirements)Truth or falsehood238Fuel reservoir minimum 70 litresTruth or falsehood239Minimum 7 wheels including spareTruth or falsehood240Tyres-12 plyTruth or falsehood241Spare wheel carrierTruth or falsehood242Mud flaps-all wheelsTruth or falsehood243Shock absorbersTruth or falsehood244Minimum ground clearance -180mmTruth or falsehood245Seat beltsTruth or falsehood246Formica and superior safety flooring (meets ISO requirements)Truth or falsehood247Formica Ceiling (meets ISO requirements)Truth or falsehood248Radio & CD PlayerTruth or falsehood249Clear windowsTruth or falsehood250Driver's door (meets ISO requirements)Truth or falsehood251Driver's sun visorTruth or falsehood252Passenger door (meets ISO requirements)Truth or falsehood253Emergency Exit (meets ISO requirements)Truth or falsehood254Fire estinguisher-2.5kgsTruth or falsehood255Tow hook-frontTruth or falsehood256Front and rear bumbersTruth or falsehood	
236Dual CircuitTruth or falsehood237Standard Steering Power assisted (meets ISO requirements)Truth or falsehood238Fuel reservoir minimum 70 litresTruth or falsehood239Minimum 7 wheels including spareTruth or falsehood240Tyres-12 plyTruth or falsehood241Spare wheel carrierTruth or falsehood242Mud flaps-all wheelsTruth or falsehood243Shock absorbersTruth or falsehood244Minimum ground clearance -180mmTruth or falsehood245Seat beltsTruth or falsehood246Formica and superior safety flooring (meets ISO requirements)Truth or falsehood247Formica Ceiling (meets ISO requirements)Truth or falsehood248Radio & CD PlayerTruth or falsehood249Clear windowsTruth or falsehood250Driver's door (meets ISO requirements)Truth or falsehood251Driver's sun visorTruth or falsehood252Passenger door (meets ISO requirements)Truth or falsehood253Emergency Exit (meets ISO requirements)Truth or falsehood254Fire estinguisher-2.5kgsTruth or falsehood255Tow hook-frontTruth or falsehood256Front and rear bumbersTruth or falsehood	
237Standard Steering Power assisted (meets ISO requirements)Truth or falsehood238Fuel reservoir minimum 70 litresTruth or falsehood239Minimum 7 wheels including spareTruth or falsehood240Tyres-12 plyTruth or falsehood241Spare wheel carrierTruth or falsehood242Mud flaps-all wheelsTruth or falsehood243Shock absorbersTruth or falsehood244Minimum ground clearance -180mmTruth or falsehood245Seat beltsTruth or falsehood246Formica and superior safety flooring (meets ISO requirements)Truth or falsehood247Formica Ceiling (meets ISO requirements)Truth or falsehood248Radio & CD PlayerTruth or falsehood250Driver's door (meets ISO requirements)Truth or falsehood251Driver's sun visorTruth or falsehood252Passenger door (meets ISO requirements)Truth or falsehood253Emergency Exit (meets ISO requirements)Truth or falsehood254Fire estinguisher-2.5kgsTruth or falsehood255Tow hook-frontTruth or falsehood256Front and rear bumbersTruth or falsehood	
238Fuel reservoir minimum 70 litresTruth or falsehood239Minimum 7 wheels including spareTruth or falsehood240Tyres-12 plyTruth or falsehood241Spare wheel carrierTruth or falsehood242Mud flaps-all wheelsTruth or falsehood243Shock absorbersTruth or falsehood244Minimum ground clearance -180mmTruth or falsehood245Seat beltsTruth or falsehood246Formica and superior safety flooring (meets ISO requirements)Truth or falsehood247Formica Ceiling (meets ISO requirements)Truth or falsehood248Radio & CD PlayerTruth or falsehood250Driver's door (meets ISO requirements)Truth or falsehood251Driver's sun visorTruth or falsehood252Passenger door (meets ISO requirements)Truth or falsehood253Emergency Exit (meets ISO requirements)Truth or falsehood254Fire estinguisher-2.5kgsTruth or falsehood255Tow hook-frontTruth or falsehood256Front and rear bumbersTruth or falsehood	
239Minimum 7 wheels including spareTruth or falsehood240Tyres-12 plyTruth or falsehood241Spare wheel carrierTruth or falsehood242Mud flaps-all wheelsTruth or falsehood243Shock absorbersTruth or falsehood244Minimum ground clearance -180mmTruth or falsehood245Seat beltsTruth or falsehood246Formica and superior safety flooring (meets ISO requirements)Truth or falsehood247Formica Ceiling (meets ISO requirements)Truth or falsehood248Radio & CD PlayerTruth or falsehood249Clear windowsTruth or falsehood250Driver's door (meets ISO requirements)Truth or falsehood251Driver's sun visorTruth or falsehood252Passenger door (meets ISO requirements)Truth or falsehood253Emergency Exit (meets ISO requirements)Truth or falsehood254Fire estinguisher-2.5kgsTruth or falsehood255Tow hook-frontTruth or falsehood256Front and rear bumbersTruth or falsehood	
240Tyres-12 plyTruth or falsehood241Spare wheel carrierTruth or falsehood242Mud flaps-all wheelsTruth or falsehood243Shock absorbersTruth or falsehood244Minimum ground clearance -180mmTruth or falsehood245Seat beltsTruth or falsehood246Formica and superior safety flooring (meets ISO requirements)Truth or falsehood247Formica Ceiling (meets ISO requirements)Truth or falsehood248Radio & CD PlayerTruth or falsehood249Clear windowsTruth or falsehood250Driver's door (meets ISO requirements)Truth or falsehood251Driver's sun visorTruth or falsehood252Passenger door (meets ISO requirements)Truth or falsehood253Emergency Exit (meets ISO requirements)Truth or falsehood254Fire estinguisher-2.5kgsTruth or falsehood255Tow hook-frontTruth or falsehood256Front and rear bumbersTruth or falsehood	
241Spare wheel carrierTruth or falsehood242Mud flaps-all wheelsTruth or falsehood243Shock absorbersTruth or falsehood244Minimum ground clearance -180mmTruth or falsehood245Seat beltsTruth or falsehood246Formica and superior safety flooring (meets ISO requirements)Truth or falsehood247Formica Ceiling (meets ISO requirements)Truth or falsehood248Radio & CD PlayerTruth or falsehood249Clear windowsTruth or falsehood250Driver's door (meets ISO requirements)Truth or falsehood251Driver's sun visorTruth or falsehood252Passenger door (meets ISO requirements)Truth or falsehood253Emergency Exit (meets ISO requirements)Truth or falsehood254Fire estinguisher-2.5kgsTruth or falsehood255Tow hook-frontTruth or falsehood256Front and rear bumbersTruth or falsehood	
242Mud flaps-all wheelsTruth or falsehood243Shock absorbersTruth or falsehood244Minimum ground clearance -180mmTruth or falsehood245Seat beltsTruth or falsehood246Formica and superior safety flooring (meets ISO requirements)Truth or falsehood247Formica Ceiling (meets ISO requirements)Truth or falsehood248Radio & CD PlayerTruth or falsehood249Clear windowsTruth or falsehood250Driver's door (meets ISO requirements)Truth or falsehood251Driver's sun visorTruth or falsehood252Passenger door (meets ISO requirements)Truth or falsehood253Emergency Exit (meets ISO requirements)Truth or falsehood254Fire estinguisher-2.5kgsTruth or falsehood255Tow hook-frontTruth or falsehood256Front and rear bumbersTruth or falsehood	
243Shock absorbersTruth or falsehood244Minimum ground clearance -180mmTruth or falsehood245Seat beltsTruth or falsehood246Formica and superior safety flooring (meets ISO requirements)Truth or falsehood247Formica Ceiling (meets ISO requirements)Truth or falsehood248Radio & CD PlayerTruth or falsehood249Clear windowsTruth or falsehood250Driver's door (meets ISO requirements)Truth or falsehood251Driver's sun visorTruth or falsehood252Passenger door (meets ISO requirements)Truth or falsehood253Emergency Exit (meets ISO requirements)Truth or falsehood254Fire estinguisher-2.5kgsTruth or falsehood255Tow hook-frontTruth or falsehood256Front and rear bumbersTruth or falsehood	
244Minimum ground clearance -180mmTruth or falsehood245Seat beltsTruth or falsehood246Formica and superior safety flooring (meets ISO requirements)Truth or falsehood247Formica Ceiling (meets ISO requirements)Truth or falsehood248Radio & CD PlayerTruth or falsehood249Clear windowsTruth or falsehood250Driver's door (meets ISO requirements)Truth or falsehood251Driver's sun visorTruth or falsehood252Passenger door (meets ISO requirements)Truth or falsehood253Emergency Exit (meets ISO requirements)Truth or falsehood254Fire estinguisher-2.5kgsTruth or falsehood255Tow hook-frontTruth or falsehood256Front and rear bumbersTruth or falsehood	
245Seat beltsTruth or falsehood246Formica and superior safety flooring (meets ISO requirements)Truth or falsehood247Formica Ceiling (meets ISO requirements)Truth or falsehood248Radio & CD PlayerTruth or falsehood249Clear windowsTruth or falsehood250Driver's door (meets ISO requirements)Truth or falsehood251Driver's sun visorTruth or falsehood252Passenger door (meets ISO requirements)Truth or falsehood253Emergency Exit (meets ISO requirements)Truth or falsehood254Fire estinguisher-2.5kgsTruth or falsehood255Tow hook-frontTruth or falsehood256Front and rear bumbersTruth or falsehood	
246Formica and superior safety flooring (meets ISO requirements)Truth or falsehood247Formica Ceiling (meets ISO requirements)Truth or falsehood248Radio & CD PlayerTruth or falsehood249Clear windowsTruth or falsehood250Driver's door (meets ISO requirements)Truth or falsehood251Driver's sun visorTruth or falsehood252Passenger door (meets ISO requirements)Truth or falsehood253Emergency Exit (meets ISO requirements)Truth or falsehood254Fire estinguisher-2.5kgsTruth or falsehood255Tow hook-frontTruth or falsehood256Front and rear bumbersTruth or falsehood	
247Formica Ceiling (meets ISO requirements)Truth or falsehood248Radio & CD PlayerTruth or falsehood249Clear windowsTruth or falsehood250Driver's door (meets ISO requirements)Truth or falsehood251Driver's sun visorTruth or falsehood252Passenger door (meets ISO requirements)Truth or falsehood253Emergency Exit (meets ISO requirements)Truth or falsehood254Fire estinguisher-2.5kgsTruth or falsehood255Tow hook-frontTruth or falsehood256Front and rear bumbersTruth or falsehood	
248Radio & CD PlayerTruth or falsehood249Clear windowsTruth or falsehood250Driver's door (meets ISO requirements)Truth or falsehood251Driver's sun visorTruth or falsehood252Passenger door (meets ISO requirements)Truth or falsehood253Emergency Exit (meets ISO requirements)Truth or falsehood254Fire estinguisher-2.5kgsTruth or falsehood255Tow hook-frontTruth or falsehood256Front and rear bumbersTruth or falsehood	
249Clear windowsTruth or falsehood250Driver's door (meets ISO requirements)Truth or falsehood251Driver's sun visorTruth or falsehood252Passenger door (meets ISO requirements)Truth or falsehood253Emergency Exit (meets ISO requirements)Truth or falsehood254Fire estinguisher-2.5kgsTruth or falsehood255Tow hook-frontTruth or falsehood256Front and rear bumbersTruth or falsehood	
250Driver's door (meets ISO requirements)Truth or falsehood251Driver's sun visorTruth or falsehood252Passenger door (meets ISO requirements)Truth or falsehood253Emergency Exit (meets ISO requirements)Truth or falsehood254Fire estinguisher-2.5kgsTruth or falsehood255Tow hook-frontTruth or falsehood256Front and rear bumbersTruth or falsehood	
251Driver's sun visorTruth or falsehood252Passenger door (meets ISO requirements)Truth or falsehood253Emergency Exit (meets ISO requirements)Truth or falsehood254Fire estinguisher-2.5kgsTruth or falsehood255Tow hook-frontTruth or falsehood256Front and rear bumbersTruth or falsehood	
252Passenger door (meets ISO requirements)Truth or falsehood253Emergency Exit (meets ISO requirements)Truth or falsehood254Fire estinguisher-2.5kgsTruth or falsehood255Tow hook-frontTruth or falsehood256Front and rear bumbersTruth or falsehood	
253Emergency Exit (meets ISO requirements)Truth or falsehood254Fire estinguisher-2.5kgsTruth or falsehood255Tow hook-frontTruth or falsehood256Front and rear bumbersTruth or falsehood	
254Fire estinguisher-2.5kgsTruth or falsehood255Tow hook-frontTruth or falsehood256Front and rear bumbersTruth or falsehood	
255Tow hook-frontTruth or falsehood256Front and rear bumbersTruth or falsehood	
256 Front and rear bumbers Truth or falsehood	
257 Doll over compliant (mosts ISO as an interacts)	
257 Roll over compliant (meets ISO requirements) Truth or falsehood	
258 Number plate holders Truth or falsehood	
259 Anti-theft system Truth or falsehood	
A suitable tool kit-(including but not limited to a complete set of wheel	
spanner relevant for bus and minimum 5 tonne jack and all necessary	
260 accessories) and owner's manual for the tractor shall be provided. Truth or falsehood	
261 Minimum 36 months Free service Truth or falsehood	
261Financial So instants Free SolveeFinancial Solution2625 years minimum WarrantyTruth or falsehood	
263 The bus should be serviceable by the local dealership (attach proof) Truth of falsehood	
EOG and Operators training Truth or falsehood (Certificates iss	
264 Include items covered during train	ued shall
Specification Requirement for a New Transpec 45 Cubic Metre-	
266 Standard production model with additional features 267 A fait Tables DDDD, or Similar Amounted	
267 Afrit Trailer, PRBB, or Similar Approved Truth or falsehood 268 A a live in a stable base Truth or falsehood	
268 Application- coal haulage Truth or falsehood	
269 Heavy duty 45 m ³ combination side-tipping trailer Truth or falsehood	
270 High Tensile Steel Chassis Truth or falsehood	
271 High Tensile Steel Bins Truth or falsehood	
272 Catwalks Truth or falsehood	



274	Trailer electric socket	Truth or falsehood
274	Stalk Marker Lights	
		Truth or falsehood
276	Tube Lightbox Premium Led Lights	Truth or falsehood
277	Minimum all round drum brakes	Truth or falsehood
278		Truth or falsehood
279	Trailer hydraulic braking system operated by truck braking system	Truth or falsehood
280	Tyres-12 ply	Truth or falsehood
201	Tool kit (including but not limited to spanner and all necessary	T. 4
281	sockets) and owner's manual 1 (one) year minimum free service warranty	Truth or falsehood
282	1 (one) year minimum free service warranty 2 years minimum warranty	Truth or falsehood Truth or falsehood
283		
284	The trailer should be serviceable by the local dealership (attach proof)	Truth or falsehood
205	FOC and Onerrotory training	Truth or falsehood (Certificates issued shall
285	EOG and Operators training	include items covered during training)
200	Specification Requirement for a New Roll Bin 45 Cubic Metre-	
286	Side Tipper	
287	45 Cubic Metre- Side Tipper	
288	Application- Sugarcane haulage	Truth or falsehood
289	7.2m Front Trailer	Truth or falsehood
290	Henred 127mm Round 1910 Track ABS Axle	Truth or falsehood
291	Henred J2 Mechanical Suspension	Truth or falsehood
292	3mm Mild Steel Deck Between Beams And Over Wheels	Truth or falsehood
293	8-Off 315/80 22.5 S-Belt Radial, Dual Fitment	Truth or falsehood
294	8-Off Steel Rims To Suit Tyres	Truth or falsehood
295	2 Speed Heavy Duty Wind Up Type Landing Legs	Truth or falsehood
296	50mm Flange Type Kingpin	Truth or falsehood
297	Headboard Suitable For Cane	Truth or falsehood
298	Tailboard Suitable For Cane	Truth or falsehood
299	7-Pin Standard Electrics + Led Steel Flange Lights	Truth or falsehood
300	WABCO ABS Braking System With F+J Couplings	Truth or falsehood
301	Painted A Colour Reflective Tape	Truth or falsehood
302	Microdot Identification	Truth or falsehood
303	Rises Sorer Onio Soon Cons	Truth or falsehood
304	Ud Gwe 440tt Escot - E54	Truth or falsehood
305	Turbo Charged, Intercooler, In Line 6 Cylinder	Truth or falsehood
306	Gh11e	Truth or falsehood
307	330kw @ 1900r/Min 2010Nm 1100-1400r/ Min	Truth or falsehood
308	Automated Manual, Escot, 12 Gears Forward Sugar Cane Trailer	Truth or falsehood
309	10m REAR TRAILER	Truth or falsehood
310	Henred 127mm Round 1910 Track ABS Axle	Truth or falsehood
311	Henred F2 Mechanical Suspension	Truth or falsehood
312	3mm Mild Steel Deck Between Beams And Over Wheels	Truth or falsehood
313	9-Off 315/80 22.5 S-Belt Radial, Dual Fitment + Spare	Truth or falsehood
314	9-Off Steel Rims To Suit Tyres	Truth or falsehood
315	2 Speed Heavy Duty Wind Up Type Landing Legs	Truth or falsehood
316	50mm Flange Type Kingpin	Truth or falsehood
317	1 - Off Wind Up Type Spare Wheel Carrier	Truth or falsehood
314	Headboard Suitable For Cane	Truth or falsehood
315	Tailboard Suitable For Cane	Truth or falsehood
316	7-Pin Standard Electrics + Led Steel Flange Lights	Truth or falsehood
317	WABCO ABS Braking System With F+J Couplings	Truth or falsehood
318	Painted A Colour.	Truth or falsehood
319	Reflective Tape	Truth or falsehood
320	Microdot Identification	Truth or falsehood
321	Tyres- 12 ply	Truth or falsehood
	Tool kit (including but not limited to spanner and all necessary	



324	2 years minimum warranty	Truth or falsehood
325	The trailer should be serviceable by the local dealership (attach proof)	Truth or falsehood
525	The traner should be serviceable by the local dealership (attach proof)	Truth or falsehood (Certificates issued shall
326	EOG and Operators training	include items covered during training)
327	Specification Requirement for a 4 tonne truck van body	Truth or falsehood
328	Standard production model with additional features	Truth or falsehood
329	Year of Manufacture- 2024	Truth or falsehood
330	Turbocharged Intercooled	Truth or falsehood
331	95 kW@2400 Minimum Net Power (ISO)	Truth or falsehood
332	370@1600 Minimum Torque (ISO)	Truth or falsehood
333	Minimum 4-cylinder, diesel with direct injection	Truth or falsehood
334	Minimum 5 forward gears	Truth or falsehood
335	Transmission type-Synchromesh gears	Truth or falsehood
	Manual Gear shift operation	Truth or falsehood
336	Emission norms- Minimum Euro II	
337		Truth or falsehood
338	Braking system (meets ISO requirements)	Truth or falsehood
339	Service brakes (ABS	Truth or falsehood
340	Parking Brake	Truth or falsehood
341	Front brake system	Truth or falsehood
342	Rear brake system	Truth or falsehood
343	Standard steering power assisted (meets ISO requirements)	Truth or falsehood
344	Fuel reservoir minimum 100 litres lockable cap	Truth or falsehood
345	Minimum 7 Wheels including spare	Truth or falsehood
346	Spare on rear chassis	Truth or falsehood
347	Front & Rear Shock absorbers	Truth or falsehood
348	Minimum ground clearance – 190mm	Truth or falsehood
349	Air bags (driver and passenger seat)	Truth or falsehood
350	Radio & CD Player	Truth or falsehood
351	Clear windows	Truth or falsehood
352	Air Conditioned	Truth or falsehood
353	Driver and passenger door (meets ISO requirements)	Truth or falsehood
354	Driver and passenger sun visor	Truth or falsehood
355	Fire extinguisher – minimum 9 kg	Truth or falsehood
356	Tow hook-front	Truth or falsehood
357	Front bumper	Truth or falsehood
358	Number plate holders	Truth or falsehood
359	Anti-theft System	Truth or falsehood
	A suitable tool kit (including but not limited to a complete set of wheel	
	spanner relevant for truck and minimum 5 tonne jack and all necessary	
360	accessories) and owner's manual for the truck shall be provided.	Truth or falsehood
361	Minimum 90 000 km free service	Truth or falsehood
362	5 years minimum warranty	Truth or falsehood
363	The truck should be serviceable by local dealership (Attach proof)	
		Truth or falsehood (Certificates issued shall
364	EOG and Operators training	include items covered during training)
ſ	Specification Requirement for a 5 tonne truck with extended	
365	dropsides	Truth or falsehood
366	Standard production model with additional features	Truth or falsehood
367	Year of Manufacture- 2024	Truth or falsehood
368	Turbocharged Intercooled	Truth or falsehood
369	100 kW@2500 Minimum Net Power (ISO)	Truth or falsehood
	100 kW@2500 Minimum Net Power (ISO)402@1600 Minimum Torque (ISO)	Truth or falsehood Truth or falsehood
369		
369 370	402@1600 Minimum Torque (ISO)	Truth or falsehood
369 370 371	402@1600 Minimum Torque (ISO) Minimum 4-cylinder, diesel with direct injection	Truth or falsehood Truth or falsehood



377 Furth or falsehood 378 Parking Brake Truth or falsehood 379 Parking Brake Truth or falsehood 370 Rear brake system Truth or falsehood 381 Standard steering power assisted (meets ISO requirements) Truth or falsehood 382 Minimum 7 Wheels including spare Truth or falsehood 383 Minimum 7 Wheels including spare Truth or falsehood 384 Kear Shock absorbers Truth or falsehood 385 Front & Rear Shock absorbers Truth or falsehood 386 Ratio & CD Player Truth or falsehood 387 Air bags (driver and passenger seat) Truth or falsehood 388 Ratio & CD Player Truth or falsehood 389 Driver and passenger son visor Truth or falsehood 390 Air Conditioned Truth or falsehood 391 Driver and passenger son visor Truth or falsehood 392 Driver and passenger son visor Truth or falsehood 393 Front work front Truth or falsehood 394 Tow hook-front Truth or falsehood 395 Front hoursk and all necessary Truth or falsehood 396 Naribe kool kit (including but not limited to a complete set of wheel <td< th=""></td<>
379 Front brake system Truth or falsehood 380 Rear brake system Truth or falsehood 381 Standard steering power assisted (meets ISO requirements) Truth or falsehood 383 Minimum 7 Wheels including spare Truth or falsehood 384 Spare on rear chassis Truth or falsehood 385 Front & Rear Shock absorbers Truth or falsehood 386 Minimum ground clearance - 190mn Truth or falsehood 387 Air bags (driver and passenger scat) Truth or falsehood 388 Radio & CD Player Truth or falsehood 390 Air conditioned Truth or falsehood 391 Driver and passenger stan visor Truth or falsehood 392 Free tringuisher – minimum 9 kg Truth or falsehood 393 Free extinguisher – minimum 9 kg Truth or falsehood 394 Tow hook-front Truth or falsehood 395 Front bumper Truth or falsehood 394 Tow hook-front Truth or falsehood 395 Rear bride schood Truth or falsehood 396 Number plate: holders Truth or falsehood <
Bear brake system Truth or falsehood 381 Standard steering power assisted (meets ISO requirements) Truth or falsehood 382 Fuel reservoir minimum 100 litres lockable cap Truth or falsehood 383 Space on rear chassis Truth or falsehood 384 Space on rear chassis Truth or falsehood 385 Minimum ground cleanance - 190mm Truth or falsehood 386 Minimum ground cleanance - 190mm Truth or falsehood 387 Air bags (driver and passenger scal) Truth or falsehood 388 Clear windows Truth or falsehood 380 Clear windows Truth or falsehood 390 Air Conditioned Truth or falsehood 391 Driver and passenger sun visor Truth or falsehood 392 Driver and passenger sun visor Truth or falsehood 393 Torth or falsehood Truth or falsehood 394 Tow hook-front Truth or falsehood 395 Number plate holders Truth or falsehood 396 Number plate holders Truth or falsehood 397
381 Standard steering power assisted (meets ISO requirements) Truth or falsehood 382 Fuel reservoir minimum 7 Wheels including space Truth or falsehood 383 Minimum 7 Wheels including space Truth or falsehood 384 Formum 7 Winels including space Truth or falsehood 385 Formu & Rear Shock absorbers Truth or falsehood 386 Minimum ground clearance – 190mm Truth or falsehood 387 Randia & CD Player Truth or falsehood 388 Radio & CD Player Truth or falsehood 390 Air Conditioned Truth or falsehood 390 Air Carwindows Truth or falsehood 391 Driver and passenger sun visor Truth or falsehood 392 Fire catinguisher – minimum 9 kg Truth or falsehood 393 Fire catinguisher – minimum 9 kg Truth or falsehood 394 Tow hook-front Truth or falsehood 395 Front bumper Truth or falsehood 396 Number plate holders Truth or falsehood 397 Maitchel tolskit (including but not limited to a complete set of wh
382 Fuel reservoir minimum 100 litres lockable cap Truth or falschood 384 Space on rear chassis Truth or falschood 385 From & Rear Shock absorbers Truth or falschood 386 Minimum ground clearance – 190mm Truth or falschood 387 Air bags (driver and passenger seat) Truth or falschood 388 Radio & CD Player Truth or falschood 389 Clear windows Truth or falschood 390 Air Conditioned Truth or falschood 391 Driver and passenger son visor Truth or falschood 392 Driver and passenger son visor Truth or falschood 393 Fire extinguisher – minimum 9 kg Truth or falschood 394 Tow hock-front Truth or falschood 395 Front bumper Truth or falschood 396 Ausitable tool kit (including but not limited to a complete set of wheel spanner relevant for truck ahall merosates and all necessary spacescrises) and owner's manual for the truck shall be provided. Truth or falschood 394 Accessaries and owner's manual for the truck shall be provided. Truth or falschood 395 Porot bumper Truth or falschood Truth or falschood
383 Minimum 7 Wheels including spare Truth or falsehood 384 Spare on rear classis Truth or falsehood 385 Front & Rear Shock absorbers Truth or falsehood 386 Minimum ground clearance – 190mm Truth or falsehood 387 Air bags (driver and passenger seat) Truth or falsehood 388 Radio & CD Player Truth or falsehood 389 Air Conditioned Truth or falsehood 390 Air Conditioned Truth or falsehood 390 Air Conditioned Truth or falsehood 390 Air Conditioned Truth or falsehood 391 Fire extinguisher – minimum 9 kg Truth or falsehood 392 Driver and passenger sun visor Truth or falsehood 393 Fire extinguisher – minimum 9 kg Truth or falsehood 394 Tow hook-front Truth or falsehood 395 Front bumper Truth or falsehood 396 Number plate holders Truth or falsehood 397 Arti-theft System Truth or falsehood 398 accessories) and owne
384 Spare on rear chassis Truth or falschood 385 From & Rear Shock absorbers Truth or falschood 386 Minimum ground clearance - 190mm Truth or falschood 387 Air bags (driver and passenger seat) Truth or falschood 388 Radio & CD Player Truth or falschood 389 Clear windows Truth or falschood 390 Air Conditioned Truth or falschood 391 Driver and passenger door (meets ISO requirements) Truth or falschood 392 Driver and passenger sun visor Truth or falschood 3934 Tow hook-front Truth or falschood 394 Tow hook-front Truth or falschood 395 Front bumper Truth or falschood 396 Namber placholders Truth or falschood 397 Anti-theft System Truth or falschood 398 accessories) and owner's manual for the truck shall be provided. Truth or falschood 399 Minimum 90000 km free service Truth or falschood Truth or falschood 400 S years minimum warratrut Truth or
385 Front & Rear Shock absorbers Truth or falschood 386 Minimum ground clearance – 190mm Truth or falschood 387 Air bags (driver and passenger seat) Truth or falschood 388 Radio & CD Player Truth or falschood 389 Clear windows Truth or falschood 390 Air Conditioned Truth or falschood 391 Driver and passenger door (meets ISO requirements) Truth or falschood 392 Driver and passenger usion visor Truth or falschood 393 Fire extinguisher – minimum 9 kg Truth or falschood 394 Tow hook-front Truth or falschood 395 Front bumper Truth or falschood 396 Number plate holders Truth or falschood 397 Anti-theft System Truth or falschood 408 spanner relevant for truck and minimum 5 tonne jack and all necessary accessories) and owner's manual for the truck shall be provided. 400 5 years minimum warranty Truth or falschood Truth or falschood 401 The truck should be serviceable by local dealership (Attach proof) Truth or falschood 403 Specification Requirement for a
386 Minimum ground clearance – 190mm Truth or falsehood 387 Air bags (driver and passenger seat) Truth or falsehood 388 Radio & CD Player Truth or falsehood 390 Air Conditioned Truth or falsehood 390 Air Conditioned Truth or falsehood 391 Driver and passenger door (meets ISO requirements) Truth or falsehood 392 Driver and passenger sun visor Truth or falsehood 393 Fire extinguisher – minimum 9 kg Truth or falsehood 394 Tow hook-front Truth or falsehood 395 Front bumper Truth or falsehood 396 Number plate holders Truth or falsehood 397 Anti-theft System Truth or falsehood 398 Mainbur plate holders Truth or falsehood 399 Minimum 90 000 km free service Truth or falsehood 400 5 years minimum warranty Truth or falsehood 401 The truck should be serviceable by local dealership (Attach proof) Truth or falsehood 402 EOG and Operators training Truth or falsehood
387 Air bags (driver and passenger seat) Truth or falsehood 388 Radio & CD Player Truth or falsehood 390 Air Conditioned Truth or falsehood 390 Air Conditioned Truth or falsehood 391 Driver and passenger sun visor Truth or falsehood 392 Driver and passenger sun visor Truth or falsehood 393 Fire extinguisher – minimum 9 kg Truth or falsehood 394 Tow hook-front Truth or falsehood 395 Front bumper Truth or falsehood 396 Number plate holders Truth or falsehood 397 A suitable tool kit (including but not limited to a complete set of wheel spanner relevant for truck and minimum 5 tonne jack and all necessary 398 accessories) and owner's manual for the truck shall be provided. Truth or falsehood 4001 The truck should be service Truth or falsehood (Certificates issued shall include items covered during training) 403 Specification Requirement for a 8 tonne with Insulated Chiller Truth or falsehood 404 Standard production model with additional features Truth or falsehood 405 Year of Manufacture- latest Truth or falsehood
388 Radio & CD Player Truth or falsehood 389 Clear windows Truth or falsehood 390 Air Conditioned Truth or falsehood 391 Driver and passenger sur visor Truth or falsehood 392 Fire extinguisher — minimum 9 kg Truth or falsehood 393 Fire extinguisher — minimum 9 kg Truth or falsehood 394 Tow hook-front Truth or falsehood 395 Front bumper Truth or falsehood 396 Number plate holders Truth or falsehood 397 Anti-theft System Truth or falsehood 398 accessories) and owner's manual for the truck shall be provided. Truth or falsehood 399 Minimum 90 000 km free service Truth or falsehood 100 400 5 years minimum warranty Truth or falsehood 101 401 The truck should be serviceable by local dealership (Attach proof) 101 102 EOG and Operators training 102 402 EOG and Operators training include items covered during training) 403 404 Standard production model with additional features 17ruth or falsehood 40
389 Clear windows Truth or falsehood 390 Air Conditioned Truth or falsehood 391 Driver and passenger door (meets ISO requirements) Truth or falsehood 392 Driver and passenger sun visor Truth or falsehood 393 Tiver and passenger sun visor Truth or falsehood 394 Tow hook-front Truth or falsehood 395 Front bumper Truth or falsehood 396 Number plate holders Truth or falsehood 397 Anti-theft System Truth or falsehood 398 accessories) and owner's manual for thruck shall be provided. Truth or falsehood 398 accessories) and owner's manual for thruck shall be provided. Truth or falsehood 400 5 years minimum warranty Truth or falsehood 401 The truck should be serviceable by local dealership (Attach proof) Truth or falsehood 403 Specification Requirement for a 8 tonne with Insulated Chiller Truth or falsehood 404 Standard production model with additional features Truth or falsehood 405 Year of Manufacture- latest Truth or falsehood 406 8 tonne Carttle with insulated chille
390 Air Conditioned Truth or falsehood 391 Driver and passenger sun visor Truth or falsehood 392 Driver and passenger sun visor Truth or falsehood 393 Fire extinguisher – minimum 9 kg Truth or falsehood 394 Tow hook-front Truth or falsehood 395 Front bumper Truth or falsehood 396 Number plate holders Truth or falsehood 397 Anti-theft System Truth or falsehood 398 A suitable tool kit (including but not limited to a complete set of wheel spanner relevant for truck and minimum 5 tonne jack and all necessary accessories) and owner's manual for the truck shall be provided. Truth or falsehood 399 Minimum 90000 km free service Truth or falsehood Truth or falsehood 400 5 years minimum warranty Truth or falsehood Truth or falsehood 401 The truck should be serviceable by local dealership (Attach proof) Truth or falsehood 402 EOG and Operators training Truth or falsehood 403 Specification Requirement for a 8 tonne with Insulated Chiller Truth or falsehood 404 Standard production model with additional features Truth or falsehood 405 Year of Manufacture- latest Truth or falsehood 406 8 tonne Cattle with insulated chiller<
391 Driver and passenger un visor Truth or falsehood 392 Driver and passenger sun visor Truth or falsehood 393 Fire extinguisher – minimum 9 kg Truth or falsehood 394 Tow hook-front Truth or falsehood 395 Front bumper Truth or falsehood 396 Number plate holders Truth or falsehood 397 Anti-theft System Truth or falsehood 398 accessories) and owner's manual for the truck shall be provided. Truth or falsehood 399 Minimum 90 000 km free service Truth or falsehood 400 5 years minimum warratly Truth or falsehood 401 The truck should be serviceable by local dealership (Attach proof) Truth or falsehood 403 Specification Requirement for a 8 tonne with Insulated Chiller Truth or falsehood 404 Standard production model with additional features Truth or falsehood 405 Year of Manufacture- latest Truth or falsehood 406 8 tonne Cattle with insulated chiller Truth or falsehood 407 Turbocharged Intercooled Truth or falsehood 408 Payload- minimum 8 tonne Truth or f
392 Driver and passenger sun visor Truth or falsehood 393 Fire extinguisher – minimum 9 kg Truth or falsehood 394 Tow hook-front Truth or falsehood 395 Front bumper Truth or falsehood 396 Number plate holders Truth or falsehood 397 Anti-theft System Truth or falsehood 398 accessories) and owner's manual for the truck shall be provided. Truth or falsehood 399 Minimum 90 000 km free service Truth or falsehood 400 5 years minimum warranty Truth or falsehood 401 The truck should be serviceable by local dealership (Attach proof) Truth or falsehood (Certificates issued shall include items covered during training) 402 EOG and Operators training Truth or falsehood 403 Specification Requirement for a 8 tonne with Insulated Chiller 404 404 Standard production model with additional features Truth or falsehood 402 Year of Manufacture- latest Truth or falsehood 403 Turbocharged Intercooled Truth or falsehood 404 Standard production model with additional features Truth or falsehood 404
393 Fire extinguisher – minimum 9 kg Truth or falsehood 394 Tow hook-front Truth or falsehood 395 Front bumper Truth or falsehood 396 Number plate holders Truth or falsehood 397 Anti-theft System Truth or falsehood 398 accessories) and owner's manual for the truck shall be provided. Truth or falsehood 398 accessories) and owner's manual for the truck shall be provided. Truth or falsehood 400 5 years minimum warranty Truth or falsehood 401 The truck should be serviceable by local dealership (Attach proof) Truth or falsehood 402 EOG and Operators training Truth or falsehood 403 Specification Requirement for a 8 tonne with Insulated Chiller 404 404 Standard production model with additional features Truth or falsehood 407 Turbocharged Intercooled Truth or falsehood 408 Payload- minimum Torue (meets ISO requirements) Truth or falsehood 410 This of the service Truth or falsehood 408 Payload- minimum Torue (meets ISO requirements) Truth or falsehood 410 Too Nim Minimum
394 Tow hook-front Truth or falsehood 395 Front bumper Truth or falsehood 396 Number plate holders Truth or falsehood 397 Anti-theft System Truth or falsehood 398 accessories) and owner's manual for the truck shall be provided. Truth or falsehood 398 accessories) and owner's manual for the truck shall be provided. Truth or falsehood 400 5 years minimum warranty Truth or falsehood 401 The truck should be serviceable by local dealership (Attach proof) Truth or falsehood 402 EOG and Operators training Truth or falsehood 403 Specification Requirement for a 8 tonne with Insulated Chiller Truth or falsehood 404 Standard production model with additional features Truth or falsehood 405 Year of Manufacture- latest Truth or falsehood 406 8 tonne Cattle with insulated chiller Truth or falsehood 407 Turbocharged Intercooled Truth or falsehood 408 Payload- minimum 8 tonne Truth or falsehood 410 700 Nm Minimum Torque (meets ISO requirements) Truth or falsehood 410 700 Nm Mini
395 Front bumper Truth or falsehood 396 Number plate holders Truth or falsehood 397 Anti-theft System Truth or falsehood 398 Minibut System Truth or falsehood 399 Minimum 90000 km free service Truth or falsehood 399 Minimum 90000 km free service Truth or falsehood 400 5 years minimum warranty Truth or falsehood 401 The truck should be serviceable by local dealership (Attach proof) Truth or falsehood (Certificates issued shall include items covered during training) 402 EOG and Operators training Truth or falsehood 403 Specification Requirement for a 8 tonne with Insulated Chiller Truth or falsehood 404 Standard production model with additional features Truth or falsehood 405 Year of Manufacture- latest Truth or falsehood 406 8 tonne Cattle with insulated chiller Truth or falsehood 407 Turbocharged Intercooled Truth or falsehood 410 700 Nm Minimum Power (ISO) Truth or falsehood 411 Minimum 6-cylinder, diesel with direct injection Truth or falsehood 411 Minimum 6 f
395 Front bumper Truth or falsehood 396 Number plate holders Truth or falsehood 397 Anti-theft System Truth or falsehood 397 Anti-theft System Truth or falsehood 398 spanner relevant for truck and minimum 5 tonne jack and all necessary accessories) and owner's manual for the truck shall be provided. Truth or falsehood 399 Minimum 90 000 km free service Truth or falsehood 1 400 5 years minimum warranty Truth or falsehood 1 401 The truck should be serviceable by local dealership (Attach proof) 1 1 402 EOG and Operators training 1 1 1 403 Specification Requirement for a 8 tonne with Insulated Chiller 1 1 1 404 Standard production model with additional features 1 <t< td=""></t<>
396 Number plate holders Truth or falsehood 397 Anti-theff System Truth or falsehood 398 accessories) and owner's manual for the truck shall be provided. Truth or falsehood 398 accessories) and owner's manual for the truck shall be provided. Truth or falsehood 400 5 years minimum warranty Truth or falsehood 401 The truck should be serviceable by local dealership (Attach proof) Truth or falsehood (Certificates issued shall include items covered during training) 403 Specification Requirement for a 8 tonne with Insulated Chiller Truth or falsehood 404 Standard production model with additional features Truth or falsehood 405 Year of Manufacture- latest Truth or falsehood 406 8 tonne Cattle with insulated chiller Truth or falsehood 407 Turbocharged Intercooled Truth or falsehood 408 Payload- minimum 8 tonne Truth or falsehood 411 Minimum 6-cylinder, diesel with direct injection Truth or falsehood 410 700 Nm Minimum 8 tonne Truth or falsehood 411 Minimum 6-cylinder, diesel with direct injection Truth or falsehood 410 700 Nm Minimu
397 Anti-theft System Truth or falsehood 98 accessories) and owner's manual for the truck shall be provided. Truth or falsehood 399 Minimum 90 000 km free service Truth or falsehood 400 5 years minimum warranty Truth or falsehood 401 The truck should be serviceable by local dealership (Attach proof) Truth or falsehood (Certificates issued shall include items covered during training) 402 EOG and Operators training Truth or falsehood 403 Specification Requirement for a 8 tonne with Insulated Chiller Truth or falsehood 404 Standard production model with additional features Truth or falsehood 405 Year of Manufacture- latest 406 406 8 tonne Cattle with insulated chiller Truth or falsehood 407 Turbocharged Intercooled Truth or falsehood 410 700 Nm Minimum Power (ISO) Truth or falsehood 411 Minimum 6 forward gears Truth or falsehood 412 Minimum 6 forward gears Truth or falsehood 413 Transmission type-Synchromesh gears Truth or falsehood 414 Manual Shift Truth or falsehood 415
A suitable tool kit (including but not limited to a complete set of wheel spanner relevant for truck and minimum 5 tonne jack and all necessary accessories) and owner's manual for the truck shall be provided. Truth or falsehood 399 Minimum 90 000 km free service Truth or falsehood 400 5 years minimum warranty Truth or falsehood 401 The truck should be serviceable by local dealership (Attach proof) Truth or falsehood 402 EOG and Operators training include items covered during training) 403 Specification Requirement for a 8 tonne with Insulated Chiller Truth or falsehood 404 Standard production model with additional features Truth or falsehood 405 Year of Manufacture- latest Truth or falsehood 406 8 tonne Cattle with insulated chiller Truth or falsehood 407 Turbocharged Intercooled Truth or falsehood 408 Payload- minimum 8 tonne Truth or falsehood 410 700 Nm Minimum Torque (meets ISO requirements) Truth or falsehood 411 Minimum 6 crylinder, diesel with direct injection Truth or falsehood 411 Minimum 6 forward gears Truth or falsehood 413 Transmission type-Synchromesh gears Truth or falseho
spanner relevant for truck and minimum 5 tonne jack and all necessary accessories) and owner's manual for the truck shall be provided.Truth or falsehood399Minimum 90 000 km free serviceTruth or falsehood4005 years minimum warrantyTruth or falsehood401The truck should be serviceable by local dealership (Attach proof)Truth or falsehood (Certificates issued shall include items covered during training)403Specification Requirement for a 8 tonne with Insulated ChillerTruth or falsehood404Standard production model with additional featuresTruth or falsehood405Year of Manufacture- latest4064068 tonne Cattle with insulated chillerTruth or falsehood407Turbocharged IntercooledTruth or falsehood408Payload- minimum 8 tonneTruth or falsehood409170 kW Minimum Power (ISO)Truth or falsehood411Minimum 6-cylinder, diesel with direct injectionTruth or falsehood412Minimum 6 forward gearsTruth or falsehood413Transmission type-Synchromesh gearsTruth or falsehood414Manual ShiftTruth or falsehood415Emission norms- Minimum Euro 3Truth or falsehood416Braking system (meets ISO requirements)Truth or falsehood417Service brakes (ABS)Truth or falsehood418Parking BrakeTruth or falsehood419Front brake systemTruth or falsehood414Parking BrakeTruth or falsehood415Emission norms- Min
398accessories) and owner's manual for the truck shall be provided.Truth or falsehood399Minimum 90 000 km free serviceTruth or falsehood4005 years minimum warrantyTruth or falsehood401The truck should be serviceable by local dealership (Attach proof)Truth or falsehood (Certificates issued shall include items covered during training)403Specification Requirement for a 8 tonne with Insulated ChillerTruth or falsehood404Standard production model with additional featuresTruth or falsehood405Year of Manufacture- latest14068 tonne Cattle with insulated chillerTruth or falsehood407Turbocharged IntercooledTruth or falsehood408Payload- minimum 8 tonneTruth or falsehood409170 kW Minimum Power (ISO)Truth or falsehood411Minimum 6 forward gearsTruth or falsehood412Minimum 6 forward gearsTruth or falsehood413Transmission type-Synchromesh gearsTruth or falsehood414Manual ShiftTruth or falsehood415Emission norms- Minimum Euro 3Truth or falsehood416Braking system (meets ISO requirements)Truth or falsehood417Service brakes (ABS)Truth or falsehood418Parking BrakeTruth or falsehood419Front brake systemTruth or falsehood412Minimum 6 (meets ISO requirements)Truth or falsehood413Rarang system (meets ISO requirements)Truth or falsehood414<
399Minimum 90 000 km free serviceTruth or falsehood4005 years minimum warrantyTruth or falsehood401The truck should be serviceable by local dealership (Attach proof)Truth or falsehood (Certificates issued shall include items covered during training)402EOG and Operators trainingTruth or falsehood (Certificates issued shall include items covered during training)403Specification Requirement for a 8 tonne with Insulated Chiller404Standard production model with additional featuresTruth or falsehood405Year of Manufacture- latest4068 tonne Cattle with insulated chillerTruth or falsehood407Turbocharged IntercooledTruth or falsehood408Payload-minimum 8 tonneTruth or falsehood410700 Nm Minimum Torque (meets ISO requirements)Truth or falsehood411Minimum 6 forward gearsTruth or falsehood412Minimum 6 forward gearsTruth or falsehood413Transmission type-Synchromesh gearsTruth or falsehood414Manual ShiftTruth or falsehood415Emission norms- Minimum Euro 3Truth or falsehood416Braking system (meets ISO requirements)Truth or falsehood417Service brakes (ABS)Truth or falsehood418Parking BrakeTruth or falsehood419Fron brake systemTruth or falsehood412Kang System (meets ISO requirements)Truth or falsehood413Service brakes (ABS)Truth or falsehood414
4005 years minimum warrantyTruth or falsehood401The truck should be serviceable by local dealership (Attach proof)Truth or falsehood (Certificates issued shall include items covered during training)402EOG and Operators trainingTruth or falsehood (Certificates issued shall include items covered during training)403Specification Requirement for a 8 tonne with Insulated ChillerTruth or falsehood404Standard production model with additional featuresTruth or falsehood405Year of Manufacture- latest4068 tonne Cattle with insulated chillerTruth or falsehood407Turbocharged IntercooledTruth or falsehood408Payload- minimum 8 tonneTruth or falsehood409170 kW Minimum Power (ISO)Truth or falsehood411Minimum 6-cylinder, diesel with direct injectionTruth or falsehood412Minimum 6-forward gearsTruth or falsehood413Transmission type-Synchromesh gearsTruth or falsehood414Manual ShiftTruth or falsehood415Emission norms- Minimum Euro 3Truth or falsehood416Braking system (meets ISO requirements)Truth or falsehood417Service brakes (ABS)Truth or falsehood418Parking BrakeTruth or falsehood419Front brake systemTruth or falsehood420Rear brake systemTruth or falsehood413Asting BrakeTruth or falsehood414Annual ShiftTruth or falsehood415<
401The truck should be serviceable by local dealership (Attach proof)Truth or falsehood (Certificates issued shall include items covered during training)402EOG and Operators trainingTruth or falsehood (Certificates issued shall include items covered during training)403Specification Requirement for a 8 tonne with Insulated ChillerTruth or falsehood404Standard production model with additional featuresTruth or falsehood405Year of Manufacture-latest4064068 tonne Cattle with insulated chillerTruth or falsehood407Turbocharged IntercooledTruth or falsehood408Payload- minimum 8 tonneTruth or falsehood409170 kW Minimum Power (ISO)Truth or falsehood411Minimum 6-cylinder, diesel with direct injectionTruth or falsehood412Minimum 6 forward gearsTruth or falsehood413Transmission type-Synchromesh gearsTruth or falsehood414Manual ShiftTruth or falsehood415Emission norms- Minimum Euro 3Truth or falsehood416Braking system (meets ISO requirements)Truth or falsehood417Service brakes (ABS)Truth or falsehood418Parking BrakeTruth or falsehood419Front brake systemTruth or falsehood412Arking BrakeTruth or falsehood413Parking BrakeTruth or falsehood414Annual ShiftTruth or falsehood415Emission norms- Minimum Euro 3Truth or falsehood416 </td
402EOG and Operators trainingTruth or falsehood (Certificates issued shall include items covered during training)403Specification Requirement for a 8 tonne with Insulated Chiller404Standard production model with additional featuresTruth or falsehood405Year of Manufacture- latest4068 tonne Cattle with insulated chillerTruth or falsehood407Turbocharged IntercooledTruth or falsehood408Payload-minimum 8 tonneTruth or falsehood409170 kW Minimum Power (ISO)Truth or falsehood410700 Nm Minimum Torque (meets ISO requirements)Truth or falsehood411Minimum 6-cylinder, diesel with direct injectionTruth or falsehood412Minimum 6 forward gearsTruth or falsehood413Transmission type-Synchromesh gearsTruth or falsehood414Manual ShiftTruth or falsehood415Emission norms- Minimum Euro 3Truth or falsehood416Braking system (meets ISO requirements)Truth or falsehood417Service brakes (ABS)Truth or falsehood418Parking BrakeTruth or falsehood419Front brake systemTruth or falsehood412Kanadard gearsTruth or falsehood413Parking BrakeTruth or falsehood414Manual ShiftTruth or falsehood415Emission norms- Minimum Euro 3Truth or falsehood416Braking system (meets ISO requirements)Truth or falsehood418Parkin
402EOG and Operators traininginclude items covered during training)403Specification Requirement for a 8 tonne with Insulated Chiller404Standard production model with additional featuresTruth or falsehood405Year of Manufacture-latest4068 tonne Cattle with insulated chillerTruth or falsehood407Turbocharged IntercooledTruth or falsehood408Payload-minimum 8 tonneTruth or falsehood409170 kW Minimum Power (ISO)Truth or falsehood410700 Nm Minimum Torque (meets ISO requirements)Truth or falsehood411Minimum 6-cylinder, diesel with direct injectionTruth or falsehood412Minimum 6 forward gearsTruth or falsehood414Manual ShiftTruth or falsehood415Emission norms- Minimum Euro 3Truth or falsehood416Braking system (meets ISO requirements)Truth or falsehood417Service brakes (ABS)Truth or falsehood418Parking BrakeTruth or falsehood419Front brake systemTruth or falsehood412418Parking Brake413Tarathe systemTruth or falsehood414Annual ShiftTruth or falsehood415Emission norms- Minimum Euro 3Truth or falsehood417Service brakes (ABS)Truth or falsehood418Parking BrakeTruth or falsehood419Front brake systemTruth or falsehood420Rear brake systemTruth or falsehood
403Specification Requirement for a 8 tonne with Insulated Chiller404Standard production model with additional featuresTruth or falsehood405Year of Manufacture- latest
404Standard production model with additional featuresTruth or falsehood405Year of Manufacture- latest
405Year of Manufacture- latest4068 tonne Cattle with insulated chillerTruth or falsehood407Turbocharged IntercooledTruth or falsehood408Payload- minimum 8 tonneTruth or falsehood409170 kW Minimum Power (ISO)Truth or falsehood410700 Nm Minimum Torque (meets ISO requirements)Truth or falsehood411Minimum 6-cylinder, diesel with direct injectionTruth or falsehood412Minimum 6 forward gearsTruth or falsehood413Transmission type-Synchromesh gearsTruth or falsehood414Manual ShiftTruth or falsehood415Emission norms- Minimum Euro 3Truth or falsehood416Braking system (meets ISO requirements)Truth or falsehood417Service brakes (ABS)Truth or falsehood418Parking BrakeTruth or falsehood419Front brake systemTruth or falsehood420Rear brake system (meets ISO requirements)Truth or falsehood421Standard Steering Power Assisted (meets ISO requirements)Truth or falsehood
4068 tonne Cattle with insulated chillerTruth or falsehood407Turbocharged IntercooledTruth or falsehood408Payload- minimum 8 tonneTruth or falsehood409170 kW Minimum Power (ISO)Truth or falsehood410700 Nm Minimum Torque (meets ISO requirements)Truth or falsehood411Minimum 6-cylinder, diesel with direct injectionTruth or falsehood412Minimum 6 forward gearsTruth or falsehood413Transmission type-Synchromesh gearsTruth or falsehood414Manual ShiftTruth or falsehood415Emission norms- Minimum Euro 3Truth or falsehood416Braking system (meets ISO requirements)Truth or falsehood417Service brakes (ABS)Truth or falsehood418Parking BrakeTruth or falsehood419Front brake systemTruth or falsehood420Rear brake systemTruth or falsehood421Standard Steering Power Assisted (meets ISO requirements)Truth or falsehood
407Turbocharged IntercooledTruth or falsehood408Payload- minimum 8 tonneTruth or falsehood409170 kW Minimum Power (ISO)Truth or falsehood410700 Nm Minimum Torque (meets ISO requirements)Truth or falsehood411Minimum 6-cylinder, diesel with direct injectionTruth or falsehood412Minimum 6 forward gearsTruth or falsehood413Transmission type-Synchromesh gearsTruth or falsehood414Manual ShiftTruth or falsehood415Emission norms- Minimum Euro 3Truth or falsehood416Braking system (meets ISO requirements)Truth or falsehood417Service brakes (ABS)Truth or falsehood418Parking BrakeTruth or falsehood419Front brake systemTruth or falsehood420Rear brake systemTruth or falsehood421Standard Steering Power Assisted (meets ISO requirements)Truth or falsehood
408Payload- minimum 8 tonneTruth or falsehood409170 kW Minimum Power (ISO)Truth or falsehood410700 Nm Minimum Torque (meets ISO requirements)Truth or falsehood411Minimum 6-cylinder, diesel with direct injectionTruth or falsehood412Minimum 6 forward gearsTruth or falsehood413Transmission type-Synchromesh gearsTruth or falsehood414Manual ShiftTruth or falsehood415Emission norms- Minimum Euro 3Truth or falsehood416Braking system (meets ISO requirements)Truth or falsehood417Service brakes (ABS)Truth or falsehood418Parking BrakeTruth or falsehood419Front brake systemTruth or falsehood420Rear brake systemTruth or falsehood421Standard Steering Power Assisted (meets ISO requirements)Truth or falsehood
409170 kW Minimum Power (ISO)Truth or falsehood410700 Nm Minimum Torque (meets ISO requirements)Truth or falsehood411Minimum 6-cylinder, diesel with direct injectionTruth or falsehood412Minimum 6 forward gearsTruth or falsehood413Transmission type-Synchromesh gearsTruth or falsehood414Manual ShiftTruth or falsehood415Emission norms- Minimum Euro 3Truth or falsehood416Braking system (meets ISO requirements)Truth or falsehood417Service brakes (ABS)Truth or falsehood418Parking BrakeTruth or falsehood419Front brake systemTruth or falsehood420Rear brake systemTruth or falsehood421Standard Steering Power Assisted (meets ISO requirements)Truth or falsehood
410700 Nm Minimum Torque (meets ISO requirements)Truth or falsehood411Minimum 6-cylinder, diesel with direct injectionTruth or falsehood412Minimum 6 forward gearsTruth or falsehood413Transmission type-Synchromesh gearsTruth or falsehood414Manual ShiftTruth or falsehood415Emission norms- Minimum Euro 3Truth or falsehood416Braking system (meets ISO requirements)Truth or falsehood417Service brakes (ABS)Truth or falsehood418Parking BrakeTruth or falsehood419Front brake systemTruth or falsehood420Rear brake systemTruth or falsehood421Standard Steering Power Assisted (meets ISO requirements)Truth or falsehood
411Minimum 6-cylinder, diesel with direct injectionTruth or falsehood412Minimum 6 forward gearsTruth or falsehood413Transmission type-Synchromesh gearsTruth or falsehood414Manual ShiftTruth or falsehood415Emission norms- Minimum Euro 3Truth or falsehood416Braking system (meets ISO requirements)Truth or falsehood417Service brakes (ABS)Truth or falsehood418Parking BrakeTruth or falsehood419Front brake systemTruth or falsehood420Rear brake systemTruth or falsehood421Standard Steering Power Assisted (meets ISO requirements)Truth or falsehood
412Minimum 6 forward gearsTruth or falsehood413Transmission type-Synchromesh gearsTruth or falsehood414Manual ShiftTruth or falsehood415Emission norms- Minimum Euro 3Truth or falsehood416Braking system (meets ISO requirements)Truth or falsehood417Service brakes (ABS)Truth or falsehood418Parking BrakeTruth or falsehood419Front brake systemTruth or falsehood420Rear brake systemTruth or falsehood421Standard Steering Power Assisted (meets ISO requirements)Truth or falsehood
413Transmission type-Synchromesh gearsTruth or falsehood414Manual ShiftTruth or falsehood415Emission norms- Minimum Euro 3Truth or falsehood416Braking system (meets ISO requirements)Truth or falsehood417Service brakes (ABS)Truth or falsehood418Parking BrakeTruth or falsehood419Front brake systemTruth or falsehood420Rear brake systemTruth or falsehood421Standard Steering Power Assisted (meets ISO requirements)Truth or falsehood
414Manual ShiftTruth or falsehood415Emission norms- Minimum Euro 3Truth or falsehood416Braking system (meets ISO requirements)Truth or falsehood417Service brakes (ABS)Truth or falsehood418Parking BrakeTruth or falsehood419Front brake systemTruth or falsehood420Rear brake systemTruth or falsehood421Standard Steering Power Assisted (meets ISO requirements)Truth or falsehood
415Emission norms- Minimum Euro 3Truth or falsehood416Braking system (meets ISO requirements)Truth or falsehood417Service brakes (ABS)Truth or falsehood418Parking BrakeTruth or falsehood419Front brake systemTruth or falsehood420Rear brake systemTruth or falsehood421Standard Steering Power Assisted (meets ISO requirements)Truth or falsehood
416Braking system (meets ISO requirements)Truth or falsehood417Service brakes (ABS)Truth or falsehood418Parking BrakeTruth or falsehood419Front brake systemTruth or falsehood420Rear brake systemTruth or falsehood421Standard Steering Power Assisted (meets ISO requirements)Truth or falsehood
417Service brakes (ABS)Truth or falsehood418Parking BrakeTruth or falsehood419Front brake systemTruth or falsehood420Rear brake systemTruth or falsehood421Standard Steering Power Assisted (meets ISO requirements)Truth or falsehood
418Parking BrakeTruth or falsehood419Front brake systemTruth or falsehood420Rear brake systemTruth or falsehood421Standard Steering Power Assisted (meets ISO requirements)Truth or falsehood
419Front brake systemTruth or falsehood420Rear brake systemTruth or falsehood421Standard Steering Power Assisted (meets ISO requirements)Truth or falsehood
420Rear brake systemTruth or falsehood421Standard Steering Power Assisted (meets ISO requirements)Truth or falsehood
421 Standard Steering Power Assisted (meets ISO requirements) Truth or falsehood
1 472 Fuer reservoir minimum 200 litres
423 Minimum 7 wheels including spare Truth or falsehood
424 Spare wheel carrier Truth or falsehood 425 Ministry 200
425 Minimum ground clearance - 300 mm Truth or falsehood
426 Air bags (driver and passenger seat) Truth or falsehood
427 Radio & CD player Truth or falsehood
428 Clear windows Truth or falsehood
429 Air-conditioned Truth or falsehood



132	INSULATED CHILLER: External Body 6,800mm (Length) 2,600mm (Width), minimum 2,600mm (Height).	
	Double rear doors: Fully opening double rear doors fitted complete with independent rubber door seals, heavy-duty door hinges, and locking poles. Door securing T-catches and D-rubber bumpers fitted to each door to prevent damage when swinging open.	
	Insulation: Sides, front and rear insulated with a polystyrene insulation with additional ply reinforcing behind inner skins to add strength. Roof and floor insulated with a waterproof polystyrene insulation	
	Panel Finish: Internal and external panel finish will be white G.R.P. sheeting.	
	Floor: G.R.P. external skin, reinforcing between insulation foam with 18mm FINN Ply overlay to secure floor against forklift and pallet jack loading. Final finish handlayed G.R.P with anti-skid final coat which continues 300mm up sides to serve as an internal laminated kick plate for inner wall protection. A 3Cr12 stainless steel entry plate by full width of door opening fitted	Truth or falsehood
	Under run: Heavy – duty under run bumper fitted with a chevron and D-rubbers fitted to protect rear of body.	
	Finishing:	
	 I. External corners fitted with large aluminium extrusions all round that adds to the strength of the body. All capping sealed all round with silicone sealant to prevent water penetration. II. Transfrig MT460i installed and well secured 	
	III. Wheel arch protection fitted above wheels at rear to protect bottom of floor and behind light box.	
	IV. Sub frame designed in accordance to the chassis manufacturer specifications.	
	V. SABS approved truck tail and number plate lights fitted	
	VI. Sub frame painted with high quality 2K to match truck chasis color.	
	VII. All components used in the construction of truck body should be corrosion resistant aluminium, fibreglass or stainless steel.	
	VIII. Standard ice-cold mud flaps – behind rear wheels.	
433	IX. Reflective tape fitted where required by law	Truth or falsehood
+33 134	Fire extinguisher-minimum 9kgs Tow hook-front	Truth or falsehood
+ <u>34</u> 435	Front bumper	Truth or falsehood
136	Anti-theft System	Truth or falsehood
137	Number plate holders	Truth or falsehood
	A suitable tool kit-(including but not limited to a complete set of wheel	
	spanner relevant for truck and minimum 5 tonne jack and all necessary	
138	accessories) and owner's manual for the truck shall be provided.	Truth or falsehood
139	Minimum 90 000 km Free service	Truth or falsehood
140	5 years minimum Warranty The truck should be serviceable by the local dealership (attach	Truth or falsehood
4 4 1	proof)	Truth or falsehood
441		Truth or falsehood (Certificates issued sha

This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to carrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whilst using this tender document.



41

2. Post-qualification Requirements (ITB 38.2)

After determining the lowest-evaluated bid in accordance with ITB Sub-Clause 37.1, the Purchaser shall carry out the post-qualification of the Bidder in accordance with ITB Clause 38, using only the requirements specified. Requirements not included in the text below shall not be used in the evaluation of the Bidder's qualifications.

- (a) Financial Capability
 - The Purchaser will only pay after 90 days from the date of delivery. Bidders must, therefore, submit documentation supporting their financial capacity to supply and deliver to site all the Goods and Related under the contract. This evidence can be in the form of working capital (access to line(s) of credit and availability of other financial resources).
 - The Bidder must demonstrate that they have financial resource that are, at least equivalent to the value of the contract under consideration.
- (b) Experience and Technical Capacity

The Bidder shall furnish documentary evidence to demonstrate that it meets the following experience requirement(s):

- A list of principal deliveries effected during the last 3 years. The minimum value of deliveries of a similar nature completed shall not less be than E2,000,000.00 (two million) per annum.
- (c) The Bidder shall furnish documentary evidence to demonstrate that the Goods it offers meet the following usage requirement:
 - Manufacturer's brochures giving full description of technical specifications, performance and productivity of each of the equipment outlined Section VI Schedule of Requirements
 - Details of service warranty and/or guarantees of each of the equipment outlined Section VI Schedule of Requirements
- (c) Delivery schedule. (as per Incoterms specified in the BDS)

The Goods specified in the List of Goods are required to be delivered within the acceptable time range (after the earliest and before the final date, both dates inclusive) specified in Section VI, Delivery Schedule. No credit will be given to deliveries before the earliest date, and bids offering delivery after the final date shall be treated as non-responsive.

(d) Deviation in payment schedule.

Disclaimer

(i) Bidders shall state their bid price for the payment schedule outlined in the SCC. Bids shall be evaluated on the basis of this base price. Bidders are, however, permitted to state an alternative payment schedule and indicate the reduction in bid price they wish to offer for such alternative payment schedule. The Purchaser may consider the alternative payment schedule and the reduced bid price offered by the Bidder selected on the basis

This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warrantio of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which have the ability to computer system whils using this tender document.



(e) Availability in the Purchaser's Country of spare parts and after sales services for equipment offered in the bid.

Bidders who does not provide proof of availability of spare parts and after sales services for equipment offered will be disqualified.

(f) Performance and productivity of the equipment.

(i) The performance and productivity of the equipment shall compile, fully to the essential technical and performance characteristics of the Goods and services as provided by the Purchaser in Section VI – Schedule of Requirements

Disclaimer





Section IV. Bidding Forms

Table of Forms

47
! Bookmark not
58
59
71

Disclaimer



Bidder Information Form

[The Bidder shall fill in this Form in accordance with the instructions indicated below. No alterations to its format shall be permitted and no substitutions shall be accepted.]

Date: [insert date (as day, month and year) of Bid Submission] Bid No.: [insert number of bidding process]

Page _____ of _ ____ pages

1.	Bidder's Legal Name [insert Bidder's legal name]
2.	In case of JV, legal name of each party: [insert legal name of each party in JV]
	Bidder's actual or intended Country of Registration: [insert actual or intended Country of gistration]
4.	Bidder's Year of Registration: [insert Bidder's year of registration]
	Bidder's Legal Address in Country of Registration: [insert Bidder's legal address in untry of registration]
6.	Bidder's Authorized Representative Information
	Name: [insert Authorized Representative's name]
	Address: [insert Authorized Representative's Address]
	Telephone/Fax numbers: [insert Authorized Representative's telephone/fax numbers]
	Email Address: [insert Authorized Representative's email address]
7.	Attached are copies of original documents of: [check the box(es) of the attached original documents]
	Articles of Incorporation or Registration of firm named in 1, above, in accordance with ITB Sub-Clauses 4.1 and 4.2.
	In case of JV, letter of intent to form JV or JV agreement, in accordance with ITB Sub- Clause 4.1.

☐ In case of government owned entity from the Purchaser's country, documents establishing legal and financial autonneomy and compliance with commercial law, in accordance with ITB Sub-Clause 4.5.

Disclaimer



Joint Venture Partner Information Form

[The Bidder shall fill in this Form in accordance with the instructions indicated below]. Date: [insert date (as day, month and year) of Bid Submission] Bid No.: [insert number of bidding process]

Page _____ of ____ pages

- 1. Bidder's Legal Name: [insert Bidder's legal name]
- 2. JV's Party legal name: [insert JV's Party legal name]

3. JV's Party Country of Registration: [insert JV's Party country of registration]

- 4. JV's Party Year of Registration: [insert JV's Part year of registration]
- 5. JV's Party Legal Address in Country of Registration: [insert JV's Party legal address in country of registration]
- 6. JV's Party Authorized Representative Information

Name: [insert name of JV's Party authorized representative]

Address: [insert address of JV's Party authorized representative]

Telephone/Fax numbers: [insert telephone/fax numbers of JV's Party authorized representative]

Email Address: [insert email address of JV's Party authorized representative]

- 7. Attached are copies of original documents of: [check the box(es) of the attached original documents]
- Articles of Incorporation or Registration of firm named in 2, above, in accordance with ITB Sub-Clauses 4.1 and 4.2.
- □ In case of government owned entity from the Purchaser's country, documents establishing legal and financial autonneomy and compliance with commercial law, in accordance with ITB Sub-Clause 4.5.

Disclaimer



Bid Submission Form – Lot 1

[The Bidder shall fill in this Form in accordance with the instructions indicated No alterations to its format shall be permitted and no substitutions shall be accepted.]

Date: [insert date (as day, month and year) of Bid Submission] Invitation for Bid No.: [insert No] Alternative No.: [insert identification No if this is a Bid for an alternative]

To: [insert complete name of Purchaser]

We, the undersigned, declare that:

- (a) We have examined and have no reservations to the Bidding Documents, including Addenda No.: ______[insert the number and issuing date of each Addenda];
- (b) We offer to supply in conformity with the Bidding Documents and in accordance with the Delivery Schedules specified in the Schedule of Requirements the following Goods and Related Services ______ [insert a brief description of the Goods and Related Services];
- (c) The total price of our Bid, excluding any discounts offered in item (d) below, is: [insert the total bid price in words and figures, indicating the various amounts and the respective currencies];
- (d) The discounts offered and the methodology for their application are:

Discounts. If our bid is accepted, the following discounts shall apply._____ [Specify in detail each discount offered and the specific item of the Schedule of Requirements to which it applies.]

Methodology of Application of the Discounts. The discounts shall be applied using the following method: ______ [Specify in detail the method that shall be used to apply the discounts];

- (e) Our bid shall be valid for the period of time specified in ITB Sub-Clause 20.1, from the date fixed for the bid submission deadline in accordance with ITB Sub-Clause 24.1, and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- (f) If our bid is accepted, we commit to obtain a performance security in accordance with ITB Clause 44 and GCC Clause 18 for the due performance of the Contract;
- (g) We, including any subcontractors or suppliers for any part of the contract, have nationality from eligible countries *[insert the nationality of the Bidder, including that of all parties that comprise the Bidder, if the Bidder is a JV, and the nationality each subcontractor and supplier]*



- (h) We have no conflict of interest in accordance with ITB Sub-Clause 4.2;
- (i) Our firm, its affiliates or subsidiaries—including any subcontractors or suppliers for any part of the contract—has not been declared ineligible under the Purchaser's country laws or official regulations, in accordance with ITB Sub-Clause 4.3;
- (j) The following commissions, gratuities, or fees have been paid or are to be paid with respect to the bidding process or execution of the Contract: [insert complete name of each Recipient, its full address, the reason for which each commission or gratuity was paid and the amount and currency of each such commission or gratuity]

Name of Recipient	Address	Reason	Amount
	·		

(If none has been paid or is to be paid, indicate "none.")

- (k) We understand that this bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal contract is prepared and executed.
- (l) We understand that you are not bound to accept the lowest evaluated bid or any other bid that you may receive.

Signed:_____ [insert signature of person whose name and capacity are shown] In the capacity of _____ [insert legal capacity of person signing the Bid Submission Form]

Name:_____ [insert complete name of person signing the Bid Submission Form]

Duly authorized to sign the bid for and on behalf of: _____ [insert complete name of Bidder]

Dated on ______ day of ______, ____[insert date of signing]

This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to carrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whilst using this tender document.

Disclaimer



Bid Submission Form – Lot 2

[The Bidder shall fill in this Form in accordance with the instructions indicated No alterations to its format shall be permitted and no substitutions shall be accepted.]

Date: [insert date (as day, month and year) of Bid Submission] Invitation for Bid No.: [insert No] Alternative No.: [insert identification No if this is a Bid for an alternative]

To: [insert complete name of Purchaser]

We, the undersigned, declare that:

- (k) We have examined and have no reservations to the Bidding Documents, including Addenda No.: ______[insert the number and issuing date of each Addenda];
- We offer to supply in conformity with the Bidding Documents and in accordance with the Delivery Schedules specified in the Schedule of Requirements the following Goods and Related Services ______ [insert a brief description of the Goods and Related Services];
- (m) The total price of our Bid, excluding any discounts offered in item (d) below, is: *[insert the total bid price in words and figures, indicating the various amounts and the respective currencies];*
- (n) The discounts offered and the methodology for their application are:

Discounts. If our bid is accepted, the following discounts shall apply._____ [Specify in detail each discount offered and the specific item of the Schedule of Requirements to which it applies.]

Methodology of Application of the Discounts. The discounts shall be applied using the following method: ______ [Specify in detail the method that shall be used to apply the discounts];

- (o) Our bid shall be valid for the period of time specified in ITB Sub-Clause 20.1, from the date fixed for the bid submission deadline in accordance with ITB Sub-Clause 24.1, and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- (p) If our bid is accepted, we commit to obtain a performance security in accordance with ITB Clause 44 and GCC Clause 18 for the due performance of the Contract;
- (q) We, including any subcontractors or suppliers for any part of the contract, have nationality from eligible countries *[insert the nationality of the Bidder, including that of all parties that comprise the Bidder, if the Bidder is a JV, and the nationality each subcontractor and supplier]*



- (r) We have no conflict of interest in accordance with ITB Sub-Clause 4.2;
- (s) Our firm, its affiliates or subsidiaries—including any subcontractors or suppliers for any part of the contract—has not been declared ineligible under the Purchaser's country laws or official regulations, in accordance with ITB Sub-Clause 4.3;
- (t) The following commissions, gratuities, or fees have been paid or are to be paid with respect to the bidding process or execution of the Contract: [insert complete name of each Recipient, its full address, the reason for which each commission or gratuity was paid and the amount and currency of each such commission or gratuity]

Name of Recipient	Address	Reason	Amount
	·		

(If none has been paid or is to be paid, indicate "none.")

- (k) We understand that this bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal contract is prepared and executed.
- (l) We understand that you are not bound to accept the lowest evaluated bid or any other bid that you may receive.

Signed:_____ [insert signature of person whose name and capacity are shown] In the capacity of _____ [insert legal capacity of person signing the Bid Submission Form]

Name:_____ [insert complete name of person signing the Bid Submission Form]

Duly authorized to sign the bid for and on behalf of: _____ [insert complete name of Bidder]

Dated on ______ day of ______, ____[insert date of signing]



Bid Submission Form – Lot 3

[The Bidder shall fill in this Form in accordance with the instructions indicated No alterations to its format shall be permitted and no substitutions shall be accepted.]

Date: [insert date (as day, month and year) of Bid Submission] Invitation for Bid No.: [insert No] Alternative No.: [insert identification No if this is a Bid for an alternative]

To: [insert complete name of Purchaser]

We, the undersigned, declare that:

- (u) We have examined and have no reservations to the Bidding Documents, including Addenda No.: ______[insert the number and issuing date of each Addenda];
- (v) We offer to supply in conformity with the Bidding Documents and in accordance with the Delivery Schedules specified in the Schedule of Requirements the following Goods and Related Services ______ [insert a brief description of the Goods and Related Services];
- (w) The total price of our Bid, excluding any discounts offered in item (d) below, is: *[insert the total bid price in words and figures, indicating the various amounts and the respective currencies];*
- (x) The discounts offered and the methodology for their application are:

Discounts. If our bid is accepted, the following discounts shall apply._____ [Specify in detail each discount offered and the specific item of the Schedule of Requirements to which it applies.]

Methodology of Application of the Discounts. The discounts shall be applied using the following method: ______ [Specify in detail the method that shall be used to apply the discounts];

- (y) Our bid shall be valid for the period of time specified in ITB Sub-Clause 20.1, from the date fixed for the bid submission deadline in accordance with ITB Sub-Clause 24.1, and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- (z) If our bid is accepted, we commit to obtain a performance security in accordance with ITB Clause 44 and GCC Clause 18 for the due performance of the Contract;
- (aa) We, including any subcontractors or suppliers for any part of the contract, have nationality from eligible countries *[insert the nationality of the Bidder, including that of all parties that comprise the Bidder, if the Bidder is a JV, and the nationality each subcontractor and supplier]*



- (bb) We have no conflict of interest in accordance with ITB Sub-Clause 4.2;
- (cc) Our firm, its affiliates or subsidiaries—including any subcontractors or suppliers for any part of the contract—has not been declared ineligible under the Purchaser's country laws or official regulations, in accordance with ITB Sub-Clause 4.3;
- (dd) The following commissions, gratuities, or fees have been paid or are to be paid with respect to the bidding process or execution of the Contract: [insert complete name of each Recipient, its full address, the reason for which each commission or gratuity was paid and the amount and currency of each such commission or gratuity]

Name of Recipient	Address	Reason	Amount

(If none has been paid or is to be paid, indicate "none.")

- (k) We understand that this bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal contract is prepared and executed.
- (l) We understand that you are not bound to accept the lowest evaluated bid or any other bid that you may receive.

Signed:_____ [insert signature of person whose name and capacity are shown] In the capacity of _____ [insert legal capacity of person signing the Bid Submission Form]

Name:_____ [insert complete name of person signing the Bid Submission Form]

Duly authorized to sign the bid for and on behalf of: _____ [insert complete name of Bidder]

Dated on ______ day of ______, ____ [insert date of signing]



Bid Submission Form – Lot 4

[The Bidder shall fill in this Form in accordance with the instructions indicated No alterations to its format shall be permitted and no substitutions shall be accepted.]

Date: [insert date (as day, month and year) of Bid Submission] Invitation for Bid No.: [insert No] Alternative No.: [insert identification No if this is a Bid for an alternative]

To: [insert complete name of Purchaser]

We, the undersigned, declare that:

- (ee) We have examined and have no reservations to the Bidding Documents, including Addenda No.: ______[insert the number and issuing date of each Addenda];
- (ff) We offer to supply in conformity with the Bidding Documents and in accordance with the Delivery Schedules specified in the Schedule of Requirements the following Goods and Related Services ______ [insert a brief description of the Goods and Related Services];
- (gg) The total price of our Bid, excluding any discounts offered in item (d) below, is: *[insert the total bid price in words and figures, indicating the various amounts and the respective currencies];*

(hh) The discounts offered and the methodology for their application are:

Discounts. If our bid is accepted, the following discounts shall apply._____ [Specify in detail each discount offered and the specific item of the Schedule of Requirements to which it applies.]

Methodology of Application of the Discounts. The discounts shall be applied using the following method: ______ [Specify in detail the method that shall be used to apply the discounts];

- (ii) Our bid shall be valid for the period of time specified in ITB Sub-Clause 20.1, from the date fixed for the bid submission deadline in accordance with ITB Sub-Clause 24.1, and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- (jj) If our bid is accepted, we commit to obtain a performance security in accordance with ITB Clause 44 and GCC Clause 18 for the due performance of the Contract;
- (kk) We, including any subcontractors or suppliers for any part of the contract, have nationality from eligible countries *[insert the nationality of the Bidder, including that of all parties that comprise the Bidder, if the Bidder is a JV, and the nationality each subcontractor and supplier]*



- (ll) We have no conflict of interest in accordance with ITB Sub-Clause 4.2;
- (mm)Our firm, its affiliates or subsidiaries—including any subcontractors or suppliers for any part of the contract—has not been declared ineligible under the Purchaser's country laws or official regulations, in accordance with ITB Sub-Clause 4.3;
- (nn) The following commissions, gratuities, or fees have been paid or are to be paid with respect to the bidding process or execution of the Contract: [insert complete name of each Recipient, its full address, the reason for which each commission or gratuity was paid and the amount and currency of each such commission or gratuity]

Name of Recipient	Address	Reason	Amount

(If none has been paid or is to be paid, indicate "none.")

- (k) We understand that this bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal contract is prepared and executed.
- (l) We understand that you are not bound to accept the lowest evaluated bid or any other bid that you may receive.

Signed:_____ [insert signature of person whose name and capacity are shown] In the capacity of _____ [insert legal capacity of person signing the Bid Submission Form]

Name:_____ [insert complete name of person signing the Bid Submission Form]

Duly authorized to sign the bid for and on behalf of: _____ [insert complete name of Bidder]

Dated on ______ day of ______, ____ [insert date of signing]



Price Schedule Forms

[The Bidder shall fill in these Price Schedule Forms for each of the Lots, in accordance with the instructions indicated. The list of line items in column 1 of the **Price Schedules** shall coincide with the List of Goods and Related Services specified by the Purchaser in the Schedule of Requirements.]

Disclaimer



Schedule No. 1. Price Schedule for Goods

Lot 1:	Masithandane	Multipurpose	Cooperative	Society Ltd
--------	--------------	---------------------	-------------	-------------

	Purchaser	's Country	Currencies in accordance with ITB Sub-Clause 15			Date: Bid No:	
						Page N° of	
1	2	3	4	5	6	7	8
Line Item N°	Description of Goods	Delivery Date to Project Site as defined by Incoterms	Quantity and physical unit	Unit price	Total price per line item (Col. 4×5)	Sales and other taxes payable per line item if Contract is awarded (in accordance with ITB 14.6)	Total Price per line item (Col. 6+7)
[1]	10m ³ Tipper Truck	[insert quoted Delivery Date]	[1]	[insert unit price]	[insert total price per line item]	[insert sales and other taxes payable per line item if Contract is awarded]	[insert total price per item]
						TOTAL (to Schedule No. 3 Grand Summary)	

Name of Bidder [insert complete name of Bidder] Signature of Bidder [signature of person signing the Bid] Date [insert date]

Schedule No. 2. Price and Completion Schedule for Related Services

				A	v	
	Curre	Date: ICB No: Alternative No: Page N° of				
1	2	3	4	5	6	7
Service N°	Description of Services	Country of Origin	Delivery Date at place of Final destination	Quantity and physical unit	Unit price	Total Price per Service (Col. 5*6 or estimate)
[1]	10m ³ Tipper Truck branded on both sides	[insert country of origin of the Services]	[insert delivery date at place of final destination per Service]	[insert number of units to be supplied and name of the physical unit]	[insert unit price per item]	[insert total price per item]
[2]	Training of operators and EOG	[insert country of origin of the Services]	[insert delivery date at place of final destination per Service]	[insert number of units to be supplied and name of the physical unit]	[insert unit price per item]	[insert total price per item]
[3]	Service	[insert country of origin of the Services]	[insert delivery date at place of final destination per Service]	[insert number of units to be supplied and name of the physical unit]	[insert unit price per item]	[insert total price per item]
				TOTAL (to Sched Summary)	ule No. 3 Grand	

Lot 1: Masithandane Multipurpose Cooperative Society Ltd

Name of Bidder [insert complete name of Bidder] Signature of Bidder [signature of person signing the Bid] Date [insert date]

Schedule No. 3. Grand Summary

Lot 1: Masithandane Multipurpose Cooperative Society Ltd

Item	Description		Total Price
			Eswatini Emalangeni
	Total Schedule No. 1. Price Schedule for Goo	ods Abroad	
	Total Schedule No. 2. Price and Completion Services	Schedule for Related	
	TOTAL (to Bi	d Submission Form)	
		Name of Bidd	ler
		Signature of Bidd	ler

Disclaimer



Schedule No. 1. Price Schedule for Goods

Lot 2: Khulani Masini Multipurpose Cooperative Society Ltd

Purchaser's Country			Currencies in accordance with ITB Sub-Clause 15		Date: Bid No: Page N° of		
1	2	3	4	5	6	7	8
Line Item N°	Description of Goods	Delivery Date to Project Site as defined by Incoterms	Quantity and physical unit	Unit price	Total price per line item (Col. 4×5)	Sales and other taxes payable per line item if Contract is awarded (in accordance with ITB 14.6)	Total Price per line item (Col. 6+7)
[1]	10m ³ Tipper Truck	[insert quoted Delivery Date]	[1]	[insert unit price]	[insert total price per line item]	[insert sales and other taxes payable per line item if Contract is awarded]	[insert total price per item]
						TOTAL (to Schedule No. 3 Grand Summary)	

Name of Bidder [insert complete name of Bidder] Signature of Bidder [signature of person signing the Bid] Date [insert date]

Schedule No. 2. Price and Completion Schedule for Related Services

					V	
	Currenc	Date: ICB No: Alternative No: Page N° of				
1	2	3	4	5	6	7
Service N°	Description of Services	Country of Origin	Delivery Date at place of Final destination	Quantity and physical unit	Unit price	Total Price per Service (Col. 5*6 or estimate)
[1]	[10m ³ Tipper Truck branded on both sides]	[insert country of origin of the Services]	[insert delivery date at place of final destination per Service]	[insert number of units to be supplied and name of the physical unit]	[insert unit price per item]	[insert total price per item]
[2]	[Training of operator(s) and Entire Cooperative]	[insert country of origin of the Services]	[insert delivery date at place of final destination per Service]	[insert number of units to be supplied and name of the physical unit]	[insert unit price per item]	[insert total price per item]
[3]	[Service]	[insert country of origin of the Services]	[insert delivery date at place of final destination per Service]	[insert number of units to be supplied and name of the physical unit]	[insert unit price per item]	[insert total price per item]
				TOTAL (to Sched Summary)	ule No. 3 Grand	

Lot 2: Khulani Masini Multipurpose Cooperative Society Ltd

Name of Bidder [insert complete name of Bidder] Signature of Bidder [signature of person signing the Bid] Date [insert date]

Schedule No. 3. Grand Summary

Lot 2: Khulani Masini Multipurpose Cooperative Society Ltd

tem	Description		Total Price
			Eswatini Emalangeni
	Total Schedule No. 1. Price Schedule for Goo	ods Abroad	
	Total Schedule No. 2. Price and Completion S Services	Schedule for Related	
	TOTAL (to Bi	d Submission Form)	
		Name of Bidder	
		Signature of Bidder	





Schedule No. 1. Price Schedule for Goods

Purchaser's Country			Currencies in accordance with ITB Sub-Clause 15		Date: Bid No: Page N° of		
1	2	3	4	5	6	7	8
Line Item N°	Description of Goods	Delivery Date to Project Site as defined by Incoterms	Quantity and physical unit	Unit price	Total price per line item (Col. 4×5)	Sales and other taxes payable per line item if Contract is awarded (in accordance with ITB 14.6)	Total Price per line item (Col. 6+7)
[1]	8 Tonne Insulated Chiller Truck	[insert quoted Delivery Date]	[1]	[insert unit price]	[insert total price per line item]	[insert sales and other taxes payable per line item if Contract is awarded]	[insert total price per item]
						TOTAL (to Schedule No. 3 Grand Summary)	

Lot 3: Siyalima Ngololweni Farmers Limited

Name of Bidder [insert complete name of Bidder] Signature of Bidder [signature of person signing the Bid] Date [insert date]

Schedule No. 2. Price and Completion Schedule for Related Services

Currencies in accordance with ITB Sub-Clause 15					Date:	
1	2	3	4	5	6	7
Service N°	Description of Services	Country of Origin	Delivery Date at place of Final destination	Quantity and physical unit	Unit price	Total Price per Service (Col. 5*6 or estimate)
[1]	[8 Tonne Insulated Chiller Truck branded on both sides]	[insert country of origin of the Services]	[insert delivery date at place of final destination per Service]	[insert number of units to be supplied and name of the physical unit]	[insert unit price per item]	[insert total price per item]
[2]	[Training of operator(s) and Entire Cooperative]	[insert country of origin of the Services]	[insert delivery date at place of final destination per Service]	[insert number of units to be supplied and name of the physical unit]	[insert unit price per item]	[insert total price per item]
[3]	[Service]	[insert country of origin of the Services]	[insert delivery date at place of final destination per Service]	[insert number of units to be supplied and name of the physical unit]	[insert unit price per item]	[insert total price per item]
				TOTAL (to Schedu Summary)	ile No. 3 Grand	

Lot 3: Siyalima Ngololweni Farmers Limited

Name of Bidder [insert complete name of Bidder] Signature of Bidder [signature of person signing the Bid] Date [insert date]

Schedule No. 3. Grand Summary

Item	Description		Total Price
			Eswatini Emalangeni
	Total Schedule No. 1. Price Schedule for Goo	ds Abroad	
	Total Schedule No. 2. Price and Completion S Services	Schedule for Related	
	TOTAL (to Bid	1 Submission Form)	
		Name of Bidder	r
		Signature of Bidder	r

Lot 3: Siyalima Ngololweni Farmers Limited

Disclaimer



Schedule No. 1. Price Schedule for Goods

Lot 4: Ingcebo Yetfu Multipurpose Cooperative Society

	Purchaser'	's Country	s in accordance Sub-Clause 15	Date: Bid No: Page N° of	_		
1	2	3	4	5	6	7	8
Line Item N°	Description of Goods	Delivery Date to Project Site as defined by Incoterms	Quantity and physical unit	Unit price	Total price per line item (Col. 4×5)	Sales and other taxes payable per line item if Contract is awarded (in accordance with ITB 14.6)	Total Price per line item (Col. 6+7)
[1]	10m ³ Tipper Truck	[insert quoted Delivery Date]	[1]	[insert unit price]	[insert total price per line item]	[insert sales and other taxes payable per line item if Contract is awarded]	[insert total price per item]
		1		<u> </u>	1	TOTAL (to Schedule No. 3 Grand Summary)	

Name of Bidder [insert complete name of Bidder] Signature of Bidder [signature of person signing the Bid] Date [insert date]

Schedule No. 2. Price and Completion Schedule for Related Services

	0				v	
	Currer	ncies in accord	ance with ITB Su	b-Clause 15	Date: ICB No: Alternative No: Page N° of	
1	2	3	4	5	6	7
Service N°	Description of Services	Country of Origin	Delivery Date at place of Final destination	Quantity and physical unit	Unit price	Total Price per Service (Col. 5*6 or estimate)
[1]	10m ³ Tipper Truck branded on both sides	[insert country of origin of the Services]	[insert delivery date at place of final destination per Service]	[insert number of units to be supplied and name of the physical unit]	[insert unit price per item]	[insert total price per item]
[2]	Training of operators and EOG	[insert country of origin of the Services]	[insert delivery date at place of final destination per Service]	[insert number of units to be supplied and name of the physical unit]	[insert unit price per item]	[insert total price per item]
[3]	Service	[insert country of origin of the Services]	[insert delivery date at place of final destination per Service]	[insert number of units to be supplied and name of the physical unit]	[insert unit price per item]	[insert total price per item]
	1		1	TOTAL (to Sched Summary)	ule No. 3 Grand	

Lot 4: Ingcebo Yetfu Multipurpose Cooperative Society

Name of Bidder [insert complete name of Bidder] Signature of Bidder [signature of person signing the Bid] Date [insert date]

Schedule No. 3. Grand Summary

Lot 4: Ingcebo Yetfu Multipurpose Cooperative Society

Item	Description		Total Price
			Eswatini Emalangeni
	Total Schedule No. 1. Price Schedule for Goo	ods Abroad	
	Total Schedule No. 2. Price and Completion Services	Schedule for Related	
	TOTAL (to Bi	d Submission Form)	
		Name of Bido	ler
		Signature of Bide	ler



Bid Security (Bank Guarantee)

[The Bank shall fill in this Bank Guarantee Form in accordance with the instructions indicated.]

[Bank's Name, and Address of Issuing Branch or Office]

Beneficiary: _____ [Name and Address of Purchaser]

Date: _____

BID GUARANTEE No.:

We have been informed that [name of the Bidder] (hereinafter called "the Bidder") has submitted to you its bid dated (hereinafter called "the Bid") for the execution of [name of contract] under Invitation for Bids No. [IFB number] ("the IFB").

Furthermore, we understand that, according to your conditions, bids must be supported by a bid guarantee.

At the request of the Bidder, we *[name of Bank]* hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of *[amount in figures]* (*[amount in words]*) upon receipt by us of your first demand in writing accompanied by a written statement stating that the Bidder is in breach of its obligation(s) under the bid conditions, because the Bidder:

- (a) has withdrawn its Bid during the period of bid validity specified by the Bidder in the Form of Bid; or
- (b) having been notified of the acceptance of its Bid by the Purchaser during the period of bid validity, (i) fails or refuses to execute the Contract Form; or (ii) fails or refuses to furnish the performance security, if required, in accordance with the Instructions to Bidders.

This guarantee will expire: (a) if the Bidder is the successful bidder, upon our receipt of copies of the contract signed by the Bidder and the performance security issued to you upon the instruction of the Bidder; or (b) if the Bidder is not the successful bidder, upon the earlier of (i) our receipt of a copy of your notification to the Bidder of the name of the successful bidder; or (ii) twenty-eight days after the expiration of the Bidder's Bid.

Consequently, any demand for payment under this guarantee must be received by us at the office on or before that date.

This guarantee is subject to the Uniform Rules for Demand Guarantees, ICC Publication No. 458._____

[signature(s)]

Disclaimer



Bid-Securing Declaration

[The Bidder shall fill in this Form in accordance with the instructions indicated.]

Date: [date (as day, month and year)] Bid No.: [number of bidding process] Alternative No.: [identification No if this is a Bid for an alternative]

To: [complete name of Purchaser]

We, the undersigned, declare that:

We understand that, according to your conditions, bids must be supported by a Bid-Securing Declaration.

We accept that we will automatically be suspended from being eligible for bidding in any contract with the Purchaser for the period of time of *[number of months or years]* starting on *[date]*, if we are in breach of our obligation(s) under the bid conditions, because we:

- (a) have withdrawn our Bid during the period of bid validity specified in the Form of Bid; or
- (b) having been notified of the acceptance of our Bid by the Purchaser during the period of bid validity, (i) fail or refuse to execute the Contract; or (ii) fail or refuse to furnish the Performance Security, if required, in accordance with the ITB.

We understand this Bid Securing Declaration shall expire if we are not the successful Bidder, upon the earlier of (i) our receipt of your notification to us of the name of the successful Bidder; or (ii) twenty-eight days after the expiration of our Bid.

Signed: [signature of person whose name and capacity are shown] In the capacity of [legal capacity of person signing the Bid Securing Declaration]

Name: [complete name of person signing the Bid Securing Declaration]

Duly authorized to sign the bid for and on behalf of: [complete name of Bidder]

Dated on _____ day of _____, ____ [date of signing] Corporate Seal (where appropriate)

[Note: In case of a Joint Venture, the Bid Securing Declaration must be in the name of all partners to the Joint Venture that submits the bid.]

This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to corrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whilst using this tender document.



Disclaimer

Manufacturer's Authorization

[The Bidder shall require the Manufacturer to fill in this Form in accordance with the instructions indicated. This letter of authorization should be on the letterhead of the Manufacturer and should be signed by a person with the proper authority to sign documents that are binding on the Manufacturer. The Bidder shall include it in its bid]

Date: [insert date (as day, month and year) of Bid Submission] Bid No.: [insert number of bidding process] Alternative No.: [insert identification No if this is a Bid for an alternative]

To: [insert complete name of Purchaser]

WHEREAS

We [insert complete name of Manufacturer], who are official manufacturers of [insert type of goods manufactured], having factories at [insert full address of Manufacturer's factories], do hereby authorize [insert complete name of Bidder] to submit a bid the purpose of which is to provide the following Goods, manufactured by us [insert name and or brief description of the Goods], and to subsequently negotiate and sign the Contract.

We hereby extend our full guarantee and warranty in accordance with Clause 28 of the General Conditions of Contract, with respect to the Goods offered by the above firm.

Signed: [insert signature(s) of authorized representative(s) of the Manufacturer]

Name: [insert complete name(s) of authorized representative(s) of the Manufacturer]

Title: [insert title]

Dated on ______ day of ______, ____[insert date of signing]



Disclaimer



PART 2 – Supply Requirements

Disclaimer



Disclaimer



Section VI. Schedule of Requirements

Contents

List of Goods and Delivery Schedule	80
List of Related Services and Completion Schedule	80
Technical Specifications	58
Inspections and Tests	

Disclaimer



2. List of Goods and Delivery Schedule Lot 1: Masithandane Multipurpose Cooperative Society Ltd

[The Purchaser shall fill in this table, with the exception of the column "Bidder's offered Delivery date" to be filled by the Bidder]

Line Item	Description of Goods	Quantity P	Physical		Delivery (as per Incoterms) Date			
Nº			Physical Unit		Earliest Delivery Date	Latest Delivery Date	Bidder's offered Delivery Date[to be provided by the bidder]	
1	10m ³ Tipper Truck (suitable for use in a sub- tropical environment and steep rocky or bad driveways)	1	No.	Masithandane Multipurpose Cooperative office premise under Matsanjeni Inkhundla in the Shiselweni Region	21 st July 2025	25 th July 2025		

2. List of Related Services and Completion Schedule Lot 1: Masithandane Multipurpose Cooperative Society Ltd

[This table shall be filled in by the Purchaser. The Required Completion Dates should be realistic, and consistent with the required Goods Delivery Dates (as per Incoterms)]

Service	Description of Service	Quantity ¹	•	Place where Services shall be performed	Final Completion Date(s) of Services
	10m3 Tipper Truck branded on both				
1	sides,	1	No.	Supplier's premises	25 th July 2025
		Operators and Entire			
2	Training of operators and EOG	Cooperative	No.	Beneficiary's Premises	25 th July 2025

If applicable

2. List of Goods and Delivery Schedule

Lot 2: Khulani Masini Multipurpose Cooperative Society Ltd

[The Purchaser shall fill in this table, with the exception of the column "Bidder's offered Delivery date" to be filled by the Bidder]

Line Item	Description of Goods	Quantity	Physical	specified in BDS	Delivery (as per Incoterms) Date			
Nº	F		Unit		Earliest Delivery Date	Latest Delivery Date	Bidder's offered Delivery Date[to be provided by the bidder]	
1	10m ³ Tipper Truck (suitable for use in a sub-tropical environment and steep rocky or bad driveways)	1	No.	Khulani Masini Multipurpose Cooperative Society Ltd office premises under Kubuta Inkhundla in the Shiselweni Region	21 st July 2025	25 th July 2025		

1. List of Related Services and Completion Schedule Lot 2: Khulani Masini Multipurpose Cooperative Society Ltd

[This table shall be filled in by the Purchaser. The Required Completion Dates should be realistic, and consistent with the required Goods Delivery Dates (as per Incoterms)]

Service	Description of Service	Quantity ¹	e	Place where Services shall be performed	Final Completion Date(s) of Services
	10m3 Tipper Truck branded on both				
1	sides,	1	No.	Supplier's premises	25 th July 2025
		Operators and Entire			
2	Training of operators and EOG	Cooperative	No.	Beneficiary's Premises	25 th July 2025

If applicable

2.

2. List of Goods and Delivery Schedule

Lot 3: Siyalima Ngololweni Farmers Limited

[The Purchaser shall fill in this table, with the exception of the column "Bidder's offered Delivery date" to be filled by the Bidder]

Line Item	Description of Goods	Quantity	Physical	Final (Project	Delivery (as per Incoterms) Date	
Nº			Unit	Site) Destination as specified in BDS	Earliest Delivery Date	Latest Delivery Date	Bidder's offered Delivery Date[to be provided by the bidder]
1	8 Tonne Insulated Chiller Truck (suitable for use in a sub-tropical environment and steep rocky or bad driveways)	1	No.	Siyalima Ngololweni Farmers Limited office premises under Sandleni Inkhundla in the Shiselweni Region	21 st July 2025	25 th July 2025	

2. List of Related Services and Completion Schedule Lot 3: Siyalima Ngololweni Farmers Limited

[This table shall be filled in by the Purchaser. The Required Completion Dates should be realistic, and consistent with the required Goods Delivery Dates (as per Incoterms)]

Service			Physical	Place where Services shall	Final Completion
No.	Description of Service	Quantity ¹	Unit	be performed	Date(s) of Services
	8 Tonne Insulated Chiller Truck branded on				25 th July 2025
1	both sides,	1	No.	Supplier's premises	
2	Training of operators and EOG	Operators and Entire Cooperative	No.	Beneficiary's Premises	25 th July 2025

If applicable

2. List of Goods and Delivery Schedule Lot 4: Ingcebo Yetfu Multipurpose Cooperative Society

[The Purchaser shall fill in this table, with the exception of the column "Bidder's offered Delivery date" to be filled by the Bidder]

Line Item	Description of Goods	Quantity P	Physical		Delivery (as per Incoterms) Date			
Nº			Physical Unit		Earliest Delivery Date	Latest Delivery Date	Bidder's offered Delivery Date[to be provided by the bidder]	
1	10m ³ Tipper Truck (suitable for use in a sub- tropical environment and steep rocky or bad driveways)	1	No.	Ingcebo Yetfu Multipurpose Cooperative office premise under Pigg's Peak Inkhundla in the Hhohho Region	21 st July 2025	25 th July 2025		

2. List of Related Services and Completion Schedule Lot 4: Ingcebo Yetfu Multipurpose Cooperative Society

[This table shall be filled in by the Purchaser. The Required Completion Dates should be realistic, and consistent with the required Goods Delivery Dates (as per Incoterms)]

Service	Description of Service	Quantity ¹	e	Place where Services shall be performed	Final Completion Date(s) of Services
	10m3 Tipper Truck branded on both				
1	sides,	1	No.	Supplier's premises	25 th July 2025
		Operators and Entire			
2	Training of operators and EOG	Cooperative	No.	Beneficiary's Premises	25 th July 2025

If applicable

Lot 1: Technical Specifications

The Goods and Related Services shall comply with the following Technical Specifications and Standards:

Specifications for a 10m³ Tipper Truck

Scope

Note: The technical description (specification) is illustrative and not intended to fix a particular model type or manufacturer. Any acceptable truck meeting the performance requirements and submitted by an eligible supplier and / or manufacturer able to provide an adequate local support service will be considered for the contract.

In the event that the models offered do not fully comply with or have different features to those specified below all such variations must be fully documented in the bid submission.

This specification covers the general requirements for the supply of a 10m³ Tipper Truck suitable for use in a sub-tropical environment and steep rocky or bad driveways.

1. General

A 10m³ Tipper Truck shall be standard production model except in respect of the inclusion of those additional features listed below in the specification requirement table.

1.1.General Features

10m³ Tipper Truck Fuel reservoir minimum 200 litres

1.2.Engine

Minimum 6 cylinder, diesel with direct injection Nominal capacity 205 kW@ 2200 Minimum Net Power (EEC/ISO)

1.3.**Brakes**

Service: Braking system shall meets ISO requirements

1.4.Steering

Standard Power assisted

2. Tool Kit


- 2.1.A suitable tool kit (including but not limited to a complete set of wheel spanner relevant for 10m³ Tipper Truck and minimum 5 tonne jack and all necessary accessories) and owner's manual for the truck shall be provided.
- 2.2.A workshop manual shall be provided on delivery.

3. Branding

3.1. The truck branded on both sides,

Disclaimer





3.2.A high quality permanent adhesive stickers shall be used

4. Training of Driver and EOG

- 4.1. Supplier shall train the Driver and the EOG on the truck prior to delivery.
- 4.2. *The Driver and the EOG shall be trained in the presence of a representative appointed by the purchaser.*
- 4.3. The Driver shall be submitted by the Eswatini Organized Group
- 4.4.A competency certificate shall be appropriately issued by the Supplier to the Eswatini Organized Group
- **4.5.** The EOG shall submit all documents required for the **truck** registration to the supplier not later than 7 working days of being informed by the purchaser.

Please complete and return the following table to indicate the degree of compliance with the specification requirements for a 10m³ Tipper Truck

Specification Requirement	Response by
	Supplier
Standard production model with additional features	Yes/No
Turbocharged Intercooled	Yes/No
10 m³ Tipper Truck	Yes/No
205 kW@ 2200 Minimum Power (ISO)	Yes/No
1100 @ 1200 Minimum Torque (meets ISO requirements)	Yes/No
Minimum 6-cylinder, diesel with direct injection	Yes/No

Disclaimer



Minimum 9 forward gears	Yes/No
Transmission type-Synchromesh gears	Yes/No
Manual Shift	Yes/No
Emission norms- Minimum Euro 5	Yes/No
Braking system (meets ISO requirements)	Yes/No
Service brakes (ABS)	Yes/No
Parking Brake	Yes/No
Front brake system	Yes/No
Rear brake system	Yes/No
Standard Steering Power Assisted (meets ISO requirements)	Yes/No
Fuel reservoir minimum 200 litres	Yes/No
Minimum 11 wheels including spare	Yes/No
Spare wheel carrier	Yes/No
Minimum ground clearance - 300 mm	Yes/No
Air bags (driver and passenger seat)	Yes/No
Radio & CD player	Yes/No
Clear windows	Yes/No
Air-conditioned	Yes/No
Driver and Passenger door (meets ISO requirements)	Yes/No
Driver and Passenger sun visor	Yes/No
Fire extinguisher-minimum 9kgs	Yes/No
Tow hook-front	Yes/No
Front bumper	Yes/No
Number plate holders	Yes/No
A suitable tool kit-(including but not limited to a complete set of wheel spanner	Yes/No
relevant for truck and minimum 5 tonne jack and all necessary accessories)	
and owner's manual for the truck shall be provided.	
Minimum 90 000 km Free service	Yes/No
5 years minimum Warranty	Yes/No
<i>The truck should be serviceable by the local dealership (attach proof)</i>	Yes/No
EOG and Operators training	Yes/No

Disclaimer



Lot 2: Technical Specifications

The Goods and Related Services shall comply with the following Technical Specifications and Standards:

Specifications for a 10m³ Tipper Truck

Scope

Note: The technical description (specification) is illustrative and not intended to fix a particular model type or manufacturer. Any acceptable truck meeting the performance requirements and submitted by an eligible supplier and / or manufacturer able to provide an adequate local support service will be considered for the contract.

In the event that the models offered do not fully comply with or have different features to those specified below all such variations must be fully documented in the bid submission.

This specification covers the general requirements for the supply of a 10m³ Tipper Truck suitable for use in a sub-tropical environment and steep rocky or bad driveways.

2. General

A 10m³ Tipper Truck shall be standard production model except in respect of the inclusion of those additional features listed below in the specification requirement table.

4.6.General Features

10m³ Tipper Truck Fuel reservoir minimum 200 litres

4.7.Engine

Minimum 6 cylinder, diesel with direct injection Nominal capacity 205 kW@ 2200 Minimum Net Power (EEC/ISO)

4.8.Brakes

Service: Braking system shall meets ISO requirements

4.9.Steering

Standard Power assisted

5. Tool Kit

5.1.A suitable tool kit (including but not limited to a complete set of wheel spanner relevant for 10m³ Tipper Truck and minimum 5 tonne jack and all necessary accessories) and owner's manual for the truck shall be provided.

5.2.A workshop manual shall be provided on delivery.

6. Branding

- 6.1. The truck branded on both sides,
- 6.2.A high quality permanent adhesive stickers shall be used

Disclaimer





7. Training of Driver and EOG

- 7.1. Supplier shall train the Driver and the EOG on the truck prior to delivery.
- 7.2. *The Driver and the EOG shall be trained in the presence of a representative appointed by the purchaser.*
- 7.3. The Driver shall be submitted by the Eswatini Organized Group
- 7.4.A competency certificate shall be appropriately issued by the Supplier to the Eswatini Organized Group
- **7.5.** The EOG shall submit all documents required for the **truck** registration to the supplier not later than 7 working days of being informed by the purchaser.

Please complete and return the following table to indicate the degree of compliance with the specification requirements for a 10m³ Tipper Truck

Specification Requirement	Response by Supplier
Standard production model with additional features	Yes/No
Turbocharged Intercooled	Yes/No
10 m³ Tipper Truck	Yes/No
205 kW@ 2200 Minimum Power (ISO)	Yes/No
1100 @ 1200 Minimum Torque (meets ISO requirements)	Yes/No
Minimum 6-cylinder, diesel with direct injection	Yes/No
Minimum 9 forward gears	Yes/No
Transmission type-Synchromesh gears	Yes/No

Disclaimer



Manual Shift	Yes/No
Emission norms- Minimum Euro 5	Yes/No
Braking system (meets ISO requirements)	Yes/No
Service brakes (ABS)	Yes/No
Parking Brake	Yes/No
Front brake system	Yes/No
Rear brake system	Yes/No
Standard Steering Power Assisted (meets ISO requirements)	Yes/No
Fuel reservoir minimum 200 litres	Yes/No
Minimum 11 wheels including spare	Yes/No
Spare wheel carrier	Yes/No
Minimum ground clearance - 300 mm	Yes/No
Air bags (driver and passenger seat)	Yes/No
Radio & CD player	Yes/No
Clear windows	Yes/No
Air-conditioned	Yes/No
Driver and Passenger door (meets ISO requirements)	Yes/No
Driver and Passenger sun visor	Yes/No
Fire extinguisher-minimum 9kgs	Yes/No
Tow hook-front	Yes/No
Front bumper	Yes/No
Number plate holders	Yes/No
A suitable tool kit-(including but not limited to a complete set of wheel spanner	Yes/No
relevant for truck and minimum 5 tonne jack and all necessary accessories)	
and owner's manual for the truck shall be provided.	
Minimum 90 000 km Free service	Yes/No
5 years minimum Warranty	Yes/No
The truck should be serviceable by the local dealership (attach proof)	Yes/No
EOG and Operators training	Yes/No

Disclaimer



Lot 3: Technical Specifications

The Goods and Related Services shall comply with the following Technical Specifications and Standards:

Specifications for an 8 Tonne Insulated Chiller Truck

Scope

Note: The technical description (specification) is illustrative and not intended to fix a particular model type or manufacturer. Any acceptable truck meeting the performance requirements and submitted by an eligible supplier and / or manufacturer able to provide an adequate local support service will be considered for the contract.

In the event that the models offered do not fully comply with or have different features to those specified below all such variations must be fully documented in the bid submission.

This specification covers the general requirements for the supply of an 8 Tonne Insulated Chiller Truck suitable for use in a sub-tropical environment and steep rocky or bad driveways.

3. General

An 8 Tonne Insulated Chiller Truck shall be standard production model except in respect of the inclusion of those additional features listed below in the specification requirement table.

7.6.General Features

8 Tonne Insulated Chiller Truck Fuel reservoir minimum 200 litres

7.7.Engine

Minimum 6 cylinder, diesel with direct injection Nominal capacity -170 kW Minimum Net Power (EEC/ISO)

7.8.**Brakes**

Service: Braking system shall meets ISO requirements

7.9.Steering

Standard Power assisted

8. Tool Kit

A suitable tool kit (including but not limited to a complete set of wheel spanner relevant for 8 Tonne Insulated Chiller Truck and minimum 5 tonne jack and all necessary accessories) and owner's manual for the truck shall be provided.


8.1.A workshop manual shall be provided on delivery.

9. Branding

9.1. The truck branded on both sides,9.2.A high quality permanent adhesive stickers shall be used

Disclaimer





10. Training of Driver and EOG

- 10.1. Supplier shall train the Driver and the EOG on the truck prior to delivery.
- 10.2. The Driver and the EOG shall be trained in the presence of a representative appointed by the purchaser.
- 10.3. The Driver shall be submitted by the Eswatini Organized Group
- 10.4. A competency certificate shall be appropriately issued by the Supplier to the Eswatini Organized Group
- **10.5.** The EOG shall submit all documents required for the **truck** registration to the supplier not later than 7 working days of being informed by the purchaser.

Please complete and return the following table to indicate the degree of compliance with the specification requirements for an 8 Tonne Insulated Chiller Truck

	Response by
Specification Requirement	Supplier
Standard production model with additional features	Yes/No
Year of Manufacture-Latest	Yes/No
Turbocharged Intercooled	Yes/No
Payload – Minimum 8 tonne	Yes/No
8 Tonne Insulated Chiller Truck	Yes/No
170 kW Minimum Power (ISO)	Yes/No

Disclaimer



700 Nm Minimum Torque (meets ISO requirements)	Yes/No
Minimum 6-cylinder, diesel with direct injection	Yes/No
Minimum 6 forward gears	Yes/No
Transmission type-Synchromesh gears	Yes/No
Manual Shift	Yes/No
Emission norms- Minimum Euro 3	Yes/No
Braking system (meets ISO requirements)	Yes/No
Service brakes (ABS)	Yes/No
Parking Brake	Yes/No
Front brake system	Yes/No
Rear brake system	Yes/No
Standard Steering Power Assisted (meets ISO requirements)	Yes/No
Fuel reservoir minimum 200 litres	Yes/No
Minimum 7 wheels including spare	Yes/No
Spare wheel carrier	Yes/No
Minimum ground clearance - 300 mm	Yes/No
Air bags (driver and passenger seat)	Yes/No
Radio & CD player	Yes/No
Clear windows	Yes/No
Air-conditioned	Yes/No
Driver and Passenger door (meets ISO requirements)	Yes/No
Driver and Passenger sun visor	Yes/No
 INSULATED CHILLER: External Body 6,800mm (Length) 2,600mm (Width), minimum 2,600mm (Height). Double rear doors: Fully opening double rear doors fitted complete with index advector with a second backing a second backing	
independent rubber door seals, heavy-duty door hinges, and locking poles. Door securing T-catches and D-rubber bumpers fitted to each door to prevent damage when swinging open.	
Insulation: Sides, front and rear insulated with a polystyrene insulation with additional ply reinforcing behind inner skins to add strength. Roof and floor insulated with a waterproof polystyrene insulation	Yes/No
Panel Finish: Internal and external panel finish will be white G.R.P. sheeting.	
Floor: G.R.P. external skin, reinforcing between insulation foam with 18mm FINN Ply overlay to secure floor against forklift and pallet jack loading. Final finish hand-layed G.R.P with anti-skid final coat which continues 300mm up sides to serve as an internal laminated kick plate for inner wall	



protection. A 3Cr12 stainless steel entry plate by full width of door opening fitted	
<i>Under run: Heavy</i> – duty under run bumper fitted with a chevron and D-rubbers fitted to protect rear of body.	
Finishing:	
I. External corners fitted with large aluminium extrusions all round that adds to the strength of the body. All capping sealed all round with silicone sealant to prevent water penetration.	
II. Transfrig MT460i installed and well secured	
<i>III.</i> Wheel arch protection fitted above wheels at rear to protect bottom of floor and behind light box.	
<i>IV.</i> Sub frame designed in accordance to the chassis manufacturer specifications.	
V. SABS approved truck tail and number plate lights fitted	
VI. Sub frame painted with high quality 2K to match truck chasis color.	
VII. All components used in the construction of truck body should be corrosion resistant aluminium, fibreglass or stainless steel.	
VIII. Standard ice-cold mud flaps – behind rear wheels.	
IX. Reflective tape fitted where required by law	
Fire extinguisher-minimum 9kgs	Yes/No
Tow hook-front	Yes/No
Front bumper	Yes/No
Number plate holders	Yes/No
Anti-theft System	Yes/No
A suitable tool kit-(including but not limited to a complete set of wheel	
spanner relevant for truck and minimum 5 tonne jack and all necessary	
accessories) and owner's manual for the truck shall be provided.	Yes/No
Minimum 90 000 km Free service	Yes/No
5 years minimum Warranty	Yes/No
The truck should be serviceable by the local dealership (attach proof)	Yes/No
EOG and Operators training	Yes/No

Disclaimer



Lot 4: Technical Specifications

The Goods and Related Services shall comply with the following Technical Specifications and Standards:

Specifications for a 10m³ Tipper Truck

Scope

Note: The technical description (specification) is illustrative and not intended to fix a particular model type or manufacturer. Any acceptable truck meeting the performance requirements and submitted by an eligible supplier and / or manufacturer able to provide an adequate local support service will be considered for the contract.

In the event that the models offered do not fully comply with or have different features to those specified below all such variations must be fully documented in the bid submission.

This specification covers the general requirements for the supply of a 10m³ Tipper Truck suitable for use in a sub-tropical environment and steep rocky or bad driveways.

4. General

A 10m³ Tipper Truck shall be standard production model except in respect of the inclusion of those additional features listed below in the specification requirement table.

10.6. General Features

10m³ Tipper Truck Fuel reservoir minimum 200 litres

10.7. Engine

Minimum 6 cylinder, diesel with direct injection Nominal capacity 205 kW@ 2200 Minimum Net Power (EEC/ISO)

10.8. Brakes

Service: Braking system shall meets ISO requirements

10.9. Steering

Standard Power assisted

11. Tool Kit

- 11.1. A suitable tool kit (including but not limited to a complete set of wheel spanner relevant for 10m³ Tipper Truck and minimum 5 tonne jack and all necessary accessories) and owner's manual for the truck shall be provided.
- 11.2. A workshop manual shall be provided on delivery.

12. Branding

- 12.1. The truck branded on both sides,
- 12.2. A high quality permanent adhesive stickers shall be used

Disclaimer





13. Training of Driver and EOG

- 13.1. Supplier shall train the Driver and the EOG on the truck prior to delivery.
- *13.2. The Driver and the EOG shall be trained in the presence of a representative appointed by the purchaser.*
- 13.3. The Driver shall be submitted by the Eswatini Organized Group
- 13.4. A competency certificate shall be appropriately issued by the Supplier to the Eswatini Organized Group
- **13.5.** The EOG shall submit all documents required for the **truck** registration to the supplier not later than 7 working days of being informed by the purchaser.

Please complete and return the following table to indicate the degree of compliance with the specification requirements for a 10m³ Tipper Truck

Specification Requirement	Response by Supplier
Standard production model with additional features	Yes/No
Turbocharged Intercooled	Yes/No
10 m³ Tipper Truck	Yes/No
205 kW@ 2200 Minimum Power (ISO)	Yes/No
1100 @ 1200 Minimum Torque (meets ISO requirements)	Yes/No
Minimum 6-cylinder, diesel with direct injection	Yes/No
Minimum 9 forward gears	Yes/No

Disclaimer



Transmission type-Synchromesh gears	Yes/No
Manual Shift	Yes/No
Emission norms- Minimum Euro 5	Yes/No
Braking system (meets ISO requirements)	Yes/No
Service brakes (ABS)	Yes/No
Parking Brake	Yes/No
Front brake system	Yes/No
Rear brake system	Yes/No
Standard Steering Power Assisted (meets ISO requirements)	Yes/No
Fuel reservoir minimum 200 litres	Yes/No
Minimum 11 wheels including spare	Yes/No
Spare wheel carrier	Yes/No
Minimum ground clearance - 300 mm	Yes/No
Air bags (driver and passenger seat)	Yes/No
Radio & CD player	Yes/No
Clear windows	Yes/No
Air-conditioned	Yes/No
Driver and Passenger door (meets ISO requirements)	Yes/No
Driver and Passenger sun visor	Yes/No
Fire extinguisher-minimum 9kgs	Yes/No
Tow hook-front	Yes/No
Front bumper	Yes/No
Number plate holders	Yes/No
A suitable tool kit-(including but not limited to a complete set of wheel spanner	Yes/No
relevant for truck and minimum 5 tonne jack and all necessary accessories)	
and owner's manual for the truck shall be provided.	
Minimum 90 000 km Free service	Yes/No
5 years minimum Warranty	Yes/No
<i>The truck should be serviceable by the local dealership (attach proof)</i>	Yes/No
EOG and Operators training	Yes/No

Disclaimer



4. Inspections and Tests

The following inspections and tests shall be performed:

- Inspection of workshop of the responsive Bidder prior to award of contract,
- Inspection of Goods at the place of business of the Supplier before delivery to the Project Site,-(if the goods are found by the purchaser not to be in accordance with the requirements of the beneficiary (EOG), the supplier shall not deliver them to the final destination and the purchaser shall not be liable for payment)
- Performance and productivity tests of the Goods,
- *The Operator(s) as trained by the Supplier shall be tested, in real-life situation at the Project Site.*

Disclaimer



PART 3 - Contract

Disclaimer



Section VII. General Conditions of Contract

Table of Clauses

1.	Definitions	
2.	Contract Documents	
3.	Fraud and Corruption	
4.	Interpretation	
5.	Language	100
6.	Joint Venture, Consortium or Association	100
7.	Eligibility	101
8.	Notices	101
9.	Governing Law	101
10.	. Settlement of Disputes	101
11.	. Inspections and Audit by the Bank	102
12.	. Scope of Supply	102
13.	Delivery and Documents	102
14.	. Supplier's Responsibilities	102
15.	Contract Price	102
16.	. Terms of Payment	102
17.	. Taxes and Duties	103
18.	Performance Security	103
19.	. Copyright	
20.	Confidential Information	
21.	. Subcontracting	105
22.	. Specifications and Standards	105
23.	Packing and Documents	105
24.	Insurance	106
25.	. Transportation	106
26.	Inspections and Tests	106
27.	. Liquidated Damages	107
28.	. Warranty	107
29.	. Patent Indemnity	108
30.	Limitation of Liability	109
31.	Change in Laws and Regulations	110
32.	. Force Majeure	

Disclaimer



33. Change Orders and Contract Amendments	
34. Extensions of Time	111
35. Termination	
36. Assignment	113
37. Export Restriction	

Disclaimer



Section VII. General Conditions of Contract

Definitions

Disclaimer

- 1.1 The following words and expressions shall have the meanings hereby assigned to them:
 - (a) "Contract" means the Contract Agreement entered into between the Purchaser and the Supplier, together with the Contract Documents referred to therein, including all attachments, appendices, and all documents incorporated by reference therein.
 - (b) "Contract Documents" means the documents listed in the Contract Agreement, including any amendments thereto.
 - (c) "Contract Price" means the price payable to the Supplier as specified in the Contract Agreement, subject to such additions and adjustments thereto or deductions therefrom, as may be made pursuant to the Contract.
 - (d) "Day" means calendar day.
 - (e) "Completion" means the fulfilment of the Related Services by the Supplier in accordance with the terms and conditions set forth in the Contract.
 - (f) "GCC" means the General Conditions of Contract.
 - (g) "Goods" means all of the commodities, raw material, machinery and equipment, and/or other materials that the Supplier is required to supply to the Purchaser under the Contract.
 - (h) "Purchaser's Country" is the country specified in the Special Conditions of Contract (SCC).
 - (i) "Purchaser" means the entity purchasing the Goods and Related Services, as specified in the SCC.
 - (j) "Related Services" means the services incidental to the supply of the goods, such as insurance, installation, training and initial maintenance and other such obligations of the Supplier under the Contract.
 - (k) "SCC" means the Special Conditions of Contract.
 - (1) "Subcontractor" means any natural person, private or government entity, or a combination of the above, to whom any part of the Goods to be supplied or execution of any



part of the Related Services is subcontracted by the Supplier.

- (m) "Supplier" means the natural person, private or government entity, or a combination of the above, whose bid to perform the Contract has been accepted by the Purchaser and is named as such in the Contract Agreement.
- (n) "The Project Site," where applicable, means the place named in the **SCC.**
- Contract2.1Subject to the order of precedence set forth in the Contract
Agreement, all documents forming the Contract (and all parts
thereof) are intended to be correlative, complementary, and
mutually explanatory. The Contract Agreement shall be read as
a whole.
- Fraud and Corruption
 3.1 If the Purchaser determines that the Supplier and/or any of its personnel, or its agents, or its Subcontractors, consultants, service providers, suppliers and/or their employees has engaged in corrupt, fraudulent, collusive, coercive or obstructive practices, in competing for or in executing the Contract, then the Purchaser may, after giving 14 days notice to the Supplier, terminate the Supplier's employment under the Contract and cancel the contract, and the provisions of Clause 35 shall apply as if such expulsion had been made under Sub-Clause 35.1.
 - (a) For the purposes of this Sub-Clause:
 - (i) "corrupt practice" is the offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party⁶;
 - (ii) "fraudulent practice" is any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation⁷;

Disclaimer



⁶ "Another party" refers to a public official acting in relation to the procurement process or contract execution. In this context, "public official" includes Government of Eswatini staff and employees of other organizations taking or reviewing procurement decisions.

⁷ "Party" refers to a public official; the terms "benefit" and "obligation" relate to the procurement process or contract execution; and the "act or omission" is intended to influence the procurement process or contract execution.

- (iii) "collusive practice" is an arrangement between two or more parties⁸ designed to achieve an improper purpose, including to influence improperly the actions of another party;
- (iv) "coercive practice" is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party⁹;
- (v) "obstructive practice" is
 - deliberately destroying, falsifying, altering (aa) or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede a Eswatini Government of (GOE) investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation from or pursuing the investigation; or
 - (bb) acts intended to materially impede the exercise of the GOE's inspection and audit rights provided for under Clause 11 [Inspections and Audits by the GOE].
- 3.2 Should any employee of the Supplier be determined to have engaged in corrupt, fraudulent, collusive, coercive, or obstructive practice during the purchase of the Goods, then that employee shall be removed.
- 4.1 If the context so requires it, singular means plural and vice versa.
 - 4.2 Incoterms
 - (a) Unless inconsistent with any provision of the Contract, the meaning of any trade term and the rights and obligations of parties thereunder shall be as prescribed by Incoterms.
 - (b) The terms EXW, CIP, FCA, CFR and other similar terms, when used, shall be governed by the rules prescribed in the

Disclaimer
This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied
representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from
this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to
task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of
the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code
which have the ability to corrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage
to any of your data or computer system which may occur whills using this tender document.



99

Interpretation

⁸ "Parties" refers to participants in the procurement process (including public officials) attempting to establish bid prices at artificial, non competitive levels.

⁹ "Party" refers to a participant in the procurement process or contract execution.

current edition of Incoterms specified in the SCC and published by the International Chamber of Commerce in Paris, France.

4.3 **Entire Agreement**

> The Contract constitutes the entire agreement between the Purchaser and the Supplier and supersedes all communications, negotiations and agreements (whether written or oral) of the parties with respect thereto made prior to the date of Contract.

Amendment 4.4

> No amendment or other variation of the Contract shall be valid unless it is in writing, is dated, expressly refers to the Contract, and is signed by a duly authorized representative of each party thereto.

- Nonwaiver 4.5
 - Subject to GCC Sub-Clause 4.5(b) below, no relaxation, (a) forbearance, delay, or indulgence by either party in enforcing any of the terms and conditions of the Contract or the granting of time by either party to the other shall prejudice, affect, or restrict the rights of that party under the Contract, neither shall any waiver by either party of any breach of Contract operate as waiver of any subsequent or continuing breach of Contract.
 - Any waiver of a party's rights, powers, or remedies under (b) the Contract must be in writing, dated, and signed by an authorized representative of the party granting such waiver, and must specify the right and the extent to which it is being waived.
- 4.6 Severability

If any provision or condition of the Contract is prohibited or rendered invalid or unenforceable, such prohibition, invalidity or unenforceability shall not affect the validity or enforceability of any other provisions and conditions of the Contract.

- 5.1 The Contract as well as all correspondence and documents relating to the Contract exchanged by the Supplier and the Purchaser, shall be written in the language specified in the SCC.
- Joint Venture, If the Supplier is a joint venture, consortium, or association, all of 6.1 **Consortium or** the parties shall be jointly and severally liable to the Purchaser for Association the fulfilment of the provisions of the Contract and shall designate one party to act as a leader with authority to bind the joint venture,

This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to corrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whilst using this tender document.



- Language

Disclaimer

consortium, or association. The composition or the constitution of the joint venture, consortium, or association shall not be altered without the prior consent of the Purchaser.

- **Eligibility** 7.1 The Supplier and its Subcontractors shall have the nationality of Eswatini. A Supplier or Subcontractor shall be deemed to have the nationality of a country if it is a citizen or constituted, incorporated, or registered, and operates in conformity with the provisions of the laws of that country.
- Notices8.1Any notice given by one party to the other pursuant to the
Contract shall be in writing to the address specified in the SCC.
The term "in writing" means communicated in written form with
proof of receipt.
 - 8.2 A notice shall be effective when delivered or on the notice's effective date, whichever is later.
- **Governing Law** 9.1 The Contract shall be governed by and interpreted in accordance with the laws of the Purchaser's Country, unless otherwise specified in the **SCC**.
- Settlement of
Disputes10.1The Purchaser and the Supplier shall make every effort to
resolve amicably by direct informal negotiation any
disagreement or dispute arising between them under or in
connection with the Contract.
 - 10.2 If, after fourteen (14) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the Purchaser or the Supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided, as to the matter in dispute, and no arbitration in respect of this matter may be commenced unless such notice is given. Any dispute or difference in respect of which a notice of intention to commence arbitration has been given in accordance with this Clause shall be finally settled by arbitration. Arbitration may be commenced prior to or after delivery of the Goods under the Contract. Arbitration proceedings shall be conducted in accordance with the rules of procedure **specified in the SCC**.
 - 10.3 Notwithstanding any reference to arbitration herein,
 - (a) the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree; and
 - (b) the Purchaser shall pay the Supplier any monies due the Supplier.

This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to carrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whilst using this tender document.



Inspections and Audit by the GOS	11.1	The Supplier shall permit, and shall cause its Subcontractors and consultants to permit, the GOS and/or persons appointed by the GOS to inspect the Supplier's offices and all accounts and records relating to the performance of the Contract and the submission of the bid, and to have such accounts and records audited by auditors appointed by the GOS if requested by the Bank. The Supplier's and its Subcontractors and consultants' attention is drawn to Clause 3 [Fraud and Corruption], which provides, inter alia, that acts intended to materially impede the exercise of the GOS's inspection and audit rights provided for under this Sub-Clause 11.1 constitute a prohibited practice subject to contract termination (as well as to a determination of ineligibility pursuant to the GOS's prevailing sanctions procedures).
Scope of Supply	12.1	The Goods and Related Services to be supplied shall be as specified in the Schedule of Requirements.
Delivery and Documents	13.1	Subject to GCC Sub-Clause 33.1, the Delivery of the Goods and Completion of the Related Services shall be in accordance with the Delivery and Completion Schedule specified in the Schedule of Requirements. The details of shipping and other documents to be furnished by the Supplier are specified in the SCC .
Supplier's Responsibilities	14.1	The Supplier shall supply all the Goods and Related Services included in the Scope of Supply in accordance with GCC Clause 12, and the Delivery and Completion Schedule, as per GCC Clause 13.
Contract Price	15.1	Prices charged by the Supplier for the Goods supplied and the Related Services performed under the Contract shall not vary from the prices quoted by the Supplier in its bid, with the exception of any price adjustments authorized in the SCC.
Terms of Payment	16.1	The Contract Price, including any Advance Payments, if applicable, shall be paid as specified in the SCC.
	16.2	The Supplier's request for payment shall be made to the Purchaser in writing, accompanied by invoices describing, as appropriate, the Goods delivered and Related Services performed, and by the documents submitted pursuant to GCC Clause 13 and upon fulfillment of all other obligations stipulated in the Contract.
	16.3	Payments shall be made promptly by the Purchaser, but in no case later than ninety (90) days after submission of an invoice

Disclaimer This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bambs, time-locks or any other data or code which have the ability to corrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whilst using this tender document.

has accepted it.

or request for payment by the Supplier, and after the Purchaser



Performance

Disclaimer

Security

- 16.4 The currencies in which payments shall be made to the Supplier under this Contract shall be those in which the bid price is expressed.
- 16.5 In the event that the Purchaser fails to pay the Supplier any payment by its due date or within the period set forth in the SCC, the Purchaser shall pay to the Supplier interest on the amount of such delayed payment at the rate shown in the SCC, for the period of delay until payment has been made in full, whether before or after judgment or arbitrage award.
- **Taxes and Duties**17.1For goods manufactured outside the Purchaser's Country, the
Supplier shall be entirely responsible for all taxes, stamp duties,
license fees, and other such levies imposed outside the
Purchaser's Country.
 - 17.2 For goods Manufactured within the Purchaser's country, the Supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted Goods to the Purchaser.
 - 17.3 If any tax exemptions, reductions, allowances or privileges may be available to the Supplier in the Purchaser's Country, the Purchaser shall use its best efforts to enable the Supplier to benefit from any such tax savings to the maximum allowable extent.
 - 18.1 If required as specified in the SCC, the Supplier shall, within fourteen (14) days of the notification of contract award, provide a performance security for the performance of the Contract in the amount specified in the SCC.
 - 18.2 The proceeds of the Performance Security shall be payable to the Purchaser as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.
 - 18.3 As specified in the SCC, the Performance Security, if required, shall be denominated in the currency(ies) of the Contract, or in a freely convertible currency acceptable to the Purchaser; and shall be in one of the format stipulated by the Purchaser in the **SCC**, or in another format acceptable to the Purchaser.
 - 18.4 The Performance Security shall be discharged by the Purchaser and returned to the Supplier not later than twenty-eight (28) days following the date of Completion of the Supplier's performance obligations under the Contract, including any warranty obligations, unless specified otherwise in the **SCC**.



- **Copyright** 19.1 The copyright in all drawings, documents, and other materials containing data and information furnished to the Purchaser by the Supplier herein shall remain vested in the Supplier, or, if they are furnished to the Purchaser directly or through the Supplier by any third party, including suppliers of materials, the copyright in such materials shall remain vested in such third party
- Confidential The Purchaser and the Supplier shall keep confidential and shall 20.1Information not, without the written consent of the other party hereto, divulge to any third party any documents, data, or other information furnished directly or indirectly by the other party hereto in connection with the Contract, whether such information has been furnished prior to, during or following completion or termination of the Contract. Notwithstanding the above, the Supplier may furnish to its Subcontractor such documents, data, and other information it receives from the Purchaser to the extent required for the Subcontractor to perform its work under the Contract, in which event the Supplier shall obtain from such Subcontractor an undertaking of confidentiality similar to that imposed on the Supplier under GCC Clause 20.
 - 20.2 The Purchaser shall not use such documents, data, and other information received from the Supplier for any purposes unrelated to the contract. Similarly, the Supplier shall not use such documents, data, and other information received from the Purchaser for any purpose other than the performance of the Contract.
 - 20.3 The obligation of a party under GCC Sub-Clauses 20.1 and 20.2 above, however, shall not apply to information that:
 - (a) the Purchaser or Supplier need to share with the GOS or other institutions participating in the financing of the Contract;
 - (b) now or hereafter enters the public domain through no fault of that party;
 - (c) can be proven to have been possessed by that party at the time of disclosure and which was not previously obtained, directly or indirectly, from the other party; or
 - (d) otherwise lawfully becomes available to that party from a third party that has no obligation of confidentiality.
 - 20.4 The above provisions of GCC Clause 20 shall not in any way modify any undertaking of confidentiality given by either of the

This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to corrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which have occur whils using this tender document.



parties hereto prior to the date of the Contract in respect of the Supply or any part thereof.

- 20.5 The provisions of GCC Clause 20 shall survive completion or termination, for whatever reason, of the Contract.
- **Subcontracting** 21.1 The Supplier shall notify the Purchaser in writing of all subcontracts awarded under the Contract if not already specified in the bid. Such notification, in the original bid or later shall not relieve the Supplier from any of its obligations, duties, responsibilities, or liability under the Contract.
 - 21.2 Subcontracts shall comply with the provisions of GCC Clauses 3 and 7.
- **Specifications and** 22.1 Technical Specifications and Drawings

Standards

- (a) The Goods and Related Services supplied under this Contract shall conform to the technical specifications and standards mentioned in Section VI, Schedule of Requirements and, when no applicable standard is mentioned, the standard shall be equivalent or superior to the official standards whose application is appropriate to the Goods' country of origin.
- (b) The Supplier shall be entitled to disclaim responsibility for any design, data, drawing, specification or other document, or any modification thereof provided or designed by or on behalf of the Purchaser, by giving a notice of such disclaimer to the Purchaser.
- (c) Wherever references are made in the Contract to codes and standards in accordance with which it shall be executed, the edition or the revised version of such codes and standards shall be those specified in the Schedule of Requirements. During Contract execution, any changes in any such codes and standards shall be applied only after approval by the Purchaser and shall be treated in accordance with GCC Clause 33.
- 23.1 The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract. During transit, the packing shall be sufficient to withstand, without limitation, rough handling and exposure to extreme temperatures, salt and precipitation, and open storage. Packing case size and weights shall take into consideration, where

This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to corrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which have occur whils using this tender document.



Packing and Documents

appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.

- 23.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified in the **SCC**, and in any other instructions ordered by the Purchaser.
- Insurance 24.1 Unless otherwise specified in the SCC, the Goods supplied under the Contract shall be fully insured—in a freely convertible currency from an eligible country—against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery, in accordance with the applicable Incoterms or in the manner specified in the SCC.
- **Transportation** 25.1 Unless otherwise specified in the **SCC**, responsibility for arranging transportation of the Goods shall be in accordance with the specified Incoterms.
- Inspections and
Tests26.1The Supplier shall at its own expense and at no cost to the
Purchaser carry out all such tests and/or inspections of the
Goods and Related Services as are specified in the SCC.
 - 26.2 The inspections and tests shall be conducted on the premises of the Supplier as specified in the SCC. Subject to GCC Sub-Clause 26.3, all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Purchaser.
 - 26.3 The Purchaser or its designated representative shall be entitled to attend the tests and/or inspections referred to in GCC Sub-Clause 26.2, provided that the Purchaser bear all of its own costs and expenses incurred in connection with such attendance including, but not limited to, all traveling and board and lodging expenses.
 - 26.4 Whenever the Supplier is ready to carry out any such test and inspection, it shall give a reasonable advance notice, including the place and time, to the Purchaser. The Supplier shall obtain from any relevant third party or manufacturer any necessary permission or consent to enable the Purchaser or its designated representative to attend the test and/or inspection.
 - 26.5 The Purchaser may require the Supplier to carry out any test and/or inspection not required by the Contract but deemed necessary to verify that the characteristics and performance of the Goods comply with the technical specifications codes and standards under the Contract, provided that the Supplier's

This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to corrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whilst using this tender document.



reasonable costs and expenses incurred in the carrying out of such test and/or inspection shall be added to the Contract Price. Further, if such test and/or inspection impedes the progress of manufacturing and/or the Supplier's performance of its other obligations under the Contract, due allowance will be made in respect of the Delivery Dates and Completion Dates and the other obligations so affected.

- 26.6 The Supplier shall provide the Purchaser with a report of the results of any such test and/or inspection.
- 26.7 The Purchaser may reject any Goods or any part thereof that fail to pass any test and/or inspection or do not conform to the specifications. The Supplier shall either rectify or replace such rejected Goods or parts thereof or make alterations necessary to meet the specifications at no cost to the Purchaser, and shall repeat the test and/or inspection, at no cost to the Purchaser, upon giving a notice pursuant to GCC Sub-Clause 26.4.
- 26.8 The Supplier agrees that neither the execution of a test and/or inspection of the Goods or any part thereof, nor the attendance by the Purchaser or its representative, nor the issue of any report pursuant to GCC Sub-Clause 26.6, shall release the Supplier from any warranties or other obligations under the Contract.
- Liquidated 27.1 Except as provided under GCC Clause 32, if the Supplier fails to deliver any or all of the Goods by the Date(s) of delivery or perform the Related Services within the period specified in the Contract, the Purchaser may without prejudice to all its other remedies under the Contract, deduct from the Contract Price, as liquidated damages, a sum equivalent to the percentage specified in the SCC of the delivered price of the delayed Goods or unperformed Services for each week or part thereof of delay until actual delivery or performance, up to a maximum deduction of the percentage specified in those SCC. Once the maximum is reached, the Purchaser may terminate the Contract pursuant to GCC Clause 35.
- Warranty28.1The Supplier warrants that all the Goods are new, unused, and
of the most recent or current models, and that they incorporate
all recent improvements in design and materials, unless
provided otherwise in the Contract.
 - 28.2 Subject to GCC Sub-Clause 22.1(b), the Supplier further warrants that the Goods shall be free from defects arising from any act or omission of the Supplier or arising from design, materials, and workmanship, under normal use in the conditions prevailing in the country of final destination.

This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to carrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whilst using this tender document.



- 28.3 Unless otherwise specified in the **SCC**, the warranty shall remain valid for twenty-four (24) months after the Goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the **SCC**, or for eighteen (18) months after the date of shipment from the port or place of loading in the country of origin, whichever period concludes earlier.
- 28.4 The Purchaser shall give notice to the Supplier stating the nature of any such defects together with all available evidence thereof, promptly following the discovery thereof. The Purchaser shall afford all reasonable opportunity for the Supplier to inspect such defects.
- 28.5 Upon receipt of such notice, the Supplier shall, within the period specified in the **SCC**, expeditiously repair or replace the defective Goods or parts thereof, at no cost to the Purchaser.
- 28.6 If having been notified, the Supplier fails to remedy the defect within the period specified in the **SCC**, the Purchaser may proceed to take within a reasonable period such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Purchaser may have against the Supplier under the Contract.
- **Patent Indemnity** 29.1 The Supplier shall, subject to the Purchaser's compliance with GCC Sub-Clause 29.2, indemnify and hold harmless the Purchaser and its employees and officers from and against any and all suits, actions or administrative proceedings, claims, demands, losses, damages, costs, and expenses of any nature, including attorney's fees and expenses, which the Purchaser may suffer as a result of any infringement or alleged infringement of any patent, utility model, registered design, trademark, copyright, or other intellectual property right registered or otherwise existing at the date of the Contract by reason of:
 - (a) the installation of the Goods by the Supplier or the use of the Goods in the country where the Site is located; and
 - (b) the sale in any country of the products produced by the Goods.

Such indemnity shall not cover any use of the Goods or any part thereof other than for the purpose indicated by or to be reasonably inferred from the Contract, neither any infringement resulting from the use of the Goods or any part thereof, or any products produced thereby in association or combination with



Limitation of

Disclaimer

Liability

any other equipment, plant, or materials not supplied by the Supplier, pursuant to the Contract.

- 29.2 If any proceedings are brought or any claim is made against the Purchaser arising out of the matters referred to in GCC Sub-Clause 29.1, the Purchaser shall promptly give the Supplier a notice thereof, and the Supplier may at its own expense and in the Purchaser's name conduct such proceedings or claim and any negotiations for the settlement of any such proceedings or claim.
- 29.3 If the Supplier fails to notify the Purchaser within twenty-eight (28) days after receipt of such notice that it intends to conduct any such proceedings or claim, then the Purchaser shall be free to conduct the same on its own behalf.
- 29.4 The Purchaser shall, at the Supplier's request, afford all available assistance to the Supplier in conducting such proceedings or claim, and shall be reimbursed by the Supplier for all reasonable expenses incurred in so doing.
- 29.5 The Purchaser shall indemnify and hold harmless the Supplier and its employees, officers, and Subcontractors from and against any and all suits, actions or administrative proceedings, claims, demands, losses, damages, costs, and expenses of any nature, including attorney's fees and expenses, which the Supplier may suffer as a result of any infringement or alleged infringement of any patent, utility model, registered design, trademark, copyright, or other intellectual property right registered or otherwise existing at the date of the Contract arising out of or in connection with any design, data, drawing, specification, or other documents or materials provided or designed by or on behalf of the Purchaser.
- 30.1 Except in cases of criminal negligence or wilful misconduct,
 - (a) the Supplier shall not be liable to the Purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the Supplier to pay liquidated damages to the Purchaser and
 - (b) the aggregate liability of the Supplier to the Purchaser, whether under the Contract, in tort or otherwise, shall not exceed the total Contract Price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment, or to any obligation of the supplier to

This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to corrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whils using this tender document.



109

indemnify the purchaser with respect to patent infringement

- **Change in Laws** 31.1 Unless otherwise specified in the Contract, if after the date of 7 and Regulations days prior to date of Bid submission, any law, regulation, ordinance, order or bylaw having the force of law is enacted, promulgated, abrogated, or changed in the place of the Purchaser's country where the Site is located (which shall be deemed to include any change in interpretation or application by the competent authorities) that subsequently affects the Delivery Date and/or the Contract Price, then such Delivery Date and/or Contract Price shall be correspondingly increased or decreased, to the extent that the Supplier has thereby been affected in the performance of any of its obligations under the Contract. Notwithstanding the foregoing, such additional or reduced cost shall not be separately paid or credited if the same has already been accounted for in the price adjustment provisions where applicable, in accordance with GCC Clause 15.
- **Force Majeure** 32.1 The Supplier shall not be liable for forfeiture of its Performance Security, liquidated damages, or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.
 - 32.2 For purposes of this Clause, "Force Majeure" means an event or situation beyond the control of the Supplier that is not foreseeable, is unavoidable, and its origin is not due to negligence or lack of care on the part of the Supplier. Such events may include, but not be limited to, acts of the Purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.
 - 32.3 If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.
- Change Orders and
Contract33.1The Purchaser may at any time order the Supplier through notice
in accordance GCC Clause 8, to make changes within the
general scope of the Contract in any one or more of the
following:

This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to corrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whilst using this tender document.



- (a) drawings, designs, or specifications, where Goods to be furnished under the Contract are to be specifically manufactured for the Purchaser;
- (b) the method of shipment or packing;
- (c) the place of delivery; and
- (d) the Related Services to be provided by the Supplier.
- 33.2 If any such change causes an increase or decrease in the cost of, or the time required for, the Supplier's performance of any provisions under the Contract, an equitable adjustment shall be made in the Contract Price or in the Delivery/Completion Schedule, or both, and the Contract shall accordingly be amended. Any claims by the Supplier for adjustment under this Clause must be asserted within twenty-eight (28) days from the date of the Supplier's receipt of the Purchaser's change order.
- 33.3 Prices to be charged by the Supplier for any Related Services that might be needed but which were not included in the Contract shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.
- 33.4 Subject to the above, no variation in or modification of the terms of the Contract shall be made except by written amendment signed by the parties.
- **Extensions of Time** 34.1 If at any time during performance of the Contract, the Supplier or its subcontractors should encounter conditions impeding timely delivery of the Goods or completion of Related Services pursuant to GCC Clause 13, the Supplier shall promptly notify the Purchaser in writing of the delay, its likely duration, and its cause. As soon as practicable after receipt of the Supplier's notice, the Purchaser shall evaluate the situation and may at its discretion extend the Supplier's time for performance, in which case the extension shall be ratified by the parties by amendment of the Contract.
 - 34.2 Except in case of Force Majeure, as provided under GCC Clause 32, a delay by the Supplier in the performance of its Delivery and Completion obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to GCC Clause 26, unless an extension of time is agreed upon, pursuant to GCC Sub-Clause 34.1.

This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to corrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whilst using this tender document.



Termination 35.1 Termination for Default

- (a) The Purchaser, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Supplier, may terminate the Contract in whole or in part:
 - (i) if the Supplier fails to deliver any or all of the Goods within the period specified in the Contract, or within any extension thereof granted by the Purchaser pursuant to GCC Clause 34;
 - (ii) if the Supplier fails to perform any other obligation under the Contract; or
 - (iii) if the Supplier, in the judgment of the Purchaser has engaged in fraud and corruption, as defined in GCC Clause 3, in competing for or in executing the Contract.
- (b) In the event the Purchaser terminates the Contract in whole or in part, pursuant to GCC Clause 35.1(a), the Purchaser may procure, upon such terms and in such manner as it deems appropriate, Goods or Related Services similar to those undelivered or not performed, and the Supplier shall be liable to the Purchaser for any additional costs for such similar Goods or Related Services. However, the Supplier shall continue performance of the Contract to the extent not terminated.
- 35.2 Termination for Insolvency.
 - (a) The Purchaser may at any time terminate the Contract by giving notice to the Supplier if the Supplier becomes bankrupt or otherwise insolvent. In such event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy that has accrued or will accrue thereafter to the Purchaser
- 35.3 Termination for Convenience.
 - (a) The Purchaser, by notice sent to the Supplier, may terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the Purchaser's convenience, the extent to which performance of the Supplier under the Contract is terminated, and the date upon which such termination becomes effective.



- (b) The Goods that are complete and ready for shipment within twenty-eight (28) days after the Supplier's receipt of notice of termination shall be accepted by the Purchaser at the Contract terms and prices. For the remaining Goods, the Purchaser may elect:
 - (i) to have any portion completed and delivered at the Contract terms and prices; and/or
 - (ii) to cancel the remainder and pay to the Supplier an agreed amount for partially completed Goods and Related Services and for materials and parts previously procured by the Supplier.
- Assignment 36.1 Neither the Purchaser nor the Supplier shall assign, in whole or in part, their obligations under this Contract, except with prior written consent of the other party.
- **Export Restriction** 37.1 Notwithstanding any obligation under the Contract to complete all export formalities, any export restrictions attributable to the Purchaser, to the country of the Purchaser, or to the use of the products/goods, systems or services to be supplied, which arise from trade regulations from a country supplying those products/goods, systems or services, and which substantially impede the Supplier from meeting its obligations under the Contract, shall release the Supplier from the obligation to provide deliveries or services, always provided, however, that the Supplier can demonstrate to the satisfaction of the Purchaser and of the Bank that it has completed all formalities in a timely manner, including applying for permits, authorizations and licenses necessary for the export of the products/goods, systems or services under the terms of the Contract. Termination of the Contract on this basis shall be for the Purchaser's convenience pursuant to Sub-Clause 35.3.

Disclaimer



Disclaimer



Section VIII. Special Conditions of Contract

The following Special Conditions of Contract (SCC) shall supplement and / or amend the General Conditions of Contract (GCC). Whenever there is a conflict, the provisions herein shall prevail over those in the GCC.

1	
GCC 1.1(j)	The Purchaser's country is: [Eswatini]
GCC 1.1(k)	The Purchaser is: [Ministry of Economic Planning and Development, Microprojects Programme Coordinating Unit]
GCC 1.1 (q)	 The Project Site(s)/Final Destination(s) is/are: Masithandane Multipurpose Cooperative office premise under Matsanjeni Inkhundla in the Shiselweni Region (Lot 1), Khulani Masini Multipurpose Cooperative office premises under
	 Knaum Masim Multipurpose Cooperative office premises under Kubuta Inkhundla in the Shiselweni Region (Lot 2), Siyalima Ngololweni Farmers Limited office premises under Sandleni Inkhundla in the Shiselwni Region (Lot 3), Ingcebo Yetfu Multipurpose Cooperative office premise under Pigg's Peak Inkhundla in the Hhohho Region (Lot 4),
GCC 4.2 (a)	The meaning of the trade terms shall be as prescribed by Incoterms.
GCC 4.2 (b)	The version edition of Incoterms shall be [2010 edition. The full official text of the rules can be obtained from the ICC Store]
GCC 5.1	The language shall be: [English]
GCC 8.1	 For <u>notices</u>, the Purchaser's address shall be: Attention: <i>The Director</i> Street Address: <i>Corner of LaLufadlana & Mdada Streets</i>, 6th Floor, Dlanubeka House
	City: [Mbabane]
	ZIP Code: [H100]
	Country: [Eswatini]
	Telephone: (+268) 2404 8435
	Facsimile number: (+268) 2404 0907)
	Electronic mail address: <i>Busie Mahlalela <u>busie@microprojects.org.sz</u> , Lwazi Nkambule <u>lnkambule@microprojects.org.sz</u> and copy to khetsiwe simelane <u>khetssim@yahoo.com</u></i>
GCC 9.1	The governing law shall be the law of: [The Kingdom of Eswatini]

Disclaimer



GCC 10.2	The rules of procedure for arbitration proceedings pursuant to GCC Clause 10.2 shall be as follows:
	In the case of a dispute between the Purchaser and a Supplier who is a national of the Purchaser's country, the dispute shall be referred to adjudication or arbitration in accordance with the laws of the Purchaser's country.
GCC 13.1	Details of Shipping and other Documents to be furnished by the Supplier are [insurance certificate, Manufacturer's or Supplier's warranty certificate, inspection certificate issued by an independent inspection agency and where applicable, Supplier's factory shipping details].
	The above documents shall be received by the Purchaser before arrival of the Goods and, if not received, the Supplier will be responsible for any consequent expenses.
GCC 15.1	The prices charged for the Goods supplied and the related Services performed [shall not] be adjustable.
GCC 16.1	GCC 16.1—The method and conditions of payment to be made to the Supplier under this Contract shall be as follows:
	 (i) After Delivery: Ninety (90) percent of the Contract Price shall be paid after receipt, inspection and testing Goods and upon submission of the documents specified in GCC Clause 13.
	 (ii) On Expiry of Warranty: The remaining ten (10) percent of the Contract Price shall be paid to the Supplier within ninety (90) days after the Expiry date of warranty for the respective Goods.
	(iii) Payments for Goods and Services shall be made in <i>Eswatini Lilangeni</i> .
GCC 16.5	The payment-delay period after which the Purchaser shall pay interest to the supplier shall be <i>[thirty (30)]</i> days.
	The interest rate that shall be applied is $[0.5]$ %
GCC 18.1	A Performance Security [shall be required]
	The amount of the Performance Security shall be equivalent to: [10% of the contract sum]



GCC 18.3	The Deuformence Converter shall be in the forms of [, Deuformence Deu]]
GUU 18.5	The Performance Security shall be in the form of: [a Performance Bond]
	The Performance security shall be denominated in [the currencies of payment of the Contract, in accordance with their portions of the Contract Price]
GCC 23.2	The packing, marking and documentation within and outside the packages shall be: [as indicated in Schedule VI – Technical Specifications]
GCC 24.1	The insurance coverage shall be as specified in the Incoterms.
GCC 25.1	Responsibility for transportation of the Goods shall be as specified in the Incoterms.
GCC 26.1	The inspections and tests shall be: [performance and productivity of the Trucks and Buses tests. The Operator(s) as trained by the Supplier shall be tested. These shall be conducted at the Project Site.
GCC 26.2	The Inspections and tests shall be conducted at: [Project Sites as outlined in GCC $1.1(q)$]
GCC 27.1	The liquidated damage shall be: [0.5]% per week
GCC 27.1	The maximum amount of liquidated damages shall be: [10]%
GCC 28.3	The period of validity of the Warranty shall be: [as stated in technical specification]
	The period of validity of the Free service Warranty shall be: [as stated in technical specification]
	For purposes of the Warranty, the place(s) of final destination(s) shall be:
	[Project Sites as outlined in GCC $1.1(q)$]
GCC 28.5	The period for repair or replacement shall be: [14] days.

Disclaimer



Section IX. Contract Forms

Table of Forms

1. Contract Agreement	119
2. Performance Security	122

Disclaimer



1. Contract Agreement

[The successful Bidder shall fill in this form in accordance with the instructions indicated]

THIS CONTRACT AGREEMENT is made

the [insert: number] day of [insert: month], [insert: year].

BETWEEN

Disclaimer

- (1) [insert complete name of Purchaser], a [insert description of type of legal entity, for example, an agency of the Ministry of of the Government of { insert name of Country of Purchaser }, or corporation incorporated under the laws of { insert name of Country of Purchaser }] and having its principal place of business at [insert address of Purchaser] (hereinafter called "the Purchaser"), and
- (2) [insert name of Supplier], a corporation incorporated under the laws of [insert: country of Supplier] and having its principal place of business at [insert: address of Supplier] (hereinafter called "the Supplier").

WHEREAS the Purchaser invited bids for certain Goods and ancillary services, viz., [insert brief description of Goods and Services] and has accepted a Bid by the Supplier for the supply of those Goods and Services in the sum of [insert Contract Price in words and figures, expressed in the Contract currency(ies)] (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents shall constitute the Contract between the Purchaser and the Supplier, and each shall be read and construed as an integral part of the Contract:
 - (a) This Contract Agreement
 - (b) Special Conditions of Contract
 - (c) General Conditions of Contract
 - (d) Technical Requirements (including Schedule of Requirements and Technical Specifications)
 - (e) The Supplier's Bid and original Price Schedules
 - (f) The Purchaser's Notification of Award
 - (g) [Add here any other document(s)]



- 3. This Contract shall prevail over all other Contract documents. In the event of any discrepancy or inconsistency within the Contract documents, then the documents shall prevail in the order listed above.
- 4. In consideration of the payments to be made by the Purchaser to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Purchaser to provide the Goods and Services and to remedy defects therein in conformity in all respects with the provisions of the Contract.
- 5. The Purchaser hereby covenants to pay the Supplier in consideration of the provision of the Goods and Services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of *[insert the name of the Contract governing law country]* on the day, month and year indicated above.

For and on behalf of the Purchaser

Signed: [insert signature] in the capacity of [insert title or other appropriate designation] in the presence of [insert identification of official witness]

For and on behalf of the Supplier

Signed: [insert signature of authorized representative(s) of the Supplier] in the capacity of [insert title or other appropriate designation] in the presence of [insert identification of official witness]

Disclaimer



Lot 1: Masithandane Multipurpose Cooperative Society Ltd

For the Contrac	tor		For the Emp	loyer
Name:			Name:	Sibusiso Mbingo
Position:			Position:	Director
Signature and company Stamp:			Signature and Company stamp:	
Date:			Date:	
Endorsed for fir	ancing b	by the Principal Secretary-Min	nistry of Econ	omic Planning and Development
Name:		Ms. Thabsile Mlangeni		
Position:		Principal Secretary – Minist	ry of Econom	ic Planning and Development
Signature:				
Date:				

Inis tender document and the information contained therein is provided "as is" and the Eswatinn Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, title, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to corrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whilst using this tender document.



Lot 2: Khulani Masini Multipurpose Cooperative Society

For the Contract	tor	For the Em	ployer
Name:		Name:	Sibusiso Mbingo
Position:		Position:	Director
Signature and company Stamp:		Signature and Company stamp:	
Date:		Date:	
Endorsed for fin	ancing by the Principal Secretary-	-Ministry of Eco	nomic Planning and Development
Name:	Ms. Thabsile Mlangeni		
Position:	Principal Secretary – Mi	nistry of Econon	nic Planning and Development
Signature:			
Date:			
Stamp:			

Disclaimer



For the Contractor		For the Em	ployer
Name:		Name:	Sibusiso Mbingo
Position:		Position:	Director
Signature and company Stamp:		Signature and Company stamp:	
Date: Endorsed for financi	ng by the Principal Secretary	Date: 7-Ministry of Ecor	nomic Planning and Development
Name:	Ms. Thabsile Mlangeni		
Position:	Principal Secretary – M	inistry of Econom	nic Planning and Development
Signature:			
Date:			
Stamp:			
sclaimer			

Lot 3: Siyalima Ngololweni Farmers Limited

Disclaimer



Lot 4: Ingcebo Yetfu Multipurpose Cooperative Society

For the Contract	tor	For the En	ıployer
Name:		Name:	Sibusiso Mbingo
Position:		Position:	Director
Signature and company Stamp:		Signature and Company stamp:	
	ancing by the Principal Sec	Date:	nomic Planning and Development
Date: Endorsed for fin Name:	ancing by the Principal Sec Ms. Thabsile Mla	cretary-Ministry of Eco	nomic Planning and Development
Endorsed for fin	Ms. Thabsile Mla	cretary-Ministry of Eco ngeni	nomic Planning and Development nic Planning and Development
Endorsed for fin Name:	Ms. Thabsile Mla	cretary-Ministry of Eco ngeni	
Endorsed for fin Name: Position:	Ms. Thabsile Mla	cretary-Ministry of Eco ngeni	

2. Performance Security

[The bank, as requested by the successful Bidder, shall fill in this form in accordance with the instructions indicated]

Date: [insert date (as day, month, and year) of Bid Submission] Bid No. and title: [insert no. and title of bidding process]

Bank's Branch or Office: [insert complete name of Guarantor]

Beneficiary: [insert complete name of Purchaser]

PERFORMANCE GUARANTEE No.: [insert Performance Guarantee number]

We have been informed that *[insert complete name of Supplier]* (hereinafter called "the Supplier") has entered into Contract No. *[insert number]* dated *[insert day and month]*, *[insert year]* with you, for the supply of *[description of Goods and related Services]* (hereinafter called "the Contract").

Furthermore, we understand that, according to the conditions of the Contract, a Performance Guarantee is required.

At the request of the Supplier, we hereby irrevocably undertake to pay you any sum(s) not exceeding *[insert amount(s¹⁰) in figures and words]* upon receipt by us of your first demand in writing declaring the Supplier to be in default under the Contract, without cavil or argument, or your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

This Guarantee shall expire no later than the *[insert number]* day of *[insert month] [insert year]*,¹¹ and any demand for payment under it must be received by us at this office on or before that date.

This guarantee is subject to the Uniform Rules for Demand Guarantees, ICC Publication No. 458, except that subparagraph (ii) of Sub-article 20(a) is hereby excluded.

[signatures of authorized representatives of the bank and the Supplier]

Disclaimer This tender document and the information contained therein is provided "as is" and the Eswatini Public Procurement Regulatory Agency (ESPPRA) makes no express or implied representations or warranties with regard thereto. Portions of the information may be incorrect or not current. Any person or entity that relies on any information obtained from this tender document does so at own risk. The ESPPRA expressly disclaims all implied warranties, including, without limitation, warranties of merchantability, tile, suitability to task, non-infringement, compatibility, security, and accuracy. The ESPPRA furthermore disclaims any warranty towards the accuracy, correctness, reliability, and timeliness of the publishing of content. Furthermore, no warranty, expressed or implied, is given this tender document is free of viruses, trojans, bombs, time-locks or any other data or code which have the ability to corrupt or affect the operation of any computer system it is used on. The ESPPRA cannot accept any responsibility for any loss, disruption, or damage to any of your data or computer system which may occur whilst using this tender document.



¹⁰ The Bank shall insert the amount(s) specified in the SCC and denominated, as specified in the SCC, either in the currency (ies) of the Contract or a freely convertible currency acceptable to the Purchaser.

¹¹ Dates established in accordance with Clause 18.4 of the General Conditions of Contract ("GCC"), taking into account any warranty obligations of the Supplier under Clause 16.2 of the GCC intended to be secured by a partial Performance Guarantee. The Purchaser should note that in the event of an extension of the time to perform the Contract, the Purchaser would need to request an extension of this Guarantee from the Bank. Such request must be in writing and must be made prior to the expiration date established in the Guarantee. In preparing this Guarantee, the Purchaser might consider adding the following text to the Form, at the end of the penultimate paragraph: "We agree to a one-time extension of this Guarantee for a period not to exceed [six months] [one year], in response to the Purchaser's written request for such extension, such request to be presented to us before the expiry of the Guarantee."

Disclaimer



